








WINDOWS PASSWORD : Test123

Physical





Logical Physical x 652 y 205



PC0

Physical Config Desktop Programming Attributes

Command Prompt

```
FastEthernet0 Connection:(default port)

Connection-specific DNS Suffix...:
Link-local IPv6 Address.....: FE80::20D:BDFF:FES1:7062
IPv6 Address.....: ::
IPv4 Address.....: 50.0.0.10
Subnet Mask.....: 255.0.0.0
Default Gateway.....: ::
                                0.0.0.0

Bluetooth Connection:

Connection-specific DNS Suffix...:
Link-local IPv6 Address.....: ::
IPv6 Address.....: ::
IPv4 Address.....: 0.0.0.0
Subnet Mask.....: 0.0.0.0
Default Gateway.....: ::
                                0.0.0.0


C:\>ping 50.0.0.20

Pinging 50.0.0.20 with 32 bytes of data:

Reply from 50.0.0.20: bytes=32 time<1ms TTL=128
Reply from 50.0.0.20: bytes=32 time<1ms TTL=128
Reply from 50.0.0.20: bytes=32 time<1ms TTL=128
Reply from 50.0.0.20: bytes=32 time<1ms TTL=128

Ping statistics for 50.0.0.20:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
```

☐ Top



WINDOWS PASSWORD : Test123

PING-2

Win2

10.0.0.20

PASSWORD : Test123