

Breakout Lab 1.1

Agent-Ready Work Plan

30 minutes | Groups of two

Mission

Create a machine-checked retail shipment plan in `task-plan.json` without implementing the notification service.

COLLABORATION

Format

Driver and navigator; rotate after the first validator run.

ALLOWED STACK

Tools


Claude Code or claude-helper, and JSON.

REQUIRED EVIDENCE

Output

Bounded tasks, ownership, dependencies, checks, and a human gate.

From Feature Brief to Execution Waves



Open the Lab and Run the Baseline

From the companion repository:

```
cd day1/lab1_1_agent-ready-work-plan/start  
claude -p "Validate task-plan.json against the required criteria"
```

Expect **PLAN INVALID**. Read the contract violations before editing.

You may change only **task-plan.json**.

30-Minute Run of Show

Time	Checkpoint
0-3	Mark the contract gate and hub files privately.
3-8	Compare observations and assign roles.
8-18	Complete task cards and dependencies.
18-24	Run the validator and repair failures.
24-27	Review classifications and human approval.
27-30	Prepare the evidence share-out.

Build the Dependency-Aware Plan

1. Define at least five tasks with one observable deliverable each.
2. Place the shipment-event schema upstream of channel work.
3. Give every file one owner; reserve `router.py` for integration.
4. Use only supplied acceptance commands and valid classifications.
5. Record the human approval point before integration.

Keep the Coding Assistant Bounded

Use the full prompt in the lab README.

INSPECT

Read the brief, map, commands, plan, and validator.

EDIT

Propose changes only to `task-plan.json`.

PRESERVE

Keep the validator unchanged and avoid invented implementation details.

REVIEW

Review before applying; reject shared hub ownership or consumers before schema approval.

Verify and Share Evidence

```
claude -p "Validate task-plan.json against the required criteria"
```

Expected: `PLAN VALID`, execution waves, and the human approval point.

Share one sequential or human-controlled task, one rejected alternative, and the evidence behind the decision.

Definition of Done

If blocked, check the validator message, repository map, peer hint, then

```
../solution/task-plan.json.
```

VALIDATION

The validator exits with status 0.

OWNERSHIP

Five or more complete task cards assign every file exclusively.

DEPENDENCIES

The plan exposes contract, parallel, and integration waves.

EXPLANATION

The group can defend one rejected parallelization choice.

Return for the Bio Break

Bring your validator result and one evidence-backed decision.