

Welcome and Architecture Overview

Optional Breakout Lab: Send Your First Amazon Bedrock Request

Amazon Bedrock AgentCore

Stretch Goal: First Request

NOTE

This is an unallocated stretch goal. Instructors may skip this if time is short, as it is strictly for early finishers to explore the APIs.

Stretch Goal: First Request

REFERENCE ONLY

If your environment is ready early, you can verify your connectivity by sending your first retail support request directly to the model.

Task:

1. Navigate to `day1/labs/01-first-bedrock-request` in the companion repository.
2. If you do not have Python installed locally, open the Google Colab notebook linked in the `README.md` to run the lab in your browser.
3. If you have Python installed locally, you may explore the alternate command-line scripts in `day1/optional-lab-first-request`.
4. Review the results to see how the model processes the request.

Available API Examples

REFERENCE ONLY

Choose the examples that match your preferred SDK. All scripts use the same retail customer support prompt to summarize a return case.

Python Script	API Method	SDK	Authentication
<code>invoke.py</code>	Invoke	Boto3	IAM or Bedrock API Key
<code>converse.py</code>	Converse	Boto3	IAM or Bedrock API Key
<code>chat-completions.py</code>	Chat Completions	OpenAI	Bedrock API Key
<code>responses.py</code>	Responses	OpenAI	Bedrock API Key

Additional Variations

REFERENCE ONLY

You can also explore how to handle streaming responses and multimodal image inputs.

Python Script	Purpose	Output
<code>openai-stream.py</code>	Demonstrate streaming text	Prints the summary token-by-token
<code>openai-images.py</code>	Multimodal (Converse)	Describes an image you pass as an argument
<code>openai.py</code>	Responses API check	Verifies access to the base <code>bedrock-mantle</code> API

Lab Complete

Return to the main room for Core Execution: Runtime and Gateway