


Book Log

Book Log is a lightweight web application for tracking books you have read. It stores each entry with a title, author, rating, short review, and created timestamp using SQLite.

Demo



State	Screenshot
Empty list	A screenshot of the Book Log web application, identical to the one above, showing the "Empty list" state. It features the "Book Log" title, an "Add Book" button, a "Sort by: Recently Added" dropdown, and the message "No books logged yet. Add your first book. "

State

Screenshot

Add a book

Add a Book

Back to List

Title

Author

Rating

5

Review

Add Book

Add form filled
in

Add a Book

Back to List

Title

Project Hail Mary

Author

Andy Weir

Rating

5

Review

Un-put-downable. The science-under-pressure plotting is incredible.

Add Book

State

Screenshot

Populated list

Book Log

Add Book

Sort by:

Recently Added ▾

Project Hail Mary

by Andy Weir

Un-put-downable. The science-under-pressure plotting is incredible.

Delete

The Song of Achilles

by Madeline Miller

Beautiful prose, heartbreaking ending.

Delete

Atomic Habits

by James Clear

Solid practical advice, a bit repetitive by the end.


Delete

3 / 6

State

Screenshot

Sorted by
rating



Tech Stack

- Node.js
- Express
- EJS
- SQLite via better-sqlite3

Current Features

- Add book entries with:
 - Title (required)
 - Author (required)
 - Rating (required, 1 to 5)
 - Review (optional)
- View all logged books on the main page
- Delete a book entry
- Sort book listings (title, rating, and most recently added)
- Persist data locally in books.sqlite

Data Model

The app currently uses a books table with these fields:

- id (auto-increment primary key)
- title (text, required)
- author (text, required)
- rating (integer, required, constrained to 1-5)
- review (text, optional)
- created_at (timestamp, defaults to current time)

Setup

Prerequisites

- Node.js 18+ (Node.js 20+ recommended)
- npm

Install Dependencies

If dependencies are not already installed:

1. Open a terminal in the project root.
2. Run:

```
npm install
```

Playwright MCP and E2E Setup

This project now includes Playwright test configuration and a local MCP server definition.

1. Install browser binaries:

```
npm run test:e2e:install-browsers
```

2. Run end-to-end tests:

```
npm run test:e2e
```

Optional modes:

```
npm run test:e2e:headed  
npm run test:e2e:ui
```

MCP server config is in `.vscode/mcp.json` and uses `@playwright/mcp`.

Run the Application

Start the app from the project root:

```
npm start
```

If your local setup does not have a start script yet, run:

```
node app.js
```

Then open:

- <http://localhost:3000>

Basic Usage

1. Open the home page.
2. Add a new book entry.
3. View the list of books.
4. Change sort order.
5. Delete an entry if needed.

Notes

- Database file: books.sqlite
- Data is stored locally on your machine.