

# GitHub Copilot Chat Interface Exercise

This hands-on exercise focuses on mastering the GitHub Copilot Chat Interface, covering chat panel navigation, slash commands, context provision techniques, and workspace integration. Based on the Spring Boot Task Manager project structure.

## Learning Objectives

By completing this exercise, you will master:

- **Chat panel navigation and usage** - Understanding the chat interface and its capabilities
- **Slash commands overview** - Using `/explain`, `/fix`, `/doc`, `/tests`, `/new` effectively
- **Context provision techniques** - Leveraging file context, selections, and terminal context
- **Chat participants and workspace integration** - Working with workspace-aware conversations

## Setup Requirements

- VS Code with GitHub Copilot extension enabled
- GitHub Copilot Chat extension enabled
- Java Development Kit (JDK 21)
- Maven build tool
- Access to the `project1/task-manager` project in this repository
- **Foundation classes are ready** - see [Setup Requirements](#)

## Pre-Exercise Verification

1. **Open VS Code** in the `project1/task-manager` directory
  2. **Open Copilot Chat** using `Ctrl+Shift+I` (Windows/Linux) or `Cmd+Shift+I` (macOS)
  3. **Verify chat panel** appears in the sidebar or as a separate panel
-

## Exercise 1: Chat Panel Navigation and Basic Usage

### Objective

Learn to navigate the Copilot Chat interface and understand its basic functionality.

### Tasks

#### Task 1.1: Opening and Positioning Chat Panel

1. **Open the chat panel** using keyboard shortcut or Command Palette ( `Ctrl/Cmd+Shift+P` )  
→ "GitHub Copilot: Open Chat")
2. **Try different positions:**
3. Dock it to the sidebar
4. Open it as a separate editor tab
5. Use the floating chat window
6. **Test chat responsiveness** by asking: "What is this project about?"

#### Task 1.2: Basic Chat Interaction

1. **Ask about the project structure:**

Explain the overall structure of this Spring Boot project

1. **Request code explanation:**

How does the Task entity relate to the User entity in this project?

1. **Get development guidance:**

What are the main components I need to build a task management REST API?

### Expected Results

- Chat panel opens and can be repositioned
  - Copilot provides contextual responses about the Spring Boot Task Manager
  - Responses include references to actual project files and structure
-

## Exercise 2: Slash Commands Deep Dive

### Objective

Master the four core slash commands: `/explain`, `/fix`, `/generate`, and `/optimize`.

### Tasks

#### Task 2.1: `/explain` Command

1. **Open** `src/main/java/com/taskmanager/app/entity/Task.java`
2. **Select the entire class** and use chat:

```
/explain
```

1. **Select just the JPA annotations** and ask:

```
/explain What do these annotations do for database mapping?
```

1. **Ask about a specific method:**

```
/explain the relationship between Task and User entities
```

#### Task 2.2: `/generate` Command

1. **Generate a new service method:**

```
/generate a method in TaskService to find all tasks by status and user
```

1. **Generate exception handling:**

```
/generate a global exception handler for the task management API
```

1. **Generate test methods:**

```
/generate unit tests for the TaskController class
```

#### Task 2.3: `/fix` Command

1. **Introduce a deliberate bug** in `TaskController.java`:

```
java @GetMapping("/tasks/{id}") public ResponseEntity<Task>
getTask(@PathVariable String id) { Task task = taskService.findById(id); //
Wrong type: String instead of Long return ResponseEntity.ok(task); }
```

1. **Select the buggy code** and use:

```
/fix this method signature and parameter type
```

1. **Create a compilation error** and ask Copilot to fix it:

```
/fix the compilation errors in this file
```

## Task 2.4: `/optimize` Command

1. **Create a suboptimal method:**

```
java public List<Task> getAllTasksForUser(Long userId) { List<Task> allTasks =
taskRepository.findAll(); List<Task> userTasks = new ArrayList<>(); for (Task
task : allTasks) { if (task.getUser().getId().equals(userId))
{ userTasks.add(task); } } return userTasks; }
```

1. **Select the method** and ask:

```
/optimize this method for better performance
```

1. **Optimize query performance:**

```
/optimize the database queries in TaskRepository
```



## Expected Results

- `/explain` provides clear explanations of selected code
- `/generate` creates relevant, compilable code
- `/fix` identifies and corrects syntax/logic errors
- `/optimize` suggests performance improvements

## Exercise 3: Context Provision Techniques

### Objective

Learn to provide effective context using hash symbols and selections for better AI responses.

## Tasks

### Task 3.1: File Context with `#file`

1. **Reference specific files** in your chat:

`#file:src/main/java/com/taskmanager/app/entity/Task.java` How can I add validation annotations to this entity?

1. **Compare multiple files:**

Compare the structure of `#file:Task.java` and `#file:User.java`. What relationships exist?

1. **Reference configuration files:**

Based on `#file:application.properties`, what database configuration is being used?

### Task 3.2: Selection Context with `#selection`

1. **Select a method** in `TaskService.java` and ask:

`#selection` Explain this method and suggest improvements

1. **Select multiple related methods** and ask:

`#selection` How do these methods work together? Any redundancy?

1. **Select configuration properties:**

`#selection` What do these Spring Boot properties control?

### Task 3.3: Terminal Context with `#terminal`

1. **Run a Maven command** in terminal:

`bash mvn clean compile`

1. **If there are errors**, ask chat:

`#terminal` Help me understand and fix these compilation errors

1. **Run tests** and get help with failures:

`bash mvn test`

Then ask:

```
#terminal Why are these tests failing and how can I fix them?
```

### Task 3.4: Combined Context Usage

#### 1. Use multiple context types:

```
Based on #file:Task.java and #selection (select TaskService method), generate  
a REST endpoint that #terminal (reference recent test output) validates  
properly
```



### Expected Results

- Chat responses become more accurate with proper context
  - Copilot references the exact files and selections mentioned
  - Terminal context helps debug compilation and test issues
  - Combined context provides comprehensive solutions
- 

## Exercise 4: Chat Participants and Workspace Integration

### Objective

Understand how Copilot Chat integrates with your workspace and maintains conversation context.

### Tasks

#### Task 4.1: Workspace Awareness

##### 1. Test workspace understanding:

```
What Spring Boot version is this project using and what are its main  
dependencies?
```

##### 1. Ask about project structure:

```
Show me the package structure of this Spring Boot application
```

##### 1. Request architecture guidance:

```
Based on the current project structure, how should I organize new features?
```

## Task 4.2: Multi-File Context

### 1. Ask about relationships across files:

How do the Controller, Service, and Repository layers interact in this project?

### 1. Request comprehensive changes:

I need to add a Category entity. Update all necessary files including controller, service, repository, and tests

### 1. Validate cross-file consistency:

Check if the API endpoints in controllers match the service methods available

## Task 4.3: Conversation Continuity

### 1. Start a conversation about adding authentication:

I want to add JWT authentication to this Spring Boot app. What files need to be modified?

### 1. Continue the conversation:

Show me the SecurityConfig implementation for JWT

### 1. Follow up with specific details:

How do I modify the existing controllers to work with JWT authentication?

### 1. Reference previous conversation:

Based on the JWT configuration we discussed, generate the User login endpoint

## Task 4.4: Project Evolution Guidance

### 1. Ask about adding new features:

I want to add file attachment functionality to tasks. What's the best approach?

### 1. Request migration guidance:

How can I migrate from H2 to PostgreSQL while preserving data?

### 1. Get deployment advice:

What configuration changes are needed to deploy this app to production?



## Expected Results

- Copilot demonstrates deep understanding of project structure
  - Responses consider existing code patterns and conventions
  - Conversation maintains context across multiple interactions
  - Suggestions align with Spring Boot best practices
- 



## Exercise 5: Advanced Chat Techniques

### Objective

Learn advanced techniques for maximizing Copilot Chat effectiveness.

### Tasks

#### Task 5.1: Iterative Development

##### 1. Start with high-level request:

Create a complete CRUD REST API for a Category entity

##### 1. Refine the implementation:

Add validation to the Category entity with proper error messages

##### 1. Enhance with relationships:

Add a many-to-many relationship between Task and Category

##### 1. Include comprehensive testing:

Generate integration tests for the Category API endpoints

#### Task 5.2: Code Review and Quality

##### 1. Request code review:

Review my TaskController implementation and suggest improvements

##### 1. Ask for best practices:



What Spring Boot best practices should I follow in this service layer?

### 1. Security analysis:

Analyze the current code for potential security vulnerabilities

## Task 5.3: Problem-Solving Approach

### 1. Describe a complex scenario:

Users are reporting slow task loading. The app has 10,000+ tasks per user. How can I optimize performance?

### 1. Request debugging help:

My integration tests are failing intermittently. How can I make them more reliable?

### 1. Architecture decisions:

Should I implement caching for task data? What are the trade-offs?



## Expected Results

- Copilot provides comprehensive, multi-step solutions
  - Suggestions consider performance, security, and maintainability
  - Responses include specific implementation guidance
  - Complex problems are broken down into manageable steps
- 



## Success Criteria

After completing this exercise, you should be able to:

- ✓ **Navigate the chat interface** efficiently and position it optimally for your workflow
- ✓ **Use all four slash commands** ( `/explain` , `/fix` , `/generate` , `/optimize` ) effectively for different development tasks
- ✓ **Provide proper context** using `#file` , `#selection` , and `#terminal` to get accurate responses
- ✓ **Maintain conversation continuity** for complex, multi-step development tasks
- ✓ **Leverage workspace integration** to get project-specific, contextually relevant suggestions

✅ **Apply advanced techniques** for iterative development and code quality improvement

### **Next Steps**

1. **Practice regularly** - Use chat for daily development tasks
2. **Experiment with different context combinations** - Find what works best for your workflow
3. **Build conversation patterns** - Develop templates for common development scenarios
4. **Integrate with team workflows** - Share effective chat techniques with teammates

### **Additional Resources**

- [Copilot Chat Participants Guide](#)
- [Hash Context Deep Dive](#)
- [Slash Commands Reference](#)
- [Custom Instructions Setup](#)

---

💡 **Pro Tip:** The more specific and contextual your chat requests, the better Copilot's responses will be. Always provide relevant file context and be clear about your goals!