```
1.1 Single Excel Process Scope (SequenceX)
                   Private = False
Variables
                                         Notes(IWorkbookQuickHandle)
                                        1.4 Use Browser Firefox: Dashboard | DCI Portal (NApplicationCard)
Window attach mode = Byinstance
Unified Application Target
Selector = clittnil appe 'firefox.exe' title='Dashboard | DCI Portal' />
URL = https://acumen.dciooftware.com/Home/Dashboard
Input mode = HardwareVents
                                                               Resize window = None
Private = False
Body
                                                                                 1.5 Do (Sequence)

Private = False

Activities

1.15
                                                                                                                              1.156 Click 'Add Entry' (NClick)
Click type = Single
Key modifiers = None
Mouse button = Left
Input mode = SameAsCard
                                                                                                                                                                          Window \ selector \ (Application \ instance) = <html \ app='firefox.exe' \ title='Dashboard \ | \ DCI \ Portal' /> Visibility \ check = Interactive
                                                                                                                               Visibility check - Interactive
Responsive websites = False
Strict selector = owebcrtiid "binAddCentry" tage "BUTTON" />
Fuzzy selector = owebcrtiid "binAddCentry" tage "BUTTON" type=" class="btn btn-blue" anname="Add Entry" check:innerText="Add Entry" />
Targeting methods = FuzzySelector, Image
Private = False
1.146 Type Into 'Client' (MTypeInto)
Activate = True
                                                                                                                                                    Activate = True
Click before typing = Single
Empty field = SingleLine
Text = mesi
Input mode = SameAsCard
                                                                                                                                                     Target
                                                                                                                                                                          Window selector (Application instance) = <html app='firefox.exe' title='Dashboard | DCI Portal' />
                                                                                                                                                                         Window selector (Application instance) = chtml appe "firefox.exe" titles" Dashboard | DCI Portal" />
Visibility check: biteractive
Responsive websites = True
Anchor 1

Strict selector = cwebctri parentide" dxClient' tage" LABEL' />
Fuzzy selector = cwebctri parentide" dxClient' tage" LABEL' types" classe 'col-sm-3 control-label requiredLabel' anamee 'Client' check.innerText='Client:' />
Targeting methods = Fuzzy-Selector, Image
Strict selector = cwebctri di-txClientAccount' tage 'INPUT' />
Fuzzy selector = cwebctri di-txClientAccount' tage 'INPUT' (types" classe 'form-control required nonsubmittextboxauto drpProg ui-autocomplete-input' anamee 'Client:' />
Targeting methods = Fuzzy-Selector, Image
                                                                                                                              Private = False

1.144 Delay (Delay)

Duration = 00.00.02

Private = False

1.135 Click *MESION JASMINE - GA8856' (NClick)

Click type = Single
Key modifier = None
Mouse button = Left
Input mode = SameACard

Target

Mindrow selector (Apolication

Mindrow selector (Apolication)
                                                                                                                                                     Private = False
                                                                                                                                                                         Window selector (Application instance) = <html app='firefox.exe' title='Dashboard | DCI Portal' />
                                                                                                                                                                          Visibility check = Interactive
Responsive websites = False
Anchor 1
                                                                                                                                                  1.126 Click 'Service Code' (NClick)
Click type = Single
                                                                                                                                                    Key modifiers = None
Mouse button = Left
Input mode = SameAsCard
Target
                                                                                                                                                                         Window selector (Application instance) = <a href="html app="firefox.exe">html app="firefox.exe">html="bashboard</a> | DCI Portal"/> Visibility check = Interactive
Responsive websites = False
Anchor 1
                                                                                                                                                                                               Strict selector = <webctrl parentid='DivServicePunch' tag='LABEL' />
                                                                                                                              Target

Window selector (Application instance) = <mrd app**firefox.exe* cls**MozillaWindowClass* title**Dashboard | DCI Portal — Mozilla Firefox />
Visibility check = interactive
Responsive websites = false
Stict selector = <ctri name**CLE* role="list item"/>
Fuzzy selector = <ctri name**CLE* role="list item"/>
Targeting methods = Selector, FuzzySelector, Image
Private = False
1.110 Click *Check in** (NClick)
Click *Check in** (NClick)
Click *Check in** shone
Mouse button = Left
Input mode = HardwareEvents
Target
Window selector.**
                                                                                                                                                                         Window selector (Application instance) = <a href="html app="firefox.exe" title="Dashboard">html app="firefox.exe" title="Dashboard</a> | DCI Portal />Visibility.check = interactive
Responsive websites = False
Anchor 1
                                                                                                                                                                         Anchor 1

Strits selector = cwebctrl parentid='divCheckinCheckoutTime' tag="LABEL" />
Fuzzy selector = cwebctrl parentid='divCheckinCheckoutTime' tag="LABEL" type=" class='col-sm-3 control-label requiredLabel" anname="Check in: 'checkinnerText='Check in: '/>
Targeting methods = FuzzySelector, image

Strict selector = cwebctrl idx="2" parentid="timepicker1" tag="SPAN" / lass="glyphicon-glyphicon-time" anname="/>
Targeting methods = FuzzySelector, image
                                                                                                                                Private = False
1.103 Click '3:00 PM' (NClick)
                                                                                                                                                   Click type = Single
Key modifiers = None
Mouse button = Left
Input mode = HardwareEvents
Target
                                                                                                                                                                         Window selector (Application instance) = <html app='firefox.exe' title='Dashboard | DCI Portal' />
                                                                                                                              Window selector (Application instance) = chml appe "firefox.exe" title="Dashboard | DCI Portal" />
Visibility check = Interactive
Responsive websites = False
Strict selector = vewbetrif classe"ui-timepicker-pm" idxe"? parentid="timepicker1" tage"\U' />
Fizzy selector = cwebctric classe"ui-timepicker-pm" type=" parentid="timepicker1" tage"\U' aname="3:00 PM" check:innerText="3:00 PM" />
Targeting methods = FuzzySelector, Image
Private = False

Private = False
Cilck type = Single
Key modifiers = None
Mouse button = Left
                                                                                                                                                      Input mode = HardwareEvents
                                                                                                                                                                          Window \ selector \ (Application \ instance) = <html \ app='firefox.exe' \ title='Dashboard \ | \ DCI \ Portal' /> Visibility \ check = Interactive
                                                                                                                                                                           Responsive websites = False
Anchor 1
```

Strict selector = <webctrl parentid='serviceTimeDiv' tag='LABEL' />

```
Fuzzy sejector = <webctrl parentid='serviceTimeDiv' tag='LABEL' type=" class='form-control-static checkout-custom requiredLabel' aaname='Check Out:' check:innerText='Check Out:' />
                                                                                                                                                 razzy seector = weeton patenties service interov tage noet type= class=ioint-control-static chec
Targeting methods = fuzzySelector, lange
Strict selector = webctril (see" parentide "timepicker2" tage "SPAN" />
Fuzzy selector = webctril type="" parentide "timepicker2" tage "SPAN" class="glyphicon glyphicon-time" anamee" />
Targeting methods = FuzzySelector, Image
   Targeting methods =
Private = False

1.87 Click '11:00 PM' (NClick)
Click type = Single
Key modifiers = None
Mouse button = Left
Input mode = HardwareEvents
Window selector (Application instance) = <a href="https://doi.org/10.1001/journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-journal-jour
                                                                                                                                                 Window selector (Application instance) = <html app='firefox.exe' title='Dashboard | DCI Portal' />
                                                                              Input mode = HardwareEvents
Target
                                                                                                                                              Window selector (Application instance) = <a href="https://doi.org/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/10.25/
                                                                                                                                              Anchor 1
Strict selector = owebctri parentide'divEvMethod' tage'LABEL' />
Fuzzy selector = owebctri parentide'divEvMethod' tage'LABEL' type=" class='col-sm-3 control-label requiredLabel' anamme='EVV Method.' check:innerText='EVV Method'. />
Targeting methods = Fuzzy-Selector, Image
Strict selector = owebctri die'drpEvMethod' tage'SELECT' />
Fuzzy selector = owebctri die'drpEvMethod' tage'SELECT' />
Targeting methods = Fuzzy-Selector, image
                                                                           Private = False
   Private = False

1.71 Click 'Portal Signoff' (NClick)
Click 'type = Single
Key modifiers = None
Mouse button = Left
Input mode = HardwareEver
Target
Window selector
                                                                                                                                              Window selector (Application instance) = <wnd app="firefox.exe" cls="MozillaWindowClass" title="Dashboard | DCI Portal — Mozilla Firefox" /> Visibility check = Interactive
                                                                                                                                                    Visibility check = Interactive
Responsive websites = False
                                                                                                                                                 nesponser websites = raise state and responser websites = raise properties of the responser websites = responser properties = responser = responser properties = responser = responser properties = responser = res
      Targeting m
Private = False

1.62 Click 'Reason' (NClick)
Click type = Single
Key modifiers = None
Mouse button = Left
Input mode = Hardwar
                                                                                                                                              Window selector (Application instance) = <a href="https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashboard">https://exercite="Dashbo
                                                                  Anchor 1

Strict selector = <a href="https://www.newbctriparentid="reasonCodelcon" tag="LABEL" />
Fuzzy selector = <a href="https://www.newbctriparentid="reasonCodelcon" tag="LABEL" type="class="col-sm-3 control-label text-left" aaname="Reason" check:innerText="Reason" />
Targeting methods = fuzzy.Selector = <a href="https://www.newbctriparentid="customReasonCode" tag="1" />
Fuzzy selector = <a href="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctriparentid="https://www.newbctripa
      1.53 Click 'Add Reason' (NClick)
Click type = Single
                                                                           Key modifiers = None
Mouse button = Left
                                                                           Input mode = HardwareEvents
Target
                                                                                                                                              Window selector (Application instance) = <a href="html app="firefox.exe" title="Dashboard">html app="firefox.exe" title="Dashboard</a> | DCI Portal" />Responsive websites = False Anchor 1
                                                                                                                                              Anchor 1
Strict selector = owebctri parentidi='resonCodebetailRgn' tage"LABEL' />
Fuzzy selector = cwebctri parentidi='resonCodebetailRgn' tage"LABEL' type="class='col-sm-3 control-label requiredLabel' anamme='Add Reason Codes: 'check:innerText='Add Reason Codes: &RttD,&BttA_required' />
Targeting methods = Fuzzy-Selector = cwebctri id='drpCustor Reason' tage='SELECT' />
Fuzzy selector = cwebctri id='drpCustor Reason'
   Targeting method
Private = False
1.46 Click 'Landline: Employee' (NClick)
Click type = Single
Key modifiers = None
Mouse button = Left
Input mode = HardwareEven
                                                                                                                                              Window selector (Application instance) = <wnd app='firefox.exe' cls='MozillaWindowClass' title='Dashboard | DCI Portal — Mozilla Firefox' />
                                                                                                                                                    Visibility check = Interactive
Visibility check = Interactive
Responsive websites = False
Strict selector = <a href="Chickengle-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liketing-liket
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         nid=" check:text='Landline: Employee forgot to clock-in and out - 910' />
                                                                           Input mode = HardwareEvents
Target
                                                                                                                                           Targeting methods = FuzzySelector, Image
                                                                           Private = False
Private = False

1.30 Click 'Yes' (NClick)
Click type = Single
Key modifiers = None
Mouse button = Left
Input mode = HardwareEvents
Target
Mindows plotses (A)
                                                                                                                                        Window selector (Application instance) = <a href="https://doi.org/10.10/10/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/2016/11/201
Targeting methods = FuzzySelector, Image
Private = False

1.24 Message Box (MessageBox)
AutomaticallyCloseAfter = 00:00:00
Buttons = OKCancel
Content = "Select Date and click 'Continue' once complete."
Private = False

1.15 Cilc' Save (NClick)
Cilc' Kyre = Single
Key modifiers = None
Mouse button = Left
Input mode = SameAsCard
Target
                                                                              Target
```