STAKEHOLDER BRIEF | AUGUST 2026

IAM Automation Phase 1

Read-only identity reconciliation and audit

Prepared for business, operations, data, security and IAM stakeholders

WFM Operations visibility	Technical contribution
The initiative brings together fragmented source observations that were previously compared manually, making coverage, timing, findings and evidence visible in one read-only analytical view.	Miguel Fernandez contributes from WFM Operations while performing the Full-Stack Developer role supporting the IAM Automation initiative, including the application workflow, reconciliation experience and UAT preparation described in the source documentation.

Executive message

Phase 1 is deliberately focused: centralize source exports, reconcile analytical identities, classify conditions, preserve evidence and support human review. The platform detects and explains; humans decide; authoritative source platforms execute.

This is a controlled opportunity to turn a manual, multi-source comparison process into a faster and more traceable exception-review capability while keeping the Phase 1 boundary read-only.

1. Why Phase 1 matters

From manual comparison to exception-based review

- The prior process compared multiple exports manually, even though sources refreshed at different cadences.

- Those timing differences could create apparent discrepancies without enough context to explain whether the issue was real, expected or simply late data.

- Phase 1 creates a consolidated analytical view with source lineage, timestamps, history, findings and evidence exports.

- The practical outcome is a shift from searching through files to reviewing the exceptions that the platform has surfaced and explained.

What Phase 1 does - and does not do

In scope

- Ingest approved source exports

- Normalize and reconcile observations

- Represent a canonical analytical identity

- Classify conditions and preserve history

- Support review, audit and evidence exports

- Operate with platform safety controls

Explicit boundary

- No authoritative hire or termination decision

- No provisioning or deprovisioning

- No automatic merge or source-system mutation

- No ITSM action workflow in the Phase 1 gate

- No live Salesforce or other future integration requirement

The canonical Worker/Employee is an internal analytical identity used to reconcile observations. It is not an HR record, an AccessNow record or a provisioning decision.

Miguel's contribution and WFM Operations visibility

The source materials support presenting Miguel as the WFM Operations contributor performing the Full-Stack Developer role within this initiative. His contribution connects operational knowledge of the reconciliation problem with the technical implementation and UAT framing needed to make the process visible, explainable and testable. This brief does not assign formal product ownership or decision authority; those remain with the stakeholder owners identified in the UAT materials.

2. UAT readiness at a glance

The UAT package is discovery-oriented: current system behavior is documented separately from the business outcome stakeholders still need to approve.

34	Phase 1 core rules	**8**	Phase 1 platform rules	**9**	Scenarios ready
20	Blocked by business decisions	**3**	Technical blockers	**48**	Business questions remaining

The scope inventory contains 52 classified rules: 34 PHASE1_CORE, 8 PHASE1_PLATFORM, 5 PHASE2_WRITER and 4 FUTURE_INTEGRATION, with 1 additional out-of-scope rule. The execution plan records 2 Phase 2 scenarios and 2 future-integration scenarios as deferred and non-blocking.

What the readiness picture means for stakeholders

- The project is not asking stakeholders to solve 48 questions at once. The next meeting agenda narrows the conversation to 10 decisions with the greatest impact on Phase 1 acceptance.

- Most blocked scenarios are not missing software paths; they need an approved interpretation for identity, timing, source coverage, conflict handling, severity or evidence.

- The key technical release gate is proving that a Phase 1 deployment cannot mutate authoritative lifecycle or source-system data.

- UAT can progress in waves as decisions are documented, assigned and converted into repeatable expected outcomes.

UAT execution waves

Wave	Business focus	Outcome
1	**Ingestion and lineage**	Traceable inputs, row counts, quarantine and history
2	**Identity reconciliation**	Approved match evidence; ambiguity surfaced
3	**Cross-source audit**	Coverage, timing and conflicts classified
4	**Lifecycle findings**	Potential conditions detected, never executed
5	**Review, evidence and exports**	Reproducible, attributable analytical evidence
6	**Platform safety**	Read-only controls, access, audit and recovery

3. Ten priority stakeholder decisions

The agenda below is selected from UAT_NEXT_MEETING_DECISIONS.md and written in business language. Each decision should be recorded with an owner, effective date, affected population and UAT impact.

1 Identity keys
Agree which identifiers prove that observations belong to the same person, and when uncertainty must remain a review finding.

2 Source coverage expectations
Define which populations and lifecycle stages should appear in each source; absence is not automatically an error.

3 Conflict handling
Decide when an approved source authority applies and when competing observations must remain visible as a discrepancy or another finding class.

4 Source latency
Set the allowed refresh age by source and population so normal timing differences do not create false positives.

5 Rehire detection
Confirm the 30-day interpretation, calendar, dates and boundaries. Phase 1 may detect a potential condition but does not approve or reject rehire.

6 Finding severity
Define what is Critical, Warning, Review or Informational so teams can prioritize attention and manage notification volume.

7 Expected differences
Create the approved catalog of normal source mismatches, including the source, population and timing conditions that make them expected.

8 Resolution evidence
Define the minimum evidence a reviewer must capture, and distinguish reviewed from resolved without allowing silent dismissal.

9 Phase 1 operational ownership
Assign owners for rules, mappings, schemas, calendars, severity and UAT decisions, with controlled change and regression evidence.

10 Read-only boundary and technical gate
Enforce that IAM Automation detects and exposes findings while humans and authoritative platforms execute decisions. Writer routes must not be reachable from Phase 1.

Stakeholder principle: an unresolved policy should remain an explicit decision, not be converted into an accidental expectation based only on current code behavior.

4. Risks, actions and the Phase 1 path forward

Top Phase 1 risks in stakeholder language

Risk	Why it matters	Response
Identity correlation	The wrong observations could be joined or split if matching keys and fallbacks are not approved.	Approve an identity evidence matrix and surface uncertainty for review.
Boundary confusion	An analytical identity could be mistaken for an authoritative employee or lifecycle decision.	Use analytical terminology and enforce the read-only technical gate.
Reachable writer capability	Writer-like routes could create an unsafe path from a read-only deployment.	Separate or gate writer composition and prove negative access tests.
Rehire interpretation	Undefined dates, calendars and boundaries could create false or missed findings.	Approve detection parameters and keep action outside Phase 1.
Evidence exports	Undefined grain, coverage and inclusion rules could produce incomplete or misleading outputs.	Confirm export definitions, control totals and reproducibility.

Requested stakeholder actions

- Confirm the ten priority decisions and assign a named decision owner for each.
- Provide representative, privacy-safe fixtures for approved source formats and lifecycle observations.
- Approve the finding vocabulary, source refresh/latency expectations and minimum review evidence.
- Validate the Phase 1 read-only technical gate with Security and Operations before sign-off.
- Review UAT results wave by wave and record decisions, expected outcomes and any required implementation change.

Phase 2 writer capabilities and future integrations - including ITSM workflows, authoritative changes, live Salesforce provisioning and other downstream connectors - are explicitly deferred and do not block Phase 1 acceptance. They remain separately tracked for future scope and ownership.

Source basis

This stakeholder brief synthesizes the six supplied UAT documents: UAT_TEST_SCENARIOS.md, UAT_RULES_INVENTORY.md, UAT_RISK_REGISTER.md, UAT_OPEN_BUSINESS_QUESTIONS.md, UAT_NEXT_MEETING_DECISIONS.md and UAT_EXECUTION_PLAN.md. Counts and scope statements are preserved from those documents as supplied.