UAT Open Business Questions — IAM Automation Phase 1

Every question below requires an accountable stakeholder decision before the related UAT result can be signed off. The “current assumption” column describes repository behavior, not an approved requirement.

Scope classification index

Scope	Question IDs
PHASE1_CORE	Q-001–Q-015, Q-018–Q-025, Q-027–Q-034, Q-039–Q-040
PHASE1_PLATFORM	Q-035–Q-037, Q-043–Q-047, Q-049
PHASE2_WRITER	Q-016, Q-017, Q-026, Q-038
FUTURE_INTEGRATION	Q-041–Q-042, Q-048

Q-035 is a resolved scope decision, not an open business question. It remains in this historical question register only to show the correction from the previous package. The remaining open-question count is 48. Questions classified `PHASE2_WRITER` or `FUTURE_INTEGRATION` are deferred and must not block Phase 1 sign-off.

Identity matching

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-001	Which identifier is the authoritative identity key across all sources?	Controls matching, analytical identity representation, rehire findings, duplicate candidates, and export.	Multiple strong IDs are accepted and some are aliased.	Wrong identity joins or splits.	IAM Identity Owner
Q-002	Are NUID, NPN, Employee Number, Vendor Employee ID, Worker ID, and Buyer Reference truly equivalent, or only source-local?	Controls cross-source joins.	`_match_types` aliases several values.	Unrelated people can merge.	IAM Data Owner
Q-003	May email match an employee when no strong identifier matches?	Controls fallback matching.	Email is a fallback signal.	Reused/shared email causes false merge.	IAM Identity + Security
Q-004	May exact first/last name match an employee? Under what extra evidence?	Controls ambiguous and common-name cases.	Exact normalized names are fallback signals.	Same-name people merge.	IAM Identity Owner
Q-005	What evidence and threshold define a possible duplicate?	Needed for candidate reports and manual review.	No fuzzy score or threshold exists.	Duplicates remain hidden or are merged inconsistently.	IAM Identity Owner

Canonical employee rules

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-006	What exactly is a Worker versus an Employee in business terms?	Defines grain of canonical views, exports, and reporting.	Worker is stable identity; Employee is a view.	Wrong row counts and lifecycle model.	IAM Solution Owner

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-007	What evidence is sufficient to represent an unmatched observation as an internal canonical analytical identity?	Controls analytical identity resolution without creating an authoritative employee.	Approved RSR unmatched rows can create ACTIVE Workers through a writer path.	A finding may be mistaken for an approved employee.	IAM Identity Owner
Q-008	What review evidence is required before an analytical identity is treated as a stable reconciliation subject?	Controls analytical continuity and auditability.	Promotion/admin routes exist; they are not Phase 1 acceptance.	Weak evidence produces false identity continuity.	IAM Governance Owner
Q-009	What fields are mandatory for analytical identity representation versus source staging?	Defines valid evidence and quarantine behavior without creating an authoritative employee.	Required fields are source-specific.	Incomplete analytical identities are exported.	IAM Data Owner

Source precedence

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-010	Which source owns status, manager, name, email, role, dates, and identifiers?	Needed for every conflict and export.	Report preference is Roster Lock > RSR > AccessNow, not field-specific.	Wrong values reach downstream.	IAM Data Governance
Q-011	Is source precedence different for current status, historical evidence, and effective-dated changes?	Prevents one priority rule from overriding lifecycle history.	Shared status rank exists.	Terminated users may appear active.	IAM Lifecycle Owner
Q-012	Which timestamp wins: effective, updated, created, received, or file date?	Controls late corrections and order independence.	Different services use different timestamps.	Results change with load order.	IAM Data Owner
Q-013	How fresh must each source be before it is considered usable?	Controls stale-data warnings and export readiness.	No complete freshness policy found.	Exports rely on outdated data.	IAM Operations Owner

Duplicate handling

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-014	What is an exact duplicate: same ID, same full row, same normalized identity, or same business event?	Defines duplicate reports and supersession.	Normalized signals and newest created time are used.	Corrections or duplicates are misclassified.	IAM Data Owner
Q-015	Should the newest record always win, or only when its effective date is newer?	Controls current profile selection.	Newest same-source created-time record wins.	Bad late row overrides valid data.	Source Owners
Q-016	Which future writer role may execute an authoritative merge after Phase 1 presents duplicate evidence?	Separates analytical duplicate detection from authoritative action.	Merge route exists and preserves evidence; Phase 1 must not execute it.	Phase 1 users may be treated as identity decision-makers.	IAM Identity + Audit
Q-017	What happens to authoritative requests, access, audit, exports, and identifiers after a future writer merge?	Defines future downstream referential integrity.	Evidence is preserved; writer behavior is not defined.	Broken references and audit gaps in a later phase.	IAM Solution Owner

Rehire

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-018	Does “30-day rehire” mean calendar days or business days?	Changes alert eligibility.	Code uses business days.	Early/late access decisions.	IAM Lifecycle Owner
Q-019	Are day zero and day thirty included?	Defines boundary cases.	Code includes 0 and 30.	Inconsistent boundary outcomes.	IAM Lifecycle Owner
Q-020	Which termination and rehire dates are authoritative?	Controls rehire matching.	Code falls back to created timestamps if dates are missing.	Wrong rehire classification.	IAM Data Owner
Q-021	Does a rehire reuse the Worker and add an engagement, or create a new Worker?	Defines identity history and access.	Architecture favors stable Worker/engagements; broad policy open.	Duplicate identities or lost history.	IAM Identity Owner
Q-022	What happens after the 30-day window?	Needed for UAT-012 and onboarding.	No complete rule found.	Silent new identity or unsafe merge.	IAM Lifecycle Owner
Q-023	Which holidays and business calendar apply?	Controls elapsed business days.	Optional `REHIRE_HOLIDAYS`; invalid entries are ignored.	Calendar drift changes eligibility.	IAM Operations Owner

No-hire policy

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-024	What is the authoritative no-hire/blacklist source and matching key?	Controls eligibility.	No complete enforcement found.	Ineligible person onboarded.	IAM Compliance Owner
Q-025	How should a possible no-hire match be classified as evidence: expected difference, insufficient evidence, discrepancy, or policy-relevant finding?	Keeps Phase 1 analytical and prevents false-positive business action.	No rule.	Either alert noise or missed evidence.	IAM Compliance + HR
Q-026	Which future writer role may override or enforce a no-hire decision, and what evidence is retained?	Controls future authoritative action.	No rule; enforcement is not Phase 1.	Unauthorized exception or audit failure.	IAM Governance Owner

Non-standard onboarding

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-027	How are contractors, transfers, interns, vendors, and exceptions represented?	Defines source route and canonical eligibility.	No complete policy found.	Population gaps and bad exports.	IAM Process Owner
Q-028	Which team owns an employee absent from the standard roster?	Needed for exception remediation.	Ownership is not encoded.	Exceptions remain orphaned.	IAM Operations Owner
Q-029	Can non-standard workers appear in Salesforce or other exports?	Controls downstream scope.	Export eligibility is not fully defined.	Unapproved downstream accounts.	Salesforce/Data Owners

Missing and conflicting data

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-030	What is the disposition for a missing required field: reject, quarantine, hold, or create with warning?	Controls promotion and export.	Ingestion rejects/quarantines; business disposition is open.	Silent omissions or bad records.	IAM Data Owner
Q-031	Who owns each exception and what is its SLA?	Makes reconciliation operational.	Overdue request notification exists; exception ownership/SLA is incomplete.	Stale unresolved data.	IAM Operations Owner
Q-032	Should a conflicting non-empty value block all updates or only that field?	Controls safe partial updates.	RSR conflicts exclude automatic apply; other updates are selective.	One conflict blocks too much or overwrites too much.	IAM Data Governance
Q-033	How should a person present in only one source be classified?	Controls discrepancy severity and export.	Coverage fields exist; policy absent.	False completeness.	IAM Data Owner
Q-034	How are future-dated changes handled?	Controls current versus pending profile.	No global effective-date behavior found.	Premature activation/deactivation.	IAM Lifecycle Owner

Access and security

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-035	**RESOLVED SCOPE DECISION:** Is Phase 1 read-only with respect to authoritative source systems?	Defines the technical acceptance boundary.	Earlier documents mixed read-only scope with writer routes; current approved answer is yes.	If not enforced technically, an auditor platform could mutate source truth.	Product + Security Owners
Q-036	Which role may publish the analytical snapshot and access sensitive findings?	Controls technical distribution and data access, not business approval.	Service permits admin publication; role catalog and request service differ.	Unauthorized data exposure or inconsistent snapshots.	IAM Governance Owner
Q-037	What production authentication and user-provisioning method is mandatory?	Controls user identity and authorization.	Local login/CSV; dev auto-approval defaults true.	Unauthorized access.	IAM Security Owner
Q-038	Which future writer role may approve its own request or merge, if any?	Controls future separation of duties.	No explicit self-approval rule found; not a Phase 1 action.	Future fraud/compliance exposure.	IAM Governance Owner

Export and reporting

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-039	What is the required analytical evidence export grain: Worker, engagement, source observation, or finding?	Defines completeness and duplicate expectations.	Canonical report is one row per Worker; writer request export is not Phase 1.	Consumers misread files.	IAM Reporting Owner

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-040	Which statuses and exception states are included or excluded from each export?	Controls access and downstream actions.	Filters vary by report/export path.	Inactive or unresolved users exported.	IAM Data Owner
Q-041	Are Salesforce defaults (US, Pacific time, en_US, generated alias/federation ID) approved?	Prevents incorrect downstream identity data.	Defaults are hardcoded.	Bad Salesforce accounts.	Salesforce Owner
Q-042	For a future Salesforce integration, is the handoff manual XLSX only, or is API provisioning expected?	Sets a future integration boundary; it is not required for Phase 1 evidence exports.	No API; export-only implementation.	False production-readiness sign-off.	Salesforce + IAM Solution Owners

Audit and evidence

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-043	Which actions must be audited, for how long, and who may read audit data?	Defines compliance evidence.	Daily JSONL with core fields; retention incomplete.	Failed audit or unverifiable decision.	IAM Audit/Compliance
Q-044	Is append-only JSONL sufficient, or is tamper evidence/cryptographic immutability required?	Determines audit architecture.	No cryptographic protection found.	Evidence can be challenged.	IAM Compliance
Q-045	Are local notification files private, backed up, retained, and excluded from shared publication?	Confirms the local/global notification model.	`.iam_notifications` is local; policy not documented.	Cross-user leakage or lost operational context.	IAM Operations + Security

Ownership and maintenance

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-046	Who owns source schemas, mapping changes, holiday calendars, and precedence matrices?	Prevents silent rule drift.	Mappings/configuration are in code/config.	Changes occur without UAT.	IAM Operations Owner
Q-047	Who approves requirement changes and maintains the requirements tracker?	Aligns “Pending” tracker with delivered behavior.	Tracker remains all Pending while code/tests are advanced.	No authoritative baseline.	Product Owner

Production readiness

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-048	Which downstream integrations are planned for a future phase, and what evidence handoff is needed from Phase 1?	Separates future connectors from current audit acceptance.	AD/Azure, Salesforce, CXOne, NICE, SQL, orchestrator are future/placeholder areas.	Incomplete launch with hidden dependencies.	IAM Solution Owner

ID	Question	Why it matters / dependent behavior	Current assumption in code	Risk if undefined	Recommended stakeholder
Q-049	What are the recovery RPO/RTO, backup retention, and publication rollback requirements?	Determines operational readiness.	Backups/checksums/restore exist; target objectives are absent.	Prolonged outage or wrong snapshot restored.	IAM Operations Owner

Secondary question backlog — not the next-meeting agenda

The prioritized ten-decision agenda is maintained in UAT_NEXT_MEETING_DECISIONS.md. The detailed backlog above should not be presented as 49 equally urgent questions; Q-035 is already resolved as an approved scope decision.