# Homework 2

### Kendall Pollard

Here is the link to my GitHub Repository: https://github.com/kpollard8/Homework-2

Here are my answers for Homework 2. I do the coding in a separate R script, but here is the cleaned-up version. I run the analysis separately, save the workspace with only the summary stats, figures, and tables that I need, and then load the workspace in the final qmd. My analysis file with answers and code to all the questions is available in the analysis folder.

## **Duplicate Report**

#### 1. How many hospitals filed more than one report in the same year?

I originally answered this question filtering by year instead of fiscal year, but I think since everything else is filtered by fiscal year, it makes more sense to use that. The answer to quesiton 1 is

## Number of Hospitals Filing More Than One Report Over Time




Figure 1: Hospitals with Mult Reports

2. After removing/combining multiple reports, how many unique hospital IDs (Medicare provider numbers) exist in the data?

The answer for question 2 is 6,747

3. What is the distribution of total charges (tot\_charges in the data) in each year? Show your results with a "violin" plot, with charges on the y-axis and years on the x-axis.

I filtered out 2007 and 2016 as they are not representative of the whole data. I also scaled it so that the total charges are in millions of dollars. I set an upper limit of 300 to ensure that you can see the widness of each violin.




Figure 2: totalcharges

#### 4. What is the distribution of estimated prices in each year?

I used the equation from class and filtered outliers/negative prices by removing prices lower than 0 and greater than 100000, removing 2007 and 2016, and removing hospitals with less than 30 beds.




Figure 3: prices

5. Calculate the average price among penalized versus non-penalized hospitals.

Average price among penalized: 9,896.31

Average price among non-penalized: 9,560.41

6. Split hospitals into quartiles based on bed size. To do this, create 4 new indicator variables, where each variable is set to 1 if the hospital's bed size falls into the relevant quartile. Provide a table of the average price among treated/control groups for each quartile

Table 1: Bed size quartlies

Quartile	Penalized	Non-Penalized
1	8,318.709	7,684.240
2	8,690.891	$8,\!510.959$
3	10,127.130	$9,\!856.928$
4	12,068.479	$12,\!355.606$

7. Find the average treatment effect using each of the following estimators, and present your results in a single table:

Table 2: ATE 4 different ways

Estimator	ATE
Nearest Neighbor (Inverse Variance Distance) Nearest Neighbor (Mahalanobis Distance) Inverse Propensity Weighting Simple Linear Regression	190.1416 190.1416 190.1416 190.1416

8. With these different treatment effect estimators, are the results similar, identical, very different?

The numbers are all identical. This means that even with these different esitmators, the ATE is clearly around 190. This outcome is interesting because that means that all these estimators measured the exact same ATE, which makes sense because the goal is to get the same outcome through different methods.

9. Do you think you've estimated a causal effect of the penalty? Why or why not? (just a couple of sentences)

I don't think we have established a causal effect because the only independent variable we had was bed size. Hospitals of the same bed size could have differing other variables, with probably more influence on price, so it would be too much of a jump to say we measured a causal effect. Without controlling for or adding other variables, you can't attribute the penalty to bed size alone.

10. Briefly describe your experience working with these data (just a few sentences). Tell me one thing you learned and one thing that really aggravated or surprised you.

This time around, I was definitely more comfortable working with VSCode (Quarto, the setup, etc.), but there were a few hiccups. In the second attempt, moving from submission 1 to submission 2 was a little challenging with making sure my Quarto documents and the workspaces they were accessing were aligned.

I learned how to create violin plots which were not as hard as I thought they'd be.

One thing that aggravated me was figuring out how to call all the variables/graphs/tables into the Quarto document. It took a lot of time to figure out how to correctly call them.