

Water Quality Report

Quarter 1 - 2022

Monitoring Stations	pH			Temperature			DO		
	January	February	March	January	February	March	January	February	March
I (Central West Bay)	No Data	7.9 Class A-B	8.2 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
II (East Bay)	8.4 Class A-B	8.2 Class A-B	8.1 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
IV (Central Bay)	8.2 Class A-B	8.0 Class A-B	8.3 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
V (Northern West Bay)	8.5 Class A-B	8.3 Class A-B	8.7 Class C	No Data	No Data	No Data	No Data	No Data	No Data
VIII (South Bay)	8.4 Class A-B	8.2 Class A-B	8.1 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XIII (Taytay)	8.6 Class C	8.2 Class A-B	8.7 Class C	No Data	No Data	No Data	No Data	No Data	No Data
XIX (Muntinlupa)	8.1 Class A-B	8.1 Class A-B	8.4 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XV (San Pedro)	8.3 Class A-B	8.0 Class A-B	8.3 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XVI (Sta. Rosa)	8.3 Class A-B	8.1 Class A-B	8.3 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XVII (Sanctuary)	8.3 Class A-B	8.2 Class A-B	8.4 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XVIII (Pagsanjan)	8.2 Class A-B	8.1 Class A-B	8.2 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XX (GEMS)	8.1 Class A-B	7.9 Class A-B	8.2 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XXI (Cardona)	8.2 Class A-B	7.0 Class A-B	8.5 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XXII (Jala-jala)	8.2 Class A-B	No Data	8.3 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XXIII (Lumban)	8.1 Class A-B	7.5 Class A-B	7.8 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data

pH (units)

- Conformed with WQG for Classes A and B6.5–8.5
- Conformed with WQG for Class C6.5–9.0
- Conformed with WQG for Class D6.0–9.0
- Failed the WQG for Classes A to D< 6.0 or > 9.0
- No Data

Temperature (°C)

- Conformed with WQG for Classes AA-C26–30
- Conformed with WQG for Class D25–31
- Failed the WQG for Classes AA to D< 25 or > 31
- No Data

DO (mg/L)

- Conformed with WQG for Classes AA-C≥ 5
- Conformed with WQG for Class D2–5
- Failed the WQG for Classes AA to D< 2
- No Data

Monitoring Stations	Turbidity			ORP			TDS		
	January	February	March	January	February	March	January	February	March
I (Central West Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
II (East Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
IV (Central Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
V (Northern West Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
VIII (South Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XIII (Taytay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XIX (Muntinlupa)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XV (San Pedro)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVI (Sta. Rosa)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVII (Sanctuary)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVIII (Pagsanjan)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XX (GEMS)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXI (Cardona)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXII (Jala-jala)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXIII (Lumban)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data

Turbidity (NTU)

- Conformed with WQG for Classes AA-B≤ 5
- Conformed with WQG for Class C> 5–10
- Conformed with WQG for Class D> 10–15
- Failed the WQG for Classes AA to D> 15
- No Data

ORP (mV)

- Conformed with WQG for Classes AA-A≥ 300
- Conformed with WQG for Class B250–299
- Conformed with WQG for Class C200–249
- Conformed with WQG for Class D150–199
- Failed the WQG for Classes AA to D< 150
- No Data

TDS (mg/L)

- Conformed with WQG for Classes AA-B≤ 500
- Conformed with WQG for Class C> 500–1000
- Conformed with WQG for Class D> 1000–1500
- Failed the WQG for Classes AA to D> 1500
- No Data

Monitoring Stations	Nitrate			Inorganic Phosphate			Fecal Coliform		
	January	February	March	January	February	March	January	February	March
I (Central West Bay)	No Data	0.02 Class AA-C	0.02 Class AA-C	No Data	0.14 Class D	0.16 Class D	No Data	35.0 Class A	28.0 Class A
II (East Bay)	0.394 Class AA-C	0.03 Class AA-C	0.04 Class AA-C	0.241 Class D	0.1 Class D	0.11 Class D	51.0 Class B	76.0 Class B	47.0 Class A
IV (Central Bay)	0.527 Class AA-C	0.01 Class AA-C	0.05 Class AA-C	0.21 Class D	0.14 Class D	0.15 Class D	18.0 Class AA	28.0 Class A	24.0 Class A
V (Northern West Bay)	0.351 Class AA-C	0.005 Class AA-C	0.04 Class AA-C	0.173 Class D	0.17 Class D	0.21 Class D	19.0 Class AA	18.0 Class AA	24.0 Class A
VIII (South Bay)	0.431 Class AA-C	0.005 Class AA-C	0.01 Class AA-C	0.069 Class D	0.1 Class D	0.14 Class D	19.0 Class AA	18.0 Class AA	18.0 Class AA
XIII (Taytay)	0.351 Class AA-C	0.02 Class AA-C	0.05 Class AA-C	0.14 Class D	0.16 Class D	0.22 Class D	37.0 Class A	43.0 Class A	33.0 Class A
XIX (Muntinlupa)	0.512 Class AA-C	0.12 Class AA-C	0.01 Class AA-C	0.16 Class D	0.2 Class D	0.2 Class D	19.0 Class AA	20.0 Class AA	25.0 Class A
XV (San Pedro)	0.44 Class AA-C	0.005 Class AA-C	0.02 Class AA-C	0.1 Class D	0.16 Class D	0.14 Class D	19.0 Class AA	30.0 Class A	26.0 Class A
XVI (Sta. Rosa)	0.636 Class AA-C	0.005 Class AA-C	0.01 Class AA-C	0.14 Class D	0.13 Class D	0.12 Class D	19.0 Class AA	18.0 Class AA	18.0 Class AA
XVII (Sanctuary)	0.48 Class AA-C	0.005 Class AA-C	0.02 Class AA-C	0.17 Class D	0.13 Class D	0.15 Class D	20.0 Class AA	19.0 Class AA	19.0 Class AA
XVIII (Pagsanjan)	0.379 Class AA-C	0.005 Class AA-C	0.01 Class AA-C	0.1 Class D	0.05 Class D	0.09 Class D	68.0 Class B	19.0 Class AA	19.0 Class AA
XX (GEMS)	0.517 Class AA-C	0.005 Class AA-C	0.07 Class AA-C	0.16 Class D	0.14 Class D	0.14 Class D	330.0 Class D	320.0 Class D	166.0 Class C
XXI (Cardona)	0.661 Class AA-C	0.005 Class AA-C	0.01 Class AA-C	0.13 Class D	0.14 Class D	0.16 Class D	18.0 Class AA	28.0 Class A	24.0 Class A
XXII (Jala-jala)	0.341 Class AA-C	No Data	0.01 Class AA-C	0.13 Class D	No Data	0.13 Class D	19.0 Class AA	No Data	19.0 Class AA
XXIII (Lumban)	0.005 Class AA-C	0.15 Class AA-C	0.01 Class AA-C	0.05 Class D	0.05 Class D	0.055 Class D	39.0 Class A	39.0 Class A	243.0 Class D

Nitrate (mg/L)

- Conformed with WQG for Classes AA-C≤ 7
- Conformed with WQG for Class D> 7–15
- Failed the WQG for Classes AA to D> 15
- No Data

Inorganic Phosphate (mg/L)

- Conformed with WQG for Classes AA-C≤ 0.025
- Conformed with WQG for Class D> 0.025–0.5
- Failed the WQG for Classes AA to D> 0.5
- No Data

Fecal Coliform (MPN/100mL)

- Conformed with WQG for Class AA≤ 20
- Conformed with WQG for Class A> 20–50
- Conformed with WQG for Class B> 50–100
- Conformed with WQG for Class C> 100–200
- Conformed with WQG for Class D> 200–400
- Failed the WQG for Classes AA to D> 400
- No Data

Monitoring Stations	BOD			Ammonia		
	January	February	March	January	February	March
I (Central West Bay)	No Data	3.0 Class A	3.0 Class A	No Data	0.07 Class D	0.03 Class AA-C
II (East Bay)	2.0 Class AA	3.0 Class A	3.0 Class A	0.168 Class D	0.02 Class AA-C	0.02 Class AA-C
IV (Central Bay)	2.0 Class AA	2.0 Class AA	2.0 Class AA	0.265 Class D	0.04 Class AA-C	0.02 Class AA-C
V (Northern West Bay)	2.0 Class AA	3.0 Class A	5.0 Class B	0.289 Class D	0.02 Class AA-C	0.01 Class AA-C
VIII (South Bay)	2.0 Class AA	2.0 Class AA	3.0 Class A	0.211 Class D	0.01 Class AA-C	0.03 Class AA-C
XIII (Taytay)	3.0 Class A	4.0 Class A	4.0 Class A	0.225 Class D	0.02 Class AA-C	0.01 Class AA-C
XIX (Muntinlupa)	2.0 Class AA	3.0 Class A	3.0 Class A	0.171 Class D	0.01 Class AA-C	0.01 Class AA-C
XV (San Pedro)	2.0 Class AA	3.0 Class A	2.0 Class AA	0.207 Class D	0.005 Class AA-C	0.01 Class AA-C
XVI (Sta. Rosa)	3.0 Class A	3.0 Class A	2.0 Class AA	0.199 Class D	0.01 Class AA-C	0.01 Class AA-C
XVII (Sanctuary)	2.0 Class AA	2.0 Class AA	2.0 Class AA	0.196 Class D	0.23 Class D	0.01 Class AA-C
XVIII (Pagsanjan)	3.0 Class A	2.0 Class AA	3.0 Class A	0.168 Class D	0.005 Class AA-C	0.01 Class AA-C
XX (GEMS)	2.0 Class AA	2.0 Class AA	3.0 Class A	0.117 Class D	0.04 Class AA-C	0.01 Class AA-C
XXI (Cardona)	1.0 Class AA	2.0 Class AA	2.0 Class AA	0.206 Class D	0.01 Class AA-C	0.01 Class AA-C
XXII (Jala-jala)	1.0 Class AA	No Data	3.0 Class A	0.192 Class D	No Data	0.01 Class AA-C
XXIII (Lumban)	3.0 Class A	3.0 Class A	4.0 Class A	0.209 Class D	0.06 Class AA-C	0.04 Class AA-C

BOD (mg/L)

- Conformed with WQG for Class AA≤ 3
- Conformed with WQG for Class A> 3–5
- Conformed with WQG for Class B> 5–7
- Conformed with WQG for Class C> 7–10
- Conformed with WQG for Class D> 10–15
- Failed the WQG for Classes AA to D> 15
- No Data

Ammonia (mg/L)

- Conformed with WQG for Classes AA-C≤ 0.06
- Conformed with WQG for Class D> 0.06–0.30
- Failed the WQG for Classes AA to D> 0.30
- No Data