

Water Quality Report

Quarter 2 - 2021

Monitoring Stations	pH			Temperature			DO		
	April	May	June	April	May	June	April	May	June
I (Central West Bay)	8.4 Class A-B	8.7 Class C	8.9 Class C	No Data	No Data	No Data	No Data	No Data	No Data
II (East Bay)	8.4 Class A-B	8.2 Class A-B	8.9 Class C	No Data	No Data	No Data	No Data	No Data	No Data
IV (Central Bay)	8.4 Class A-B	9.0 Class C	8.5 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
V (Northern West Bay)	8.4 Class A-B	No Data	9.1 Failed	No Data	No Data	No Data	No Data	No Data	No Data
VIII (South Bay)	8.2 Class A-B	No Data	8.8 Class C	No Data	No Data	No Data	No Data	No Data	No Data
XIII (Taytay)	8.4 Class A-B	No Data	8.8 Class C	No Data	No Data	No Data	No Data	No Data	No Data
XIX (Muntinlupa)	8.5 Class A-B	8.1 Class A-B	9.2 Failed	No Data	No Data	No Data	No Data	No Data	No Data
XV (San Pedro)	8.5 Class A-B	9.1 Failed	9.1 Failed	No Data	No Data	No Data	No Data	No Data	No Data
XVI (Sta. Rosa)	8.2 Class A-B	8.9 Class C	8.8 Class C	No Data	No Data	No Data	No Data	No Data	No Data
XVII (Sanctuary)	8.4 Class A-B	9.0 Class C	8.9 Class C	No Data	No Data	No Data	No Data	No Data	No Data
XVIII (Pagsanjan)	8.0 Class A-B	8.9 Class C	9.6 Failed	No Data	No Data	No Data	No Data	No Data	No Data
XX (GEMS)	8.3 Class A-B	8.3 Class A-B	8.4 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XXI (Cardona)	8.5 Class A-B	8.9 Class C	7.8 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XXII (Jala-jala)	8.5 Class A-B	8.1 Class A-B	8.8 Class C	No Data	No Data	No Data	No Data	No Data	No Data
XXIII (Lumban)	8.4 Class A-B	8.8 Class C	8.0 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data

pH (units)

- Conformed with WQG for Classes A and B6.5–8.5
- Conformed with WQG for Class C6.5–9.0
- Conformed with WQG for Class D6.0–9.0
- Failed the WQG for Classes A to D< 6.0 or > 9.0
- No Data

Temperature (°C)

- Conformed with WQG for Classes AA-C26–30
- Conformed with WQG for Class D25–31
- Failed the WQG for Classes AA to D< 25 or > 31
- No Data

DO (mg/L)

- Conformed with WQG for Classes AA-C≥ 5
- Conformed with WQG for Class D2–5
- Failed the WQG for Classes AA to D< 2
- No Data

Monitoring Stations	Turbidity			ORP			TDS		
	April	May	June	April	May	June	April	May	June
I (Central West Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
II (East Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
IV (Central Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
V (Northern West Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
VIII (South Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XIII (Taytay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XIX (Muntinlupa)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XV (San Pedro)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVI (Sta. Rosa)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVII (Sanctuary)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVIII (Pagsanjan)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XX (GEMS)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXI (Cardona)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXII (Jala-jala)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXIII (Lumban)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data

Turbidity (NTU)

- Conformed with WQG for Classes AA-B≤ 5
- Conformed with WQG for Class C> 5–10
- Conformed with WQG for Class D> 10–15
- Failed the WQG for Classes AA to D> 15
- No Data

ORP (mV)

- Conformed with WQG for Classes AA-A≥ 300
- Conformed with WQG for Class B250–299
- Conformed with WQG for Class C200–249
- Conformed with WQG for Class D150–199
- Failed the WQG for Classes AA to D< 150
- No Data

TDS (mg/L)

- Conformed with WQG for Classes AA-B≤ 500
- Conformed with WQG for Class C> 500–1000
- Conformed with WQG for Class D> 1000–1500
- Failed the WQG for Classes AA to D> 1500
- No Data

Monitoring Stations	Nitrate			Inorganic Phosphate			Fecal Coliform		
	April	May	June	April	May	June	April	May	June
I (Central West Bay)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.074 Class D	0.052 Class D	0.11 Class D	35.0 Class A	106.0 Class C	59.0 Class B
II (East Bay)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.054 Class D	0.034 Class D	0.069 Class D	19.0 Class AA	40.0 Class A	50.0 Class A
IV (Central Bay)	0.05 Class AA-C	0.05 Class AA-C	0.124 Class AA-C	0.102 Class D	0.086 Class D	0.151 Class D	51.0 Class B	49.0 Class A	35.0 Class A
V (Northern West Bay)	0.05 Class AA-C	No Data	0.05 Class AA-C	0.081 Class D	No Data	0.137 Class D	19.0 Class AA	No Data	19.0 Class AA
VIII (South Bay)	0.05 Class AA-C	No Data	0.05 Class AA-C	0.051 Class D	No Data	0.084 Class D	94.0 Class B	No Data	54.0 Class B
XIII (Taytay)	0.05 Class AA-C	No Data	0.05 Class AA-C	0.078 Class D	No Data	0.189 Class D	19.0 Class AA	No Data	39.0 Class A
XIX (Muntinlupa)	0.05 Class AA-C	0.131 Class AA-C	0.05 Class AA-C	0.119 Class D	0.105 Class D	0.111 Class D	30.0 Class A	28.0 Class A	25.0 Class A
XV (San Pedro)	0.05 Class AA-C	0.114 Class AA-C	0.05 Class AA-C	0.058 Class D	0.073 Class D	0.137 Class D	28.0 Class A	28.0 Class A	47.0 Class A
XVI (Sta. Rosa)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.078 Class D	0.095 Class D	0.114 Class D	118.0 Class C	744.0 Failed	634.0 Failed
XVII (Sanctuary)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.044 Class D	0.078 Class D	0.102 Class D	18.0 Class AA	18.0 Class AA	18.0 Class AA
XVIII (Pagsanjan)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.021 Class AA-C	0.043 Class D	0.075 Class D	19.0 Class AA	38.0 Class A	40.0 Class A
XX (GEMS)	0.05 Class AA-C	0.252 Class AA-C	0.05 Class AA-C	0.042 Class D	0.105 Class D	0.083 Class D	470.0 Failed	237.0 Class D	235.0 Class D
XXI (Cardona)	0.05 Class AA-C	0.148 Class AA-C	0.05 Class AA-C	0.068 Class D	0.09 Class D	0.148 Class D	9.0 Class AA	18.0 Class AA	18.0 Class AA
XXII (Jala-jala)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.059 Class D	0.023 Class AA-C	0.108 Class D	19.0 Class AA	18.0 Class AA	24.0 Class A
XXIII (Lumban)	0.05 Class AA-C	0.05 Class AA-C	0.284 Class AA-C	0.005 Class AA-C	0.06 Class D	0.063 Class D	51.0 Class B	43.0 Class A	85.0 Class B

Nitrate (mg/L)

Conformed with WQG for Classes AA-C≤ 7

Conformed with WQG for Class D> 7–15

Failed the WQG for Classes AA to D> 15

No Data

Inorganic Phosphate (mg/L)

Conformed with WQG for Classes AA-C≤ 0.025

Conformed with WQG for Class D> 0.025–0.5

Failed the WQG for Classes AA to D> 0.5

No Data

Fecal Coliform (MPN/100mL)

Conformed with WQG for Class AA≤ 20

Conformed with WQG for Class A> 20–50

Conformed with WQG for Class B> 50–100

Conformed with WQG for Class C> 100–200

Conformed with WQG for Class D> 200–400

Failed the WQG for Classes AA to D> 400

No Data

Monitoring Stations	BOD			Ammonia		
	April	May	June	April	May	June
I (Central West Bay)	3.0 Class A	3.0 Class A	2.0 Class AA	0.085 Class D	0.097 Class D	0.11 Class D
II (East Bay)	2.0 Class AA	4.0 Class A	0.5 Class AA	0.043 Class AA-C	0.045 Class AA-C	0.047 Class AA-C
IV (Central Bay)	2.0 Class AA	4.0 Class A	2.0 Class AA	0.023 Class AA-C	0.031 Class AA-C	0.04 Class AA-C
V (Northern West Bay)	1.0 Class AA	No Data	4.0 Class A	0.035 Class AA-C	No Data	0.064 Class D
VIII (South Bay)	2.0 Class AA	No Data	2.0 Class AA	0.036 Class AA-C	No Data	0.03 Class AA-C
XIII (Taytay)	2.0 Class AA	No Data	3.0 Class A	0.035 Class AA-C	No Data	0.065 Class D
XIX (Muntinlupa)	2.0 Class AA	1.0 Class AA	4.0 Class A	0.046 Class AA-C	0.046 Class AA-C	0.047 Class AA-C
XV (San Pedro)	2.0 Class AA	5.0 Class B	3.0 Class A	0.028 Class AA-C	0.039 Class AA-C	0.05 Class AA-C
XVI (Sta. Rosa)	2.0 Class AA	5.0 Class B	2.0 Class AA	0.026 Class AA-C	0.038 Class AA-C	0.05 Class AA-C
XVII (Sanctuary)	2.0 Class AA	4.0 Class A	2.0 Class AA	0.011 Class AA-C	0.016 Class AA-C	0.022 Class AA-C
XVIII (Pagsanjan)	2.0 Class AA	2.0 Class AA	2.0 Class AA	0.012 Class AA-C	0.019 Class AA-C	0.026 Class AA-C
XX (GEMS)	2.0 Class AA	2.0 Class AA	2.0 Class AA	0.049 Class AA-C	0.062 Class D	0.075 Class D
XXI (Cardona)	5.0 Class B	2.0 Class AA	4.0 Class A	0.034 Class AA-C	0.038 Class AA-C	0.041 Class AA-C
XXII (Jala-jala)	3.0 Class A	3.0 Class A	3.0 Class A	0.047 Class AA-C	0.044 Class AA-C	0.041 Class AA-C
XXIII (Lumban)	3.0 Class A	3.0 Class A	5.0 Class B	0.046 Class AA-C	0.043 Class AA-C	0.041 Class AA-C

BOD (mg/L)

- Conformed with WQG for Class AA≤ 3
- Conformed with WQG for Class A> 3–5
- Conformed with WQG for Class B> 5–7
- Conformed with WQG for Class C> 7–10
- Conformed with WQG for Class D> 10–15
- Failed the WQG for Classes AA to D> 15
- No Data

Ammonia (mg/L)

- Conformed with WQG for Classes AA-C≤ 0.06
- Conformed with WQG for Class D> 0.06–0.30
- Failed the WQG for Classes AA to D> 0.30
- No Data