

Water Quality Report

Quarter 2 - 2022

Monitoring Stations	pH			Temperature			DO		
	April	May	June	April	May	June	April	May	June
I (Central West Bay)	8.2 Class A-B	9.0 Class C	9.4 Failed	No Data	No Data	No Data	No Data	No Data	No Data
II (East Bay)	8.2 Class A-B	9.0 Class C	9.3 Failed	No Data	No Data	No Data	No Data	No Data	No Data
IV (Central Bay)	8.4 Class A-B	9.1 Failed	9.4 Failed	No Data	No Data	No Data	No Data	No Data	No Data
V (Northern West Bay)	8.3 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
VIII (South Bay)	8.2 Class A-B	8.8 Class C	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XIII (Taytay)	8.4 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XIX (Muntinlupa)	8.4 Class A-B	9.0 Class C	8.8 Class C	No Data	No Data	No Data	No Data	No Data	No Data
XV (San Pedro)	8.1 Class A-B	8.9 Class C	8.9 Class C	No Data	No Data	No Data	No Data	No Data	No Data
XVI (Sta. Rosa)	8.1 Class A-B	8.9 Class C	8.3 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XVII (Sanctuary)	8.5 Class A-B	9.1 Failed	9.4 Failed	No Data	No Data	No Data	No Data	No Data	No Data
XVIII (Pagsanjan)	8.5 Class A-B	9.2 Failed	9.2 Failed	No Data	No Data	No Data	No Data	No Data	No Data
XX (GEMS)	8.2 Class A-B	9.0 Class C	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXI (Cardona)	8.5 Class A-B	9.4 Failed	9.4 Failed	No Data	No Data	No Data	No Data	No Data	No Data
XXII (Jala-jala)	8.2 Class A-B	8.6 Class C	9.3 Failed	No Data	No Data	No Data	No Data	No Data	No Data
XXIII (Lumban)	7.7 Class A-B	8.5 Class A-B	8.5 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data

pH (units)

Conformed with WQG for Classes A and B6.5–8.5

Conformed with WQG for Class C6.5–9.0

Conformed with WQG for Class D6.0–9.0

Failed the WQG for Classes A to D< 6.0 or > 9.0

No Data

Temperature (°C)

Conformed with WQG for Classes AA-C26–30

Conformed with WQG for Class D25–31

Failed the WQG for Classes AA to D< 25 or > 31

No Data

DO (mg/L)

Conformed with WQG for Classes AA-C≥ 5

Conformed with WQG for Class D2–5

Failed the WQG for Classes AA to D< 2

No Data

Monitoring Stations	Turbidity			ORP			TDS		
	April	May	June	April	May	June	April	May	June
I (Central West Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
II (East Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
IV (Central Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
V (Northern West Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
VIII (South Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XIII (Taytay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XIX (Muntinlupa)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XV (San Pedro)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVI (Sta. Rosa)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVII (Sanctuary)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVIII (Pagsanjan)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XX (GEMS)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXI (Cardona)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXII (Jala-jala)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXIII (Lumban)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data

Turbidity (NTU)

- Conformed with WQG for Classes AA-B≤ 5
- Conformed with WQG for Class C> 5–10
- Conformed with WQG for Class D> 10–15
- Failed the WQG for Classes AA to D> 15
- No Data

ORP (mV)

- Conformed with WQG for Classes AA-A≥ 300
- Conformed with WQG for Class B250–299
- Conformed with WQG for Class C200–249
- Conformed with WQG for Class D150–199
- Failed the WQG for Classes AA to D< 150
- No Data

TDS (mg/L)

- Conformed with WQG for Classes AA-B≤ 500
- Conformed with WQG for Class C> 500–1000
- Conformed with WQG for Class D> 1000–1500
- Failed the WQG for Classes AA to D> 1500
- No Data

Monitoring Stations	Nitrate			Inorganic Phosphate			Fecal Coliform		
	April	May	June	April	May	June	April	May	June
I (Central West Bay)	0.03 Class AA-C	0.01 Class AA-C	0.005 Class AA-C	0.14 Class D	0.3 Class D	0.28 Class D	26.0 Class A	18.0 Class AA	19.0 Class AA
II (East Bay)	0.03 Class AA-C	0.01 Class AA-C	0.005 Class AA-C	0.12 Class D	0.1 Class D	0.13 Class D	47.0 Class A	47.0 Class A	47.0 Class A
IV (Central Bay)	0.01 Class AA-C	0.01 Class AA-C	0.005 Class AA-C	0.16 Class D	0.25 Class D	0.33 Class D	52.0 Class B	39.0 Class A	64.0 Class B
V (Northern West Bay)	0.01 Class AA-C	No Data	No Data	0.15 Class D	No Data	No Data	24.0 Class A	No Data	No Data
VIII (South Bay)	0.02 Class AA-C	0.22 Class AA-C	No Data	0.13 Class D	0.2 Class D	No Data	33.0 Class A	33.0 Class A	No Data
XIII (Taytay)	0.02 Class AA-C	No Data	No Data	0.18 Class D	No Data	No Data	32.0 Class A	No Data	No Data
XIX (Muntinlupa)	0.07 Class AA-C	0.01 Class AA-C	0.005 Class AA-C	0.21 Class D	0.22 Class D	0.29 Class D	24.0 Class A	23.0 Class A	18.0 Class AA
XV (San Pedro)	0.01 Class AA-C	0.01 Class AA-C	0.005 Class AA-C	0.13 Class D	0.17 Class D	0.2 Class D	34.0 Class A	26.0 Class A	34.0 Class A
XVI (Sta. Rosa)	0.07 Class AA-C	0.01 Class AA-C	0.005 Class AA-C	0.13 Class D	0.2 Class D	0.21 Class D	29.0 Class A	29.0 Class A	88.0 Class B
XVII (Sanctuary)	0.01 Class AA-C	0.01 Class AA-C	0.005 Class AA-C	0.15 Class D	0.26 Class D	0.28 Class D	34.0 Class A	34.0 Class A	34.0 Class A
XVIII (Pagsanjan)	0.01 Class AA-C	0.01 Class AA-C	0.005 Class AA-C	0.067 Class D	0.043 Class D	0.02 Class AA-C	28.0 Class A	28.0 Class A	29.0 Class A
XX (GEMS)	0.02 Class AA-C	0.01 Class AA-C	No Data	0.13 Class D	0.29 Class D	No Data	145.0 Class C	88.0 Class B	No Data
XXI (Cardona)	0.02 Class AA-C	0.01 Class AA-C	0.005 Class AA-C	0.16 Class D	0.24 Class D	0.32 Class D	33.0 Class A	24.0 Class A	24.0 Class A
XXII (Jala-jala)	0.01 Class AA-C	0.01 Class AA-C	0.005 Class AA-C	0.13 Class D	0.21 Class D	0.29 Class D	43.0 Class A	41.0 Class A	41.0 Class A
XXIII (Lumban)	0.02 Class AA-C	0.04 Class AA-C	0.005 Class AA-C	0.06 Class D	0.045 Class D	0.03 Class D	465.0 Failed	265.0 Class D	56.0 Class B

Nitrate (mg/L)

- Conformed with WQG for Classes AA-C≤ 7
- Conformed with WQG for Class D> 7–15
- Failed the WQG for Classes AA to D> 15
- No Data

Inorganic Phosphate (mg/L)

- Conformed with WQG for Classes AA-C≤ 0.025
- Conformed with WQG for Class D> 0.025–0.5
- Failed the WQG for Classes AA to D> 0.5
- No Data

Fecal Coliform (MPN/100mL)

- Conformed with WQG for Class AA≤ 20
- Conformed with WQG for Class A> 20–50
- Conformed with WQG for Class B> 50–100
- Conformed with WQG for Class C> 100–200
- Conformed with WQG for Class D> 200–400
- Failed the WQG for Classes AA to D> 400
- No Data

Monitoring Stations	BOD			Ammonia		
	April	May	June	April	May	June
I (Central West Bay)	2.0 Class AA	4.0 Class A	5.0 Class B	0.01 Class AA-C	0.02 Class AA-C	0.09 Class D
II (East Bay)	2.0 Class AA	4.0 Class A	5.0 Class B	0.02 Class AA-C	0.02 Class AA-C	0.13 Class D
IV (Central Bay)	2.0 Class AA	4.0 Class A	6.0 Class B	0.01 Class AA-C	0.01 Class AA-C	0.04 Class AA-C
V (Northern West Bay)	2.0 Class AA	No Data	No Data	0.01 Class AA-C	No Data	No Data
VIII (South Bay)	2.0 Class AA	5.0 Class B	No Data	0.02 Class AA-C	0.01 Class AA-C	No Data
XIII (Taytay)	3.0 Class A	No Data	No Data	0.01 Class AA-C	No Data	No Data
XIX (Muntinlupa)	4.0 Class A	3.0 Class A	4.0 Class A	0.01 Class AA-C	0.01 Class AA-C	0.02 Class AA-C
XV (San Pedro)	4.0 Class A	4.0 Class A	4.0 Class A	0.01 Class AA-C	0.01 Class AA-C	0.08 Class D
XVI (Sta. Rosa)	3.0 Class A	4.0 Class A	4.0 Class A	0.01 Class AA-C	0.01 Class AA-C	0.11 Class D
XVII (Sanctuary)	3.0 Class A	5.0 Class B	6.0 Class B	0.01 Class AA-C	0.01 Class AA-C	0.02 Class AA-C
XVIII (Pagsanjan)	5.0 Class B	5.0 Class B	5.0 Class B	0.01 Class AA-C	0.02 Class AA-C	0.02 Class AA-C
XX (GEMS)	3.0 Class A	5.0 Class B	No Data	0.01 Class AA-C	0.01 Class AA-C	No Data
XXI (Cardona)	4.0 Class A	6.0 Class B	4.0 Class A	0.01 Class AA-C	0.02 Class AA-C	0.06 Class AA-C
XXII (Jala-jala)	3.0 Class A	4.0 Class A	5.0 Class B	0.02 Class AA-C	0.03 Class AA-C	0.02 Class AA-C
XXIII (Lumban)	4.0 Class A	5.0 Class B	4.0 Class A	0.03 Class AA-C	0.03 Class AA-C	0.04 Class AA-C

BOD (mg/L)

- Conformed with WQG for Class AA≤ 3
- Conformed with WQG for Class A> 3–5
- Conformed with WQG for Class B> 5–7
- Conformed with WQG for Class C> 7–10
- Conformed with WQG for Class D> 10–15
- Failed the WQG for Classes AA to D> 15
- No Data

Ammonia (mg/L)

- Conformed with WQG for Classes AA-C≤ 0.06
- Conformed with WQG for Class D> 0.06–0.30
- Failed the WQG for Classes AA to D> 0.30
- No Data