

# Water Quality Report

Quarter 3 - 2021

| Monitoring Stations   | pH               |                  |                  | Temperature |         |           | DO      |         |           |
|-----------------------|------------------|------------------|------------------|-------------|---------|-----------|---------|---------|-----------|
|                       | July             | August           | September        | July        | August  | September | July    | August  | September |
| I (Central West Bay)  | 8.2<br>Class A-B | 9.2<br>Failed    | No Data          | No Data     | No Data | No Data   | No Data | No Data | No Data   |
| II (East Bay)         | 8.2<br>Class A-B | 8.8<br>Class C   | 7.7<br>Class A-B | No Data     | No Data | No Data   | No Data | No Data | No Data   |
| IV (Central Bay)      | 8.9<br>Class C   | 9.1<br>Failed    | 7.8<br>Class A-B | No Data     | No Data | No Data   | No Data | No Data | No Data   |
| V (Northern West Bay) | 8.4<br>Class A-B | 9.0<br>Class C   | 8.3<br>Class A-B | No Data     | No Data | No Data   | No Data | No Data | No Data   |
| VIII (South Bay)      | 8.7<br>Class C   | 8.9<br>Class C   | 7.7<br>Class A-B | No Data     | No Data | No Data   | No Data | No Data | No Data   |
| XIII (Taytay)         | 8.7<br>Class C   | 9.4<br>Failed    | 8.3<br>Class A-B | No Data     | No Data | No Data   | No Data | No Data | No Data   |
| XIX (Muntinlupa)      | 8.7<br>Class C   | 9.1<br>Failed    | 8.2<br>Class A-B | No Data     | No Data | No Data   | No Data | No Data | No Data   |
| XV (San Pedro)        | 8.7<br>Class C   | 8.3<br>Class A-B | 7.6<br>Class A-B | No Data     | No Data | No Data   | No Data | No Data | No Data   |
| XVI (Sta. Rosa)       | No Data          | No Data          | No Data          | No Data     | No Data | No Data   | No Data | No Data | No Data   |
| XVII (Sanctuary)      | No Data          | 9.6<br>Failed    | 8.0<br>Class A-B | No Data     | No Data | No Data   | No Data | No Data | No Data   |
| XVIII (Pagsanjan)     | 7.4<br>Class A-B | 9.2<br>Failed    | 7.7<br>Class A-B | No Data     | No Data | No Data   | No Data | No Data | No Data   |
| XX (GEMS)             | 8.0<br>Class A-B | 9.2<br>Failed    | 7.9<br>Class A-B | No Data     | No Data | No Data   | No Data | No Data | No Data   |
| XXI (Cardona)         | 8.4<br>Class A-B | 9.2<br>Failed    | 7.7<br>Class A-B | No Data     | No Data | No Data   | No Data | No Data | No Data   |
| XXII (Jala-jala)      | 8.9<br>Class C   | 9.6<br>Failed    | 7.9<br>Class A-B | No Data     | No Data | No Data   | No Data | No Data | No Data   |
| XXIII (Lumban)        | 8.1<br>Class A-B | 9.2<br>Failed    | No Data          | No Data     | No Data | No Data   | No Data | No Data | No Data   |

pH (units)

- Conformed with WQG for Classes A and B6.5–8.5
- Conformed with WQG for Class C6.5–9.0
- Conformed with WQG for Class D6.0–9.0
- Failed the WQG for Classes A to D< 6.0 or > 9.0
- No Data

Temperature (°C)

- Conformed with WQG for Classes AA-C26–30
- Conformed with WQG for Class D25–31
- Failed the WQG for Classes AA to D< 25 or > 31
- No Data

DO (mg/L)

- Conformed with WQG for Classes AA-C≥ 5
- Conformed with WQG for Class D2–5
- Failed the WQG for Classes AA to D< 2
- No Data

| Monitoring Stations   | Turbidity |         |           | ORP     |         |           | TDS     |         |           |
|-----------------------|-----------|---------|-----------|---------|---------|-----------|---------|---------|-----------|
|                       | July      | August  | September | July    | August  | September | July    | August  | September |
| I (Central West Bay)  | No Data   | No Data | No Data   | No Data | No Data | No Data   | No Data | No Data | No Data   |
| II (East Bay)         | No Data   | No Data | No Data   | No Data | No Data | No Data   | No Data | No Data | No Data   |
| IV (Central Bay)      | No Data   | No Data | No Data   | No Data | No Data | No Data   | No Data | No Data | No Data   |
| V (Northern West Bay) | No Data   | No Data | No Data   | No Data | No Data | No Data   | No Data | No Data | No Data   |
| VIII (South Bay)      | No Data   | No Data | No Data   | No Data | No Data | No Data   | No Data | No Data | No Data   |
| XIII (Taytay)         | No Data   | No Data | No Data   | No Data | No Data | No Data   | No Data | No Data | No Data   |
| XIX (Muntinlupa)      | No Data   | No Data | No Data   | No Data | No Data | No Data   | No Data | No Data | No Data   |
| XV (San Pedro)        | No Data   | No Data | No Data   | No Data | No Data | No Data   | No Data | No Data | No Data   |
| XVI (Sta. Rosa)       | No Data   | No Data | No Data   | No Data | No Data | No Data   | No Data | No Data | No Data   |
| XVII (Sanctuary)      | No Data   | No Data | No Data   | No Data | No Data | No Data   | No Data | No Data | No Data   |
| XVIII (Pagsanjan)     | No Data   | No Data | No Data   | No Data | No Data | No Data   | No Data | No Data | No Data   |
| XX (GEMS)             | No Data   | No Data | No Data   | No Data | No Data | No Data   | No Data | No Data | No Data   |
| XXI (Cardona)         | No Data   | No Data | No Data   | No Data | No Data | No Data   | No Data | No Data | No Data   |
| XXII (Jala-jala)      | No Data   | No Data | No Data   | No Data | No Data | No Data   | No Data | No Data | No Data   |
| XXIII (Lumban)        | No Data   | No Data | No Data   | No Data | No Data | No Data   | No Data | No Data | No Data   |

Turbidity (NTU)

- Conformed with WQG for Classes AA-B≤ 5
- Conformed with WQG for Class C> 5–10
- Conformed with WQG for Class D> 10–15
- Failed the WQG for Classes AA to D> 15
- No Data

ORP (mV)

- Conformed with WQG for Classes AA-A≥ 300
- Conformed with WQG for Class B250–299
- Conformed with WQG for Class C200–249
- Conformed with WQG for Class D150–199
- Failed the WQG for Classes AA to D< 150
- No Data

TDS (mg/L)

- Conformed with WQG for Classes AA-B≤ 500
- Conformed with WQG for Class C> 500–1000
- Conformed with WQG for Class D> 1000–1500
- Failed the WQG for Classes AA to D> 1500
- No Data

| Monitoring Stations   | Nitrate            |                    |                     | Inorganic Phosphate |                    |                    | Fecal Coliform   |                  |                  |
|-----------------------|--------------------|--------------------|---------------------|---------------------|--------------------|--------------------|------------------|------------------|------------------|
|                       | July               | August             | September           | July                | August             | September          | July             | August           | September        |
| I (Central West Bay)  | 1.13<br>Class AA-C | 0.3<br>Class AA-C  | No Data             | 0.12<br>Class D     | 0.03<br>Class D    | No Data            | 268.0<br>Class D | 85.0<br>Class B  | No Data          |
| II (East Bay)         | 0.57<br>Class AA-C | 0.45<br>Class AA-C | 0.05<br>Class AA-C  | 0.04<br>Class D     | 0.06<br>Class D    | 0.08<br>Class D    | 106.0<br>Class C | 62.0<br>Class B  | 114.0<br>Class C |
| IV (Central Bay)      | 0.31<br>Class AA-C | 0.31<br>Class AA-C | 0.05<br>Class AA-C  | 0.13<br>Class D     | 0.09<br>Class D    | 0.14<br>Class D    | 55.0<br>Class B  | 30.0<br>Class A  | 31.0<br>Class A  |
| V (Northern West Bay) | 0.29<br>Class AA-C | 0.21<br>Class AA-C | 0.05<br>Class AA-C  | 0.12<br>Class D     | 0.12<br>Class D    | 0.17<br>Class D    | 125.0<br>Class C | 287.0<br>Class D | 432.0<br>Failed  |
| VIII (South Bay)      | 0.05<br>Class AA-C | 0.27<br>Class AA-C | 0.05<br>Class AA-C  | 0.05<br>Class D     | 0.08<br>Class D    | 0.1<br>Class D     | 8.0<br>Class AA  | 14.0<br>Class AA | 14.0<br>Class AA |
| XIII (Taytay)         | 0.29<br>Class AA-C | 0.17<br>Class AA-C | 0.14<br>Class AA-C  | 0.11<br>Class D     | 0.18<br>Class D    | 0.2<br>Class D     | 194.0<br>Class C | 194.0<br>Class C | 241.0<br>Class D |
| XIX (Muntinlupa)      | 0.16<br>Class AA-C | 0.05<br>Class AA-C | 0.05<br>Class AA-C  | 0.09<br>Class D     | 0.16<br>Class D    | 0.17<br>Class D    | 108.0<br>Class C | 108.0<br>Class C | 307.0<br>Class D |
| XV (San Pedro)        | 0.17<br>Class AA-C | 0.31<br>Class AA-C | 0.14<br>Class AA-C  | 0.09<br>Class D     | 0.15<br>Class D    | 0.14<br>Class D    | 167.0<br>Class C | 123.0<br>Class C | 123.0<br>Class C |
| XVI (Sta. Rosa)       | No Data            | No Data            | No Data             | No Data             | No Data            | No Data            | No Data          | No Data          | No Data          |
| XVII (Sanctuary)      | No Data            | 0.13<br>Class AA-C | 0.05<br>Class AA-C  | No Data             | 0.1<br>Class D     | 0.12<br>Class D    | No Data          | 18.0<br>Class AA | 19.0<br>Class AA |
| XVIII (Pagsanjan)     | 0.24<br>Class AA-C | 0.14<br>Class AA-C | 0.05<br>Class AA-C  | 0.04<br>Class D     | 0.01<br>Class AA-C | 0.02<br>Class AA-C | 122.0<br>Class C | 96.0<br>Class B  | 115.0<br>Class C |
| XX (GEMS)             | 0.76<br>Class AA-C | 0.05<br>Class AA-C | 0.005<br>Class AA-C | 0.13<br>Class D     | 0.13<br>Class D    | 0.16<br>Class D    | 474.0<br>Failed  | 293.0<br>Class D | 726.0<br>Failed  |
| XXI (Cardona)         | 0.27<br>Class AA-C | 0.05<br>Class AA-C | 0.05<br>Class AA-C  | 0.07<br>Class D     | 0.1<br>Class D     | 0.17<br>Class D    | 24.0<br>Class A  | 57.0<br>Class B  | 134.0<br>Class C |
| XXII (Jala-jala)      | 0.07<br>Class AA-C | 0.13<br>Class AA-C | 0.05<br>Class AA-C  | 0.05<br>Class D     | 0.08<br>Class D    | 0.13<br>Class D    | 47.0<br>Class A  | 91.0<br>Class B  | 177.0<br>Class C |
| XXIII (Lumban)        | 0.21<br>Class AA-C | 0.05<br>Class AA-C | No Data             | 0.03<br>Class D     | 0.01<br>Class AA-C | No Data            | 247.0<br>Class D | 504.0<br>Failed  | No Data          |

**Nitrate (mg/L)**

Conformed with WQG for Classes AA-C≤ 7

Conformed with WQG for Class D> 7–15

Failed the WQG for Classes AA to D> 15

No Data

**Inorganic Phosphate (mg/L)**

Conformed with WQG for Classes AA-C≤ 0.025

Conformed with WQG for Class D> 0.025–0.5

Failed the WQG for Classes AA to D> 0.5

No Data

**Fecal Coliform (MPN/100mL)**

Conformed with WQG for Class AA≤ 20

Conformed with WQG for Class A> 20–50

Conformed with WQG for Class B> 50–100

Conformed with WQG for Class C> 100–200

Conformed with WQG for Class D> 200–400

Failed the WQG for Classes AA to D> 400

No Data

| Monitoring Stations   | BOD             |                  |                 | Ammonia            |                    |                    |
|-----------------------|-----------------|------------------|-----------------|--------------------|--------------------|--------------------|
|                       | July            | August           | September       | July               | August             | September          |
| I (Central West Bay)  | 3.0<br>Class A  | 3.0<br>Class A   | No Data         | 0.03<br>Class AA-C | 0.07<br>Class D    | No Data            |
| II (East Bay)         | 1.0<br>Class AA | 2.0<br>Class AA  | 3.0<br>Class A  | 0.03<br>Class AA-C | 0.07<br>Class D    | 0.05<br>Class AA-C |
| IV (Central Bay)      | 2.0<br>Class AA | 3.0<br>Class A   | 4.0<br>Class A  | 0.03<br>Class AA-C | 0.03<br>Class AA-C | 0.01<br>Class AA-C |
| V (Northern West Bay) | 1.0<br>Class AA | 1.5<br>Class AA  | 2.0<br>Class AA | 0.03<br>Class AA-C | 0.02<br>Class AA-C | 0.02<br>Class AA-C |
| VIII (South Bay)      | 0.5<br>Class AA | 1.25<br>Class AA | 2.0<br>Class AA | 0.03<br>Class AA-C | 0.03<br>Class AA-C | 0.01<br>Class AA-C |
| XIII (Taytay)         | 1.0<br>Class AA | 2.5<br>Class AA  | 4.0<br>Class A  | 0.02<br>Class AA-C | 0.03<br>Class AA-C | 0.01<br>Class AA-C |
| XIX (Muntinlupa)      | 1.0<br>Class AA | 2.0<br>Class AA  | 3.0<br>Class A  | 0.02<br>Class AA-C | 0.04<br>Class AA-C | 0.04<br>Class AA-C |
| XV (San Pedro)        | 1.0<br>Class AA | 2.5<br>Class AA  | 4.0<br>Class A  | 0.03<br>Class AA-C | 0.11<br>Class D    | 0.02<br>Class AA-C |
| XVI (Sta. Rosa)       | No Data         | No Data          | No Data         | No Data            | No Data            | No Data            |
| XVII (Sanctuary)      | No Data         | 2.5<br>Class AA  | 3.0<br>Class A  | No Data            | 0.07<br>Class D    | 0.04<br>Class AA-C |
| XVIII (Pagsanjan)     | 2.0<br>Class AA | 2.0<br>Class AA  | 2.0<br>Class AA | 0.03<br>Class AA-C | 0.07<br>Class D    | 0.02<br>Class AA-C |
| XX (GEMS)             | 2.0<br>Class AA | 2.5<br>Class AA  | 3.0<br>Class A  | 0.05<br>Class AA-C | 0.02<br>Class AA-C | 0.02<br>Class AA-C |
| XXI (Cardona)         | 5.0<br>Class B  | 3.5<br>Class A   | 2.0<br>Class AA | 0.02<br>Class AA-C | 0.03<br>Class AA-C | 0.04<br>Class AA-C |
| XXII (Jala-jala)      | 0.5<br>Class AA | 1.75<br>Class AA | 3.0<br>Class A  | 0.03<br>Class AA-C | 0.03<br>Class AA-C | 0.02<br>Class AA-C |
| XXIII (Lumban)        | 4.0<br>Class A  | 3.5<br>Class A   | No Data         | 0.03<br>Class AA-C | 0.03<br>Class AA-C | No Data            |

**BOD (mg/L)**

- Conformed with WQG for Class AA≤ 3
- Conformed with WQG for Class A> 3–5
- Conformed with WQG for Class B> 5–7
- Conformed with WQG for Class C> 7–10
- Conformed with WQG for Class D> 10–15
- Failed the WQG for Classes AA to D> 15
- No Data

**Ammonia (mg/L)**

- Conformed with WQG for Classes AA-C≤ 0.06
- Conformed with WQG for Class D> 0.06–0.30
- Failed the WQG for Classes AA to D> 0.30
- No Data