

Water Quality Report

Quarter 4 - 2022

Monitoring Stations	pH			Temperature			DO		
	October	November	December	October	November	December	October	November	December
I (Central West Bay)	7.5 Class A-B	7.1 Class A-B	7.7 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
II (East Bay)	7.3 Class A-B	7.6 Class A-B	7.8 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
IV (Central Bay)	No Data	7.8 Class A-B	7.8 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
V (Northern West Bay)	8.0 Class A-B	7.3 Class A-B	7.8 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
VIII (South Bay)	7.7 Class A-B	7.1 Class A-B	7.8 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XIII (Taytay)	8.0 Class A-B	8.0 Class A-B	7.8 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XIX (Muntinlupa)	7.5 Class A-B	7.7 Class A-B	7.8 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XV (San Pedro)	No Data	7.8 Class A-B	7.8 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XVI (Sta. Rosa)	7.6 Class A-B	7.6 Class A-B	7.7 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XVII (Sanctuary)	8.0 Class A-B	No Data	7.8 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XVIII (Pagsanjan)	7.0 Class A-B	7.4 Class A-B	7.2 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XX (GEMS)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXI (Cardona)	7.7 Class A-B	7.9 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXII (Jala-jala)	7.6 Class A-B	7.4 Class A-B	7.8 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data
XXIII (Lumban)	6.9 Class A-B	7.0 Class A-B	6.9 Class A-B	No Data	No Data	No Data	No Data	No Data	No Data

pH (units)

- Conformed with WQG for Classes A and B6.5–8.5
- Conformed with WQG for Class C6.5–9.0
- Conformed with WQG for Class D6.0–9.0
- Failed the WQG for Classes A to D< 6.0 or > 9.0
- No Data

Temperature (°C)

- Conformed with WQG for Classes AA-C26–30
- Conformed with WQG for Class D25–31
- Failed the WQG for Classes AA to D< 25 or > 31
- No Data

DO (mg/L)

- Conformed with WQG for Classes AA-C≥ 5
- Conformed with WQG for Class D2–5
- Failed the WQG for Classes AA to D< 2
- No Data

Monitoring Stations	Turbidity			ORP			TDS		
	October	November	December	October	November	December	October	November	December
I (Central West Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
II (East Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
IV (Central Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
V (Northern West Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
VIII (South Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XIII (Taytay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XIX (Muntinlupa)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XV (San Pedro)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVI (Sta. Rosa)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVII (Sanctuary)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVIII (Pagsanjan)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XX (GEMS)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXI (Cardona)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXII (Jala-jala)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXIII (Lumban)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data

Turbidity (NTU)

- Conformed with WQG for Classes AA-B≤ 5
- Conformed with WQG for Class C> 5–10
- Conformed with WQG for Class D> 10–15
- Failed the WQG for Classes AA to D> 15
- No Data

ORP (mV)

- Conformed with WQG for Classes AA-A≥ 300
- Conformed with WQG for Class B250–299
- Conformed with WQG for Class C200–249
- Conformed with WQG for Class D150–199
- Failed the WQG for Classes AA to D< 150
- No Data

TDS (mg/L)

- Conformed with WQG for Classes AA-B≤ 500
- Conformed with WQG for Class C> 500–1000
- Conformed with WQG for Class D> 1000–1500
- Failed the WQG for Classes AA to D> 1500
- No Data

Monitoring Stations	Nitrate			Inorganic Phosphate			Fecal Coliform		
	October	November	December	October	November	December	October	November	December
I (Central West Bay)	0.48 Class AA-C	0.76 Class AA-C	0.654 Class AA-C	0.098 Class D	0.15 Class D	0.171 Class D	220.0 Class D	220.0 Class D	33.0 Class A
II (East Bay)	0.47 Class AA-C	0.44 Class AA-C	0.636 Class AA-C	0.09 Class D	0.14 Class D	0.155 Class D	359.0 Class D	329.0 Class D	133.0 Class C
IV (Central Bay)	No Data	0.48 Class AA-C	0.808 Class AA-C	No Data	0.13 Class D	0.188 Class D	No Data	320.0 Class D	76.0 Class B
V (Northern West Bay)	0.39 Class AA-C	0.57 Class AA-C	0.774 Class AA-C	0.1 Class D	0.16 Class D	0.176 Class D	150.0 Class C	95.0 Class B	90.0 Class B
VIII (South Bay)	0.54 Class AA-C	0.45 Class AA-C	0.576 Class AA-C	0.11 Class D	0.14 Class D	0.149 Class D	255.0 Class D	255.0 Class D	402.0 Failed
XIII (Taytay)	0.67 Class AA-C	0.54 Class AA-C	0.718 Class AA-C	0.08 Class D	0.14 Class D	0.191 Class D	84.0 Class B	44.0 Class A	97.0 Class B
XIX (Muntinlupa)	1.08 Class AA-C	0.59 Class AA-C	0.597 Class AA-C	0.15 Class D	0.14 Class D	0.185 Class D	40.0 Class A	40.0 Class A	150.0 Class C
XV (San Pedro)	No Data	0.58 Class AA-C	0.675 Class AA-C	No Data	0.15 Class D	0.176 Class D	No Data	170.0 Class C	434.0 Failed
XVI (Sta. Rosa)	0.64 Class AA-C	0.54 Class AA-C	0.729 Class AA-C	0.13 Class D	0.14 Class D	0.175 Class D	258.0 Class D	62.0 Class B	220.0 Class D
XVII (Sanctuary)	0.41 Class AA-C	No Data	0.695 Class AA-C	0.1 Class D	No Data	0.156 Class D	93.0 Class B	No Data	49.0 Class A
XVIII (Pagsanjan)	0.38 Class AA-C	0.14 Class AA-C	0.05 Class AA-C	0.08 Class D	0.06 Class D	0.052 Class D	123.0 Class C	147.0 Class C	200.0 Class C
XX (GEMS)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXI (Cardona)	0.39 Class AA-C	0.46 Class AA-C	No Data	0.11 Class D	0.13 Class D	No Data	273.0 Class D	252.0 Class D	No Data
XXII (Jala-jala)	0.46 Class AA-C	0.55 Class AA-C	0.557 Class AA-C	0.1 Class D	0.13 Class D	0.132 Class D	159.0 Class C	236.0 Class D	200.0 Class C
XXIII (Lumban)	0.37 Class AA-C	0.14 Class AA-C	0.05 Class AA-C	0.07 Class D	0.04 Class D	0.223 Class D	312.0 Class D	274.0 Class D	784.0 Failed

Nitrate (mg/L)

Conformed with WQG for Classes AA-C≤ 7

Conformed with WQG for Class D> 7–15

Failed the WQG for Classes AA to D> 15

No Data

Inorganic Phosphate (mg/L)

Conformed with WQG for Classes AA-C≤ 0.025

Conformed with WQG for Class D> 0.025–0.5

Failed the WQG for Classes AA to D> 0.5

No Data

Fecal Coliform (MPN/100mL)

Conformed with WQG for Class AA≤ 20

Conformed with WQG for Class A> 20–50

Conformed with WQG for Class B> 50–100

Conformed with WQG for Class C> 100–200

Conformed with WQG for Class D> 200–400

Failed the WQG for Classes AA to D> 400

No Data

Monitoring Stations	BOD			Ammonia		
	October	November	December	October	November	December
I (Central West Bay)	3.0 Class A	2.0 Class AA	2.0 Class AA	0.04 Class AA-C	0.005 Class AA-C	0.29 Class D
II (East Bay)	2.0 Class AA	2.0 Class AA	2.0 Class AA	0.18 Class D	0.02 Class AA-C	0.005 Class AA-C
IV (Central Bay)	No Data	2.0 Class AA	2.0 Class AA	No Data	0.005 Class AA-C	0.005 Class AA-C
V (Northern West Bay)	2.0 Class AA	1.0 Class AA	3.0 Class A	0.01 Class AA-C	0.05 Class AA-C	0.022 Class AA-C
VIII (South Bay)	1.0 Class AA	2.0 Class AA	2.0 Class AA	0.005 Class AA-C	0.005 Class AA-C	0.016 Class AA-C
XIII (Taytay)	2.0 Class AA	3.0 Class A	3.0 Class A	0.005 Class AA-C	0.005 Class AA-C	0.025 Class AA-C
XIX (Muntinlupa)	3.0 Class A	1.0 Class AA	2.0 Class AA	0.01 Class AA-C	0.02 Class AA-C	0.005 Class AA-C
XV (San Pedro)	No Data	1.0 Class AA	1.0 Class AA	No Data	0.005 Class AA-C	0.025 Class AA-C
XVI (Sta. Rosa)	2.0 Class AA	2.0 Class AA	2.0 Class AA	0.02 Class AA-C	0.02 Class AA-C	0.005 Class AA-C
XVII (Sanctuary)	2.0 Class AA	No Data	2.0 Class AA	0.04 Class AA-C	No Data	0.013 Class AA-C
XVIII (Pagsanjan)	3.0 Class A	3.0 Class A	2.0 Class AA	0.01 Class AA-C	0.23 Class D	0.015 Class AA-C
XX (GEMS)	No Data	No Data	No Data	No Data	No Data	No Data
XXI (Cardona)	2.0 Class AA	1.0 Class AA	No Data	0.02 Class AA-C	0.13 Class D	No Data
XXII (Jala-jala)	3.0 Class A	2.0 Class AA	2.0 Class AA	0.05 Class AA-C	0.09 Class D	0.036 Class AA-C
XXIII (Lumban)	3.0 Class A	2.0 Class AA	2.0 Class AA	0.03 Class AA-C	0.05 Class AA-C	0.026 Class AA-C

BOD (mg/L)

- Conformed with WQG for Class AA≤ 3
- Conformed with WQG for Class A> 3–5
- Conformed with WQG for Class B> 5–7
- Conformed with WQG for Class C> 7–10
- Conformed with WQG for Class D> 10–15
- Failed the WQG for Classes AA to D> 15
- No Data

Ammonia (mg/L)

- Conformed with WQG for Classes AA-C≤ 0.06
- Conformed with WQG for Class D> 0.06–0.30
- Failed the WQG for Classes AA to D> 0.30
- No Data