Water Quality Report

Quarter 2 - 2025

Monitoring Stations	pH			Temperature			DO		
	April	May	June	April	May	June	April	May	June
I (Central West Bay)	8.1 Class A-B	8.3 Class A-B	8.0 Class A-B	No Data	No Data	No Data	7.0 Class AA-C	6.0 Class AA-C	6.0 Class AA-C
II (East Bay)	8.4 Class A-B	8.8 Class C	8.9 Class C	No Data	No Data	No Data	8.0 Class AA-C	8.0 Class AA-C	9.0 Class AA-C
IV (Central Bay)	8.0 Class A-B	8.5 Class A-B	8.4 Class A-B	No Data	No Data	No Data	7.0 Class AA-C	7.0 Class AA-C	7.0 Class AA-C
V (Northern West Bay)	8.6 Class C	8.5 Class A-B	8.4 Class A-B	No Data	No Data	No Data	7.0 Class AA-C	7.0 Class AA-C	7.0 Class AA-C
VIII (South Bay)	8.8 Class C	8.8 Class C	8.9 Class C	No Data	No Data	No Data	8.0 Class AA-C	7.0 Class AA-C	9.0 Class AA-C
XIII (Taytay)	8.3 Class A-B	8.7 Class C	8.6 Class C	No Data	No Data	No Data	7.0 Class AA-C	7.0 Class AA-C	8.0 Class AA-C
XIX (Muntinlupa)	8.0 Class A-B	8.1 Class A-B	7.7 Class A-B	No Data	No Data	No Data	8.0 Class AA-C	8.0 Class AA-C	6.0 Class AA-C
XV (San Pedro)	8.1 Class A-B	8.0 Class A-B	8.3 Class A-B	No Data	No Data	No Data	7.0 Class AA-C	5.0 Class AA-C	6.0 Class AA-C
XVI (Sta. Rosa)	8.7 Class C	8.9 Class C	8.1 Class A-B	No Data	No Data	No Data	8.0 Class AA-C	8.0 Class AA-C	7.0 Class AA-C
XVII (Sanctuary)	8.6 Class C	9.5 Failed	8.9 Class C	No Data	No Data	No Data	8.0 Class AA-C	8.0 Class AA-C	6.0 Class AA-C
XVIII (Pagsanjan)	8.4 Class A-B	8.4 Class A-B	8.3 Class A-B	No Data	No Data	No Data	8.0 Class AA-C	10.0 Class AA-C	9.0 Class AA-C
XX (GEMS)	8.2 Class A-B	8.5 Class A-B	8.7 Class C	No Data	No Data	No Data	6.0 Class AA-C	5.0 Class AA-C	5.0 Class AA-C
XXI (Cardona)	8.6 Class C	8.8 Class C	8.7 Class C	No Data	No Data	No Data	7.0 Class AA-C	5.0 Class AA-C	7.0 Class AA-C
XXII (Jala-jala)	7.6 Class A-B	8.7 Class C	7.3 Class A-B	No Data	No Data	No Data	8.0 Class AA-C	8.0 Class AA-C	8.0 Class AA-C
XXIII (Lumban)	8.3 Class A-B	8.7 Class C	7.9 Class A-B	No Data	No Data	No Data	7.0 Class AA-C	10.0 Class AA-C	7.0 Class AA-C
XXIV (Cardona (North Central Bay))	8.3 Class A-B	8.7 Class C	7.9 Class A-B	No Data	No Data	No Data	7.0 Class AA-C	6.0 Class AA-C	6.0 Class AA-C

pH (units)
- Conformed with WQG for Classes A and B6.5–8.5
- Conformed with WQG for Class C6.5–9.0
- Conformed with WQG for Class D6.0–9.0
- Failed the WQG for Classes A to D< 6.0 or > 9.0
- No Data

Temperature (°C)
- Conformed with WQG for Classes AA-C26–30
- Conformed with WQG for Class D25–31
- Failed the WQG for Classes AA to D< 25 or > 31
- No Data

DO (mg/L)
- Conformed with WQG for Classes AA-C≥ 5
- Conformed with WQG for Class D2–5
- Failed the WQG for Classes AA to D< 2
- No Data

Monitoring Stations	Turbidity			ORP			TDS		
	April	May	June	April	May	June	April	May	June
I (Central West Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
II (East Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
IV (Central Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
V (Northern West Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
VIII (South Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XIII (Taytay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XIX (Muntinlupa)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XV (San Pedro)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVI (Sta. Rosa)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVII (Sanctuary)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVIII (Pagsanjan)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XX (GEMS)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXI (Cardona)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXII (Jala-jala)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXIII (Lumban)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXIV (Cardona (North Central Bay))	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data

Turbidity (NTU)
- Conformed with WQG for Classes AA-B≤ 5
- Conformed with WQG for Class C> 5–10
- Conformed with WQG for Class D> 10–15
- Failed the WQG for Classes AA to D> 15
- No Data

ORP (mV)
- Conformed with WQG for Classes AA-A≥ 300
- Conformed with WQG for Class B250–299
- Conformed with WQG for Class C200–249
- Conformed with WQG for Class D150–199
- Failed the WQG for Classes AA to D< 150
- No Data

TDS (mg/L)
- Conformed with WQG for Classes AA-B≤ 500
- Conformed with WQG for Class C> 500–1000
- Conformed with WQG for Class D> 1000–1500
- Failed the WQG for Classes AA to D> 1500
- No Data

Monitoring Stations	Nitrate			Inorganic Phosphate			Fecal Coliform		
	April	May	June	April	May	June	April	May	June
I (Central West Bay)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.038 Class D	0.1 Class D	0.14 Class D	29.0 Class A	19.0 Class AA	30.0 Class A
II (East Bay)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.047 Class D	0.053 Class D	0.05 Class D	35.0 Class A	19.0 Class AA	25.0 Class A
IV (Central Bay)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.037 Class D	0.061 Class D	0.065 Class D	29.0 Class A	18.0 Class AA	19.0 Class AA
V (Northern West Bay)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.052 Class D	0.14 Class D	0.16 Class D	40.0 Class A	33.0 Class A	33.0 Class A
VIII (South Bay)	0.1 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.031 Class D	0.059 Class D	0.25 Class D	19.0 Class AA	29.0 Class A	46.0 Class A
XIII (Taytay)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.056 Class D	0.17 Class D	0.42 Class D	56.0 Class B	56.0 Class B	115.0 Class C
XIX (Muntinlupa)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.077 Class D	0.15 Class D	0.11 Class D	74.0 Class B	62.0 Class B	77.0 Class B
XV (San Pedro)	0.2 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.1 Class D	0.15 Class D	0.21 Class D	105.0 Class C	77.0 Class B	258.0 Class D
XVI (Sta. Rosa)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.043 Class D	0.067 Class D	0.1 Class D	47.0 Class A	57.0 Class B	68.0 Class B
XVII (Sanctuary)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.094 Class D	0.045 Class D	0.15 Class D	19.0 Class AA	18.0 Class AA	28.0 Class A
XVIII (Pagsanjan)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.031 Class D	0.014 Class AA-C	0.025 Class AA-C	25.0 Class A	25.0 Class A	25.0 Class A
XX (GEMS)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.048 Class D	0.052 Class D	0.083 Class D	157.0 Class C	190.0 Class C	187.0 Class C
XXI (Cardona)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.038 Class D	0.056 Class D	0.064 Class D	18.0 Class AA	35.0 Class A	47.0 Class A
XXII (Jala-jala)	0.2 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.075 Class D	0.05 Class D	0.082 Class D	18.0 Class AA	18.0 Class AA	28.0 Class A
XXIII (Lumban)	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.037 Class D	0.07 Class D	0.074 Class D	109.0 Class C	126.0 Class C	217.0 Class D
XXIV (Cardona (North Central Bay))	0.05 Class AA-C	0.05 Class AA-C	0.05 Class AA-C	0.037 Class D	0.07 Class D	0.074 Class D	34.0 Class A	26.0 Class A	39.0 Class A

Nitrate (mg/L)
- Conformed with WQG for Classes AA-C≤ 7
- Conformed with WQG for Class D> 7–15
- Failed the WQG for Classes AA to D> 15
- No Data

Inorganic Phosphate (mg/L)
- Conformed with WQG for Classes AA-C≤ 0.025
- Conformed with WQG for Class D> 0.025–0.5
- Failed the WQG for Classes AA to D> 0.5
- No Data

Fecal Coliform (MPN/100mL)
- Conformed with WQG for Class AA≤ 20
- Conformed with WQG for Class A> 20–50
- Conformed with WQG for Class B> 50–100
- Conformed with WQG for Class C> 100–200
- Conformed with WQG for Class D> 200–400
- Failed the WQG for Classes AA to D> 400
- No Data

Monitoring Stations	BOD			Ammonia		
	April	May	June	April	May	June
I (Central West Bay)	3.0 Class A	4.0 Class A	7.0 Class C	0.09 Class D	0.09 Class D	0.2 Class D
II (East Bay)	4.0 Class A	5.0 Class B	7.0 Class C	0.04 Class AA-C	0.08 Class D	0.06 Class AA-C
IV (Central Bay)	4.0 Class A	5.0 Class B	5.0 Class B	0.09 Class D	0.08 Class D	0.05 Class AA-C
V (Northern West Bay)	3.0 Class A	6.0 Class B	6.0 Class B	0.07 Class D	0.1 Class D	0.09 Class D
VIII (South Bay)	2.0 Class AA	5.0 Class B	5.0 Class B	0.04 Class AA-C	0.06 Class AA-C	0.09 Class D
XIII (Taytay)	2.0 Class AA	6.0 Class B	5.0 Class B	0.05 Class AA-C	0.1 Class D	0.2 Class D
XIX (Muntinlupa)	3.0 Class A	4.0 Class A	5.0 Class B	0.1 Class D	0.08 Class D	0.1 Class D
XV (San Pedro)	2.0 Class AA	3.0 Class A	5.0 Class B	0.06 Class AA-C	0.4 Failed	0.1 Class D
XVI (Sta. Rosa)	2.0 Class AA	4.0 Class A	5.0 Class B	0.02 Class AA-C	0.07 Class D	0.05 Class AA-C
XVII (Sanctuary)	3.0 Class A	4.0 Class A	5.0 Class B	0.01 Class AA-C	0.07 Class D	0.06 Class AA-C
XVIII (Pagsanjan)	2.0 Class AA	6.0 Class B	4.0 Class A	0.03 Class AA-C	0.04 Class AA-C	0.05 Class AA-C
XX (GEMS)	2.0 Class AA	4.0 Class A	6.0 Class B	0.06 Class AA-C	0.07 Class D	0.09 Class D
XXI (Cardona)	3.0 Class A	5.0 Class B	7.0 Class C	0.03 Class AA-C	0.07 Class D	0.2 Class D
XXII (Jala-jala)	2.0 Class AA	5.0 Class B	5.0 Class B	0.05 Class AA-C	0.08 Class D	0.1 Class D
XXIII (Lumban)	2.0 Class AA	4.0 Class A	3.0 Class A	0.04 Class AA-C	0.07 Class D	0.06 Class AA-C
XXIV (Cardona (North Central Bay))	4.0 Class A	4.0 Class A	5.0 Class B	0.04 Class AA-C	0.07 Class D	0.06 Class AA-C

BOD (mg/L)
- Conformed with WQG for Class AA≤ 3
- Conformed with WQG for Class A> 3–5
- Conformed with WQG for Class B> 5–7
- Conformed with WQG for Class C> 7–10
- Conformed with WQG for Class D> 10–15
- Failed the WQG for Classes AA to D> 15
- No Data

Ammonia (mg/L)
- Conformed with WQG for Classes AA-C≤ 0.06
- Conformed with WQG for Class D> 0.06–0.30
- Failed the WQG for Classes AA to D> 0.30
- No Data