Water Quality Report

Quarter 3 - 2025

Monitoring Stations	pH			Temperature			DO		
	July	August	September	July	August	September	July	August	September
I (Central West Bay)	7.6 Class A-B	7.9 Class A-B	8.1 Class A-B	No Data	No Data	No Data	7.0 Class AA-C	6.0 Class AA-C	6.0 Class AA-C
II (East Bay)	9.0 Class C	8.4 Class A-B	8.1 Class A-B	No Data	No Data	No Data	7.0 Class AA-C	8.0 Class AA-C	8.0 Class AA-C
IV (Central Bay)	8.9 Class C	8.3 Class A-B	8.2 Class A-B	No Data	No Data	No Data	7.0 Class AA-C	8.0 Class AA-C	7.0 Class AA-C
V (Northern West Bay)	9.0 Class C	8.1 Class A-B	8.1 Class A-B	No Data	No Data	No Data	8.0 Class AA-C	7.0 Class AA-C	7.0 Class AA-C
VIII (South Bay)	8.8 Class C	8.8 Class C	7.6 Class A-B	No Data	No Data	No Data	7.0 Class AA-C	9.0 Class AA-C	6.0 Class AA-C
XIII (Taytay)	8.9 Class C	7.5 Class A-B	8.0 Class A-B	No Data	No Data	No Data	7.0 Class AA-C	6.0 Class AA-C	7.0 Class AA-C
XIX (Muntinlupa)	9.0 Class C	8.1 Class A-B	8.0 Class A-B	No Data	No Data	No Data	8.0 Class AA-C	7.0 Class AA-C	6.0 Class AA-C
XV (San Pedro)	8.8 Class C	7.8 Class A-B	7.6 Class A-B	No Data	No Data	No Data	7.0 Class AA-C	7.0 Class AA-C	4.0 Class D
XVI (Sta. Rosa)	8.9 Class C	7.9 Class A-B	8.1 Class A-B	No Data	No Data	No Data	8.0 Class AA-C	7.0 Class AA-C	6.0 Class AA-C
XVII (Sanctuary)	8.8 Class C	7.9 Class A-B	7.6 Class A-B	No Data	No Data	No Data	7.0 Class AA-C	7.0 Class AA-C	6.0 Class AA-C
XVIII (Pagsanjan)	8.9 Class C	8.3 Class A-B	8.3 Class A-B	No Data	No Data	No Data	8.0 Class AA-C	9.0 Class AA-C	8.0 Class AA-C
XX (GEMS)	9.1 Failed	8.0 Class A-B	7.9 Class A-B	No Data	No Data	No Data	5.0 Class AA-C	7.0 Class AA-C	6.0 Class AA-C
XXI (Cardona)	8.8 Class C	8.2 Class A-B	8.0 Class A-B	No Data	No Data	No Data	6.0 Class AA-C	8.0 Class AA-C	6.0 Class AA-C
XXII (Jala-jala)	8.9 Class C	8.2 Class A-B	7.6 Class A-B	No Data	No Data	No Data	7.0 Class AA-C	8.0 Class AA-C	7.0 Class AA-C
XXIII (Lumban)	9.0 Class C	7.8 Class A-B	7.2 Class A-B	No Data	No Data	No Data	6.0 Class AA-C	7.0 Class AA-C	8.0 Class AA-C
XXIV (Cardona (North Central Bay))	9.1 Failed	7.8 Class A-B	8.2 Class A-B	No Data	No Data	No Data	7.0 Class AA-C	7.0 Class AA-C	7.0 Class AA-C

pH (units)
- Conformed with WQG for Classes A and B6.5–8.5
- Conformed with WQG for Class C6.5–9.0
- Conformed with WQG for Class D6.0–9.0
- Failed the WQG for Classes A to D< 6.0 or > 9.0
- No Data

Temperature (°C)
- Conformed with WQG for Classes AA-C26–30
- Conformed with WQG for Class D25–31
- Failed the WQG for Classes AA to D< 25 or > 31
- No Data

DO (mg/L)
- Conformed with WQG for Classes AA-C≥ 5
- Conformed with WQG for Class D2–5
- Failed the WQG for Classes AA to D< 2
- No Data

Monitoring Stations	Turbidity			ORP			TDS		
	July	August	September	July	August	September	July	August	September
I (Central West Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
II (East Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
IV (Central Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
V (Northern West Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
VIII (South Bay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XIII (Taytay)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XIX (Muntinlupa)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XV (San Pedro)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVI (Sta. Rosa)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVII (Sanctuary)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XVIII (Pagsanjan)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XX (GEMS)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXI (Cardona)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXII (Jala-jala)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXIII (Lumban)	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
XXIV (Cardona (North Central Bay))	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data

Turbidity (NTU)
- Conformed with WQG for Classes AA-B≤ 5
- Conformed with WQG for Class C> 5–10
- Conformed with WQG for Class D> 10–15
- Failed the WQG for Classes AA to D> 15
- No Data

ORP (mV)
- Conformed with WQG for Classes AA-A≥ 300
- Conformed with WQG for Class B250–299
- Conformed with WQG for Class C200–249
- Conformed with WQG for Class D150–199
- Failed the WQG for Classes AA to D< 150
- No Data

TDS (mg/L)
- Conformed with WQG for Classes AA-B≤ 500
- Conformed with WQG for Class C> 500–1000
- Conformed with WQG for Class D> 1000–1500
- Failed the WQG for Classes AA to D> 1500
- No Data

Monitoring Stations	Nitrate			Inorganic Phosphate			Fecal Coliform		
	July	August	September	July	August	September	July	August	September
I (Central West Bay)	0.05 Class AA-C	1.0 Class AA-C	0.9 Class AA-C	0.16 Class D	0.2 Class D	0.2 Class D	50.0 Class A	65.0 Class B	84.0 Class B
II (East Bay)	0.05 Class AA-C	0.5 Class AA-C	0.3 Class AA-C	0.044 Class D	0.13 Class D	0.07 Class D	25.0 Class A	33.0 Class A	24.0 Class A
IV (Central Bay)	0.2 Class AA-C	0.8 Class AA-C	1.0 Class AA-C	0.16 Class D	0.17 Class D	0.19 Class D	19.0 Class AA	19.0 Class AA	19.0 Class AA
V (Northern West Bay)	0.2 Class AA-C	1.0 Class AA-C	0.8 Class AA-C	0.17 Class D	0.2 Class D	0.2 Class D	45.0 Class A	45.0 Class A	45.0 Class A
VIII (South Bay)	0.05 Class AA-C	0.4 Class AA-C	0.7 Class AA-C	0.046 Class D	0.13 Class D	0.17 Class D	46.0 Class A	28.0 Class A	19.0 Class AA
XIII (Taytay)	0.05 Class AA-C	1.0 Class AA-C	0.8 Class AA-C	0.22 Class D	0.18 Class D	0.2 Class D	393.0 Class D	292.0 Class D	140.0 Class C
XIX (Muntinlupa)	0.05 Class AA-C	0.7 Class AA-C	0.7 Class AA-C	0.14 Class D	0.17 Class D	0.17 Class D	88.0 Class B	105.0 Class C	84.0 Class B
XV (San Pedro)	0.05 Class AA-C	1.0 Class AA-C	1.0 Class AA-C	0.1 Class D	0.23 Class D	0.26 Class D	918.0 Failed	1675.0 Failed	1978.0 Failed
XVI (Sta. Rosa)	0.05 Class AA-C	0.6 Class AA-C	0.9 Class AA-C	0.082 Class D	0.19 Class D	0.19 Class D	233.0 Class D	504.0 Failed	306.0 Class D
XVII (Sanctuary)	0.05 Class AA-C	0.7 Class AA-C	1.0 Class AA-C	0.033 Class D	0.15 Class D	0.18 Class D	28.0 Class A	38.0 Class A	24.0 Class A
XVIII (Pagsanjan)	0.05 Class AA-C	0.6 Class AA-C	0.05 Class AA-C	0.021 Class AA-C	0.14 Class D	0.012 Class AA-C	24.0 Class A	24.0 Class A	18.0 Class AA
XX (GEMS)	0.05 Class AA-C	1.0 Class AA-C	1.0 Class AA-C	0.11 Class D	0.17 Class D	0.22 Class D	256.0 Class D	252.0 Class D	370.0 Class D
XXI (Cardona)	0.1 Class AA-C	0.7 Class AA-C	1.0 Class AA-C	0.054 Class D	0.15 Class D	0.2 Class D	47.0 Class A	47.0 Class A	36.0 Class A
XXII (Jala-jala)	0.4 Class AA-C	0.6 Class AA-C	0.9 Class AA-C	0.057 Class D	0.15 Class D	0.18 Class D	28.0 Class A	38.0 Class A	24.0 Class A
XXIII (Lumban)	0.1 Class AA-C	0.4 Class AA-C	0.05 Class AA-C	0.077 Class D	0.12 Class D	0.053 Class D	92.0 Class B	44.0 Class A	30.0 Class A
XXIV (Cardona (North Central Bay))	0.1 Class AA-C	1.0 Class AA-C	1.0 Class AA-C	0.1 Class D	0.17 Class D	0.2 Class D	29.0 Class A	46.0 Class A	77.0 Class B

Nitrate (mg/L)
- Conformed with WQG for Classes AA-C≤ 7
- Conformed with WQG for Class D> 7–15
- Failed the WQG for Classes AA to D> 15
- No Data

Inorganic Phosphate (mg/L)
- Conformed with WQG for Classes AA-C≤ 0.025
- Conformed with WQG for Class D> 0.025–0.5
- Failed the WQG for Classes AA to D> 0.5
- No Data

Fecal Coliform (MPN/100mL)
- Conformed with WQG for Class AA≤ 20
- Conformed with WQG for Class A> 20–50
- Conformed with WQG for Class B> 50–100
- Conformed with WQG for Class C> 100–200
- Conformed with WQG for Class D> 200–400
- Failed the WQG for Classes AA to D> 400
- No Data

Monitoring Stations	BOD			Ammonia		
	July	August	September	July	August	September
I (Central West Bay)	5.0 Class B	2.0 Class AA	3.0 Class A	0.04 Class AA-C	0.1 Class D	0.04 Class AA-C
II (East Bay)	4.0 Class A	3.0 Class A	2.0 Class AA	0.03 Class AA-C	0.07 Class D	0.001 Class AA-C
IV (Central Bay)	3.0 Class A	3.0 Class A	3.0 Class A	0.1 Class D	0.1 Class D	0.03 Class AA-C
V (Northern West Bay)	4.0 Class A	3.0 Class A	3.0 Class A	0.05 Class AA-C	0.1 Class D	0.02 Class AA-C
VIII (South Bay)	4.0 Class A	4.0 Class A	2.0 Class AA	0.01 Class AA-C	0.05 Class AA-C	0.001 Class AA-C
XIII (Taytay)	7.0 Class C	2.0 Class AA	3.0 Class A	0.1 Class D	0.08 Class D	0.02 Class AA-C
XIX (Muntinlupa)	4.0 Class A	2.0 Class AA	3.0 Class A	0.01 Class AA-C	0.05 Class AA-C	0.02 Class AA-C
XV (San Pedro)	4.0 Class A	4.0 Class A	4.0 Class A	0.03 Class AA-C	0.05 Class AA-C	0.02 Class AA-C
XVI (Sta. Rosa)	5.0 Class B	3.0 Class A	3.0 Class A	0.01 Class AA-C	0.2 Class D	0.02 Class AA-C
XVII (Sanctuary)	5.0 Class B	2.0 Class AA	2.0 Class AA	0.02 Class AA-C	0.07 Class D	0.01 Class AA-C
XVIII (Pagsanjan)	4.0 Class A	3.0 Class A	3.0 Class A	0.02 Class AA-C	0.05 Class AA-C	0.001 Class AA-C
XX (GEMS)	4.0 Class A	4.0 Class A	2.0 Class AA	0.02 Class AA-C	0.1 Class D	0.03 Class AA-C
XXI (Cardona)	5.0 Class B	4.0 Class A	2.0 Class AA	0.04 Class AA-C	0.09 Class D	0.01 Class AA-C
XXII (Jala-jala)	4.0 Class A	3.0 Class A	0.5 Class AA	0.003 Class AA-C	0.09 Class D	0.001 Class AA-C
XXIII (Lumban)	3.0 Class A	3.0 Class A	4.0 Class A	0.1 Class D	0.05 Class AA-C	0.001 Class AA-C
XXIV (Cardona (North Central Bay))	6.0 Class B	3.0 Class A	1.0 Class AA	0.03 Class AA-C	0.1 Class D	0.02 Class AA-C

BOD (mg/L)
- Conformed with WQG for Class AA≤ 3
- Conformed with WQG for Class A> 3–5
- Conformed with WQG for Class B> 5–7
- Conformed with WQG for Class C> 7–10
- Conformed with WQG for Class D> 10–15
- Failed the WQG for Classes AA to D> 15
- No Data

Ammonia (mg/L)
- Conformed with WQG for Classes AA-C≤ 0.06
- Conformed with WQG for Class D> 0.06–0.30
- Failed the WQG for Classes AA to D> 0.30
- No Data