```html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width, initial-scale=1.0">
  <title>Biodata - B.Sc Computer Science</title>
  <style>
   body {
     font-family: Arial, sans-serif;
     background: #f2f7ff;
     margin: 0;
     padding: 0;
   }
    .container {
     width: 70%;
     margin: 20px auto;
     background: #fff;
     padding: 20px;
     border-radius: 12px;
     box-shadow: 0 4px 8px rgba(0,0,0,0.1);
   }
   h1 {
     text-align: center;
     color: #333;
   }
    .section {
     margin-bottom: 20px;
   }
    .label {
     font-weight: bold;
     color: #444;
   }
```

↓

```css
    .value {
      margin-left: 10px;
      color: #666;
    }
    button {
      background: #4CAF50;
      color: white;
      border: none;
      padding: 10px 15px;
      cursor: pointer;
      border-radius: 8px;
      margin-top: 10px;
    }
    button:hover {
      background: #388E3C;
    }
    .highlight {
      background-color: #ffff99;
      padding: 3px;
      border-radius: 5px;
    }
  </style>
</head>
<body>
  <div class="container">
    <h1>Biodata</h1>
    <div class="section">
      <p><span class="label">Name:</span><span class="value">Priya K</span></p>
      <p><span class="label">Course:</span><span class="value">B.Sc Computer Science (2nd Year)</span></p>
      <p><span class="label">College:</span><span class="value">ABC College of Arts & Science</span></p>
      <p><span class="label">Email:</span><span class="value">priya@example.com</span></p>
```

```html
      class="value">9876543210</span></p>
    </div>

    <div class="section">
      <h3>Skills</h3>
      <ul>
        <li>Python Programming</li>
        <li>C++ and OOP Concepts</li>
        <li>Web Development (HTML, CSS, JS)</li>
        <li>Database Management</li>
      </ul>
    </div>

    <div class="section">
      <h3>Hobbies</h3>
      <ul>
        <li>Reading Tech Blogs</li>
        <li>Coding Challenges</li>
        <li>Playing Chess</li>
      </ul>
    </div>

    <button onclick="highlightSkills()">Highlight
Skills</button>
  </div>

  <script>
    function highlightSkills() {
      let skills = document.querySelectorAll("li");
      skills.forEach(skill => {
        skill.classList.toggle("highlight");
      });
    }
  </script>
</body>
</html>
```