


A place at the table. A booking you can trust.

Restaurant reservations that stay consistent when a response is lost, a table closes or a recurring plan changes.

FOUR RUNNABLE STAGES

Built by three coding agents in BAND.



An ordinary dinner. Three hard problems.

The difficult part starts when the happy path ends.

01

A response disappears

The booking commits, but the diner sees no confirmation. A retry must recover the same receipt.

02

A table becomes unavailable


Several guests may need new seats. A manager needs an exact preview and one atomic decision.

03

A recurring plan changes

Future occurrences must change together while accepted terms and earlier history remain inspectable.

Choose your evening. Find your table.



01 Search

Local date, restaurant and party size.

02 Choose

Single tables or declared combinations.

03 Reserve

Keep the confirmation reference.

Actual local Stage 4 interface. Synthetic restaurant and guests; Europe/Berlin local time.

One booking. A recoverable confirmation.


The original receipt and the current seating assignment are distinct records.

Actual browser booking

Six guests, 12 October 2026 at 18:00. Window for two + Garden table.

Retry without creating a second booking.

An idempotency key recovers the original accepted receipt. Lookup exposes the current reservation after later changes.



The screenshot shows a mobile-style booking confirmation interface. It is divided into two main sections. The top section, titled "Your place for the evening", contains the booking details: "Window for two + Garden table · 18:00 on Monday, Oct 12, 2026". Below this, it asks "Guests at your table" with a text input field containing the number "6". A dark green button labeled "Show this confirmation again" is positioned below the input field. Underneath the button, a line of text states "Your confirmation reference will appear here." The bottom section, titled "Your table is reserved", displays the "Your confirmation reference" as **DED6BCE6F4**. It then repeats the booking details: "Juniper Dining · Window for two + Garden table · 18:00 on Monday, Oct 12, 2026". At the bottom of this section, there is a link that says "View or cancel reservation".

Genuine confirmation captured from the accepted product; reference DED6BCE6F4.

Plan the change before applying it.

Manager functions are exposed through the API. The browser interface serves diners.

PREVIEW

Find an exact feasible seating plan for a table closure.

APPLY

Apply the recorded plan atomically, with revision checks.

RETAIN

Preserve identities, accepted terms and original receipts.

Recurring reservations

Create a recurring agreement; amend future occurrences together. Policies, histories and state export/import remain inspectable.

Closure replanning, series amendments and atomicity independently exercised in Stage 4.

Three agents. Separate responsibilities.

One initial human task; autonomous implementation and independent stage review in BAND.

Coordinator

Defines stage gates and reconciles decisions.

>

Builder

Implements the four runnable product stages.

>

Verifier

Executes independent checks and records defects.

Inspect the evidence

Source revisions, review handoffs, raw failures, repairs and native room snapshots are retained.

Stage 4: independently accepted.

Exact product revision 25ade1c7add9a5701a511e07f79a619a3cb21b51

216

Frozen definitions

344

Independent definitions

158

Official definitions

All applicable definitions reconcile to PASS.

The unchanged isolated official run passed all four stages. All 10 transfer edges passed; 45 attempt manifests and 1,296 artifact hashes were verified.

Raw history remains visible: 839 PASS and 53 original FAIL executions; 49 snapshot-selector mismatches and 4 email-oracle conflicts were reconciled, not erased.

Local-first. Ready to inspect.

One Docker container per stage. No external runtime services.

RUN	English setup instructions and synthetic demonstration fixtures.
UNDERSTAND	Russian feature guide, API documentation and stage-by-stage behavior.
VERIFY	Independent reports, raw test logs, source bindings and BAND provenance.

Scope: in-memory state with explicit export/import; no payments or live restaurant integration.