



PMDD Symptom Tracker & Cycle Planner

understand your patterns • feel more prepared

undated

2-cycle tracking

printable + digital

[your shop name]

Welcome 🌙

HOW TO USE THIS PLANNER

PMDD symptoms tend to follow your cycle — often appearing in the days before your period and easing once it begins. Tracking daily, across **at least two full cycles**, helps you and your healthcare provider see your unique pattern clearly.

- Fill in the **daily tracker** each evening — it only takes a minute
- Use the **monthly symptom chart** to see your pattern at a glance
- Compare two cycles side by side to spot consistency
- Bring the **appointment-prep** pages to your visits

Be gentle with yourself. This is a tool for clarity, not judgment. 💜

Disclaimer: This planner is a personal organization and tracking tool only. It is not medical advice and is not intended to diagnose, treat, cure, or prevent any condition, including PMDD. Always consult a qualified healthcare provider for diagnosis and care.

Tracking & Your Cycle

A QUICK ORIENTATION

Many people find it helpful to note which **phase** of the cycle they're in when logging symptoms. A simple way to mark it:

 Menstrual — your period	days ~1–5
 Follicular — after period	days ~6–13
 Ovulation — mid-cycle	days ~14
 Luteal — before next period	days ~15–28

Cycle lengths vary — these are general ranges, not rules. Use the trackers to learn *your* rhythm.

My typical cycle length: _____ days | My period usually lasts: _____ days

Daily Symptom Tracker

DATE: _____ CYCLE DAY: _____ PHASE: 🩸🌱⚡🌙 RATE 1 (NONE) – 5 (EXTREME)

EMOTIONAL

Sadness	1
Anxiety	2
low	1
mood	3
Mood	2
tension	4
swings	1
Irritability	5
	4
Overwhelm	1
anger	3
	5
	2
	4
	3

PHYSICAL & OTHER

Fatigue	1
Sleep	2
low	1
problems	3
energy	2
Appetite	4
	1
Bloating	5
cravings	4
Trouble	1
physical	3
focusing	5
	2
	4
	3

Did symptoms affect daily life today? ☐ Not at all ☐ Some ☐ A lot

Monthly Symptom Chart

CYCLE / MONTH: _____ — SHADE EACH BOX BY SEVERITY TO SEE YOUR PATTERN

Severity: ☐ none ☐ mild ☐ moderate ☐ severe

Day →	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Period (P)																															
Low mood																															
Anxiety																															
Mood swings																															
Irritability																															
Fatigue																															
Sleep																															
Cravings																															
Bloating																															
Focus																															

Tip: mark your period days (P) along the top so you can see how symptoms line up with your cycle.

Two-Cycle Comparison

SEE IF YOUR PATTERN REPEATS

Symptom	Cycle 1 — worst day(s)	Cycle 1 severity	Cycle 2 — worst day(s)	Cycle 2 severity
Low mood				
Anxiety				
Irritability				
Mood swings				
Fatigue				
Sleep				
Focus				
Physical				

What pattern do I notice across both cycles?

Triggers & What Helps

BUILD YOUR TOOLKIT

Things that seem to make symptoms harder

Things that help me feel better

My go-to coping strategies

rest

movement

time outside

talking to someone

journaling

lower my to-do list

+ add your own

Mood & Reflection

DATE: _____

How I felt overall today



What I want to remember about today

One kind thing I did for myself

Free journaling

Sleep Tracker

WEEK OF: _____

Day	Bedtime	Wake	Hours	Quality (1–5)	Cycle day
Mon				1 2 3 4 5	
Tue				1 2 3 4 5	
Wed				1 2 3 4 5	
Thu				1 2 3 4 5	
Fri				1 2 3 4 5	
Sat				1 2 3 4 5	
Sun				1 2 3 4 5	

Notes / patterns

Medication & Supplement Tracker

WEEK OF: _____ (TRACKING ONLY)

Name / Item	Dose	Time	M	T	W	T	F	S	S

Notes / side effects to mention to my provider

Appointment Prep

DATE OF VISIT: _____

Provider

Symptoms I want to discuss (with my chart attached)

Questions to ask

What I've already tried

Notes from the visit

Monthly Reflection

CYCLE / MONTH: _____

Hardest days this cycle (and where they fell)

What helped most

What I'll try next cycle

A win, however small

Note to my future self

My Support Plan

FOR THE HARDER DAYS

People I can reach out to

Comforting things that ground me

Reminders for when it feels heavy

- ☐ This is tied to my cycle and it will pass
- ☐ I can lower my expectations of myself today
- ☐ It's okay to ask for help

If you ever feel unsafe or in crisis, please contact a healthcare professional or a local crisis line right away.

Notes & Journaling

YOUR SPACE TO WRITE