
occ_ind_graphs


Kelsey Pukelis August 28, 2017

Including flagged data


```
plot_full_density(data = ind, dataname = "ind",includeflags = TRUE)
```



plot_full_density(data = occ, dataname = "occ",includeflags = TRUE)




plot_full_density(data = ind_occ, dataname = "ind_occ",includeflags = TRUE)



```
plot_partial_density(data = ind, dataname = "ind", includeflags = TRUE, xhigh = 20000)
```

- ## Warning: Removed 100 rows containing non-finite values (stat_bin).
- ## Warning: Removed 100 rows containing non-finite values (stat_density).


ind ~ xlimits: 0 to 20000



```
plot_partial_density(data = occ, dataname = "occ",includeflags = TRUE, xhigh = 15000)
```

- ## Warning: Removed 137 rows containing non-finite values (stat_bin).
- ## Warning: Removed 137 rows containing non-finite values (stat_density).


occ ~ xlimits: 0 to 15000



plot_partial_density(data = ind_occ, dataname = "ind_occ",includeflags = TRUE, xhigh = 200)


- ## Warning: Removed 4838 rows containing non-finite values (stat_bin).
- ## Warning: Removed 4838 rows containing non-finite values (stat_density).






Excluding flagged data


plot_full_density(data = ind, dataname = "ind",includeflags = TRUE)



plot_full_density(data = occ, dataname = "occ",includeflags = TRUE)




plot_full_density(data = ind_occ, dataname = "ind_occ",includeflags = TRUE)



```
plot_partial_density(data = ind, dataname = "ind", includeflags = TRUE, xhigh = 20000)
```

- ## Warning: Removed 100 rows containing non-finite values (stat_bin).
- ## Warning: Removed 100 rows containing non-finite values (stat_density).






```
plot_partial_density(data = occ, dataname = "occ",includeflags = TRUE, xhigh = 15000)
```

- ## Warning: Removed 137 rows containing non-finite values (stat_bin).
- ## Warning: Removed 137 rows containing non-finite values (stat_density).


occ ~ xlimits: 0 to 15000



plot_partial_density(data = ind_occ, dataname = "ind_occ",includeflags = TRUE, xhigh = 200)

- ## Warning: Removed 4838 rows containing non-finite values (stat_bin).
- ## Warning: Removed 4838 rows containing non-finite values (stat_density).

ind_occ ~ xlimits: 0 to 200



```
\#\# Basic stats
  #Total # of obs (ind, occ, ind_occ)
  lapply(df.list, function(x) nrow(x))
## [[1]]
## [1] 278
##
## [[2]]
## [1] 493
##
## [[3]]
## [1] 57938
  #Total # of obs with 100 workers or fewer--including flagged data (ind, occ, ind_occ)
  lapply(df.list, function(x) nrow(x[x$num_labforce<=100,]))</pre>
## [[1]]
## [1] 1
##
## [[2]]
## [1] 2
##
## [[3]]
## [1] 50197
  #Total # of obs with 100 workers or fewer--excluding flagged data (ind, occ, ind_occ)
```

lapply(df.list, function(x) nrow(x[x\$num_labforce_noflag<=100,]))</pre>

```
## [[1]]
## [1] 1
##
## [[2]]
## [1] 3
##
## [[3]]
## [1] 50431
```