arsnova.eu

Quiz Insights for Teaching

Student understanding, possible misconceptions, and a debriefing plan

13	30	2	4.0 out of 5 ★
Questions	Participants	Questions indicating possible misconceptions	Participant feedback 30 responses

A question is flagged when at least two participants—and at least 10% of respondents—answer incorrectly with high confidence.

Your debriefing plan

Address possible misconceptions first: Question 5 and Question 6

Revisit key concepts: Question 8, Question 10, Question 11, Question 12, Question 4, and Question 7

Briefly reinforce correct answers: Question 9 and Question 3

Recommended starting point: Question 5

Automatically prioritized based on indicators of possible misconceptions, correct-response rates, and answer confidence.

→ Classification criteria

QUIZ
Teaching Showcase: Live Team Demo

SESSION CODE
AJ7WRY

ENDED AT
8 Nov 2026, 09:02

PARTICIPANTS
30

SESSION COVERAGE
13 of 13 questions completed · 0 skipped

REPORT LANGUAGE
English

QUIZ CONTENT
English

Questions with the lowest correct-response rates

Empirical correct response rate: share of fully correct answers. A low rate can also come from unclear wording or a tight time limit.

Question 5 — Which of these are strong use cases for a quick live check? Correct-response rate: 10% (3 of 30 fully correct)

Question 6 — How many externally visible cubies make up a classic 3×3 Rubik's Cube? Correct-response rate: 10% (3 of 30 fully correct)

Question 7 — Which creative-coding environment was this sketch written for? Correct-response rate: about 27% (8 of 30 fully correct)

Participation across the quiz

Participation was stable: all 13 questions received 30 responses.

CONTENTS

Debriefing plan
Questions with the lowest correct-response rates
Learner understanding and answer confidence
Question-by-question results 13
Participant feedback
Team ranking
Bonus codes

Privacy: This report contains aggregated results only. Real names, IP addresses, and individual votes are not exported. Pseudonymous nicknames appear only with bonus codes.

Learner understanding and answer confidence

Correctness and self-rated confidence together show solid understanding, gaps, and possible misconceptions.

2 questions are recommended for debriefing. At least two participants—and at least 10% of respondents—answered incorrectly with high confidence. Individual cases are shown for information only.

How to read this section

Answer confidence (1–5): Low = 1–2 · Medium = 3 · High = 4–5

✓ Solid understanding · ⚠ Possible misconception · ? Not yet secure · ◯ Knowledge gap · M Medium confidence

Rounded share of all 270 responses with self-rated confidence (sums to 100%)

5%	18%	26%	27%	24%
Solid understanding	Responses indicating a possible misconception	Understanding not yet secure	Knowledge gap	Medium confidence

Self-rated confidence was collected for 9 of 13 questions, producing 270 responses.

9 questions × 30 participants = 270 self-rated confidence responses.

Answer confidence is not collected for Question 1 (Survey), Question 2 (Free text), or Question 13 (Rating).

Answer confidence was disabled for Question 7 in this quiz.

Diagnostic categories

Solid understanding	**13**
Responses indicating a possible misconception	**48**
Understanding not yet secure	**69**
Knowledge gap	**74**
Medium confidence, correct	**37**
Medium confidence, incorrect	**29**

Self-rated confidence distribution



↑ Back to overview

Question-by-question results

Question texts match what participants saw live (including images, formulas, and extra context).

QUESTION 1 OF 13 Survey Round 1 Participants: 30

Voting results

How is the room feeling right now?



[credit] Pass / Le Brun (1821), via Wikimedia Commons

Answer distribution

[Mood: Very good] Ready to dive in	40% · 12 of 30
[Mood: Crying] A little overwhelmed	30% · 9 of 30
[Mood: Angry] Frustrated	20% · 6 of 30
[Mood: Neutral] Doing okay	10% · 3 of 30

Answer confidence is not collected for “Survey” questions.

NEXT QUESTION

QUESTION 2 OF 13 Free text Round 1 Participants: 30

Voting results

What helps you learn?

The responses will be displayed as a word cloud.

Free-text responses

Feedback	6
Visualisation	6
Practice	6
Discussion	6
Examples	6


Answer confidence is not collected for “Free text” questions.

NEXT QUESTION

QUESTION 3 OF 13 Numerical estimate Round 1 Participants: 30

Voting results

Round to two decimal places.



Euler’s identity:

Integral representation of :

Answered correctly: 27 of 30 · 90%

Summary statistics

Responses: 30 · Mean: 3.18 · Median: 3.14 · Standard deviation: 0.11

27 of 30 responses were within the accepted range 3.14–3.15.

- At least half of the participants gave exactly 3.14.
- The average deviation from the reference value was 0.04.

Distribution of estimates

Accepted range: 3.14–3.15 · Reference: 3.14

2.88–3.14	3.14–3.15	3.15–3.30	3.30–3.44	3.44–3.58	3.58–3.72
0	**27**	**0**	**0**	**3**	**0**

Answer confidence · 30 responses

Correctness × self-rated confidence

	Low	Medium	High
Correct	**27**	**0**	**0**
Incorrect	**3**	**0**	**0**

The number in each cell shows the response count.

✓ Solid understanding · ⚠ Possible misconception · ? Not yet secure · ◯ Knowledge gap · M Medium confidence

Self-rated confidence distribution

1	2	3	4	5
12	18	0	0	0

Number of responses

1 = very unsure · 5 = very sure

NEXT QUESTION

QUESTION 4 OF 13 Single-answer question **Round 1** Participants: 30

Voting results

AI image or real photo?



Answer distribution

AI-generated image ✕	40% · 12 of 30
Real photo **correct**	60% · 18 of 30

Option analysis

Most frequently selected distractor: AI-generated image — selected by 12 participants.

Answered correctly: 18 of 30 · 60%

Answer confidence · 30 responses

Correctness × self-rated confidence

	Low	Medium	High
Correct	**11**	**7**	**0**
Incorrect	**9**	**3**	**0**

The number in each cell shows the response count.

✓ Solid understanding · ⚠ Possible misconception · ? Not yet secure · ◯ Knowledge gap · M Medium confidence

Self-rated confidence distribution

1	2	3	4	5
8	12	10	0	0

Number of responses

1 = very unsure · 5 = very sure

NEXT QUESTION

QUESTION 5 OF 13 Multiple-answer question **Round 1** Participants: 30

Voting results

Which of these are strong use cases for a quick live check?

Select all that apply.

Answer distribution

A response is fully correct only when all correct options and no incorrect option were selected.

Activate prior knowledge at the start of class correct	20% · 6 of 30
Surface misconceptions halfway through a lesson correct	70% · 21 of 30
Award individual exam grades without verified identities ✕	20% · 6 of 30
Make a final judgement on complex learning goals from one poll ✕	20% · 6 of 30

Percentages show the share of participants who selected each option. Because multiple selections were allowed, the total may exceed 100%.

Option analysis

Most frequently selected incorrect option: Award individual exam grades without verified identities — selected by 6 participants.

Most frequently missed correct option: Activate prior knowledge at the start of class — missed by 24 participants.

Fully correct: 3 of 30 · 10%

Answer confidence · 30 responses

Correctness × self-rated confidence

	Low	Medium	High
Correct	**3**	**0**	**0**
Incorrect	**3**	**0**	**24**

The number in each cell shows the response count.

✓ Solid understanding · ⚠ Possible misconception · ? Not yet secure · ◯ Knowledge gap · M Medium confidence

Self-rated confidence distribution

1	2	3	4	5
3	3	0	14	10

Number of responses

1 = very unsure · 5 = very sure

⚠ Debrief prompt

24 participants answered incorrectly with high confidence. All of them missed the correct option “Activate prior knowledge at the start of class”. 6 also selected “Award individual exam grades without verified identities”.

First clarify why “Activate prior knowledge at the start of class” is required for a fully correct response. Then discuss why “Award individual exam grades without verified identities” does not apply.

NEXT QUESTION

QUESTION 6 OF 13 Single-answer question **Round 1** Participants: 30

Voting results

How many externally visible cubies make up a classic 3×3 Rubik's Cube?

The question refers to the classic Rubik's Cube designed by Ernő Rubik.

Optional resource: How to solve a 3×3 Rubik's Cube with no prior experience — German-language resource.

Answer distribution

28	✕	0% · 0 of 30
26	correct	10% · 3 of 30
24	✕	10% · 3 of 30
22	✕	80% · 24 of 30

Option analysis

Most frequently selected distractor: 22 — selected by 24 participants.

Incorrect option "28" was not chosen in this session. If this repeats, consider revising it.

Answered correctly: 3 of 30 · 10%

Answer confidence · 30 responses

Correctness × self-rated confidence

	Low	Medium	High
Correct	**2**	**1**	**0**
Incorrect	**2**	**1**	**24**

The number in each cell shows the response count.

✓ Solid understanding · ⚠ Possible misconception · ? Not yet secure · ◯ Knowledge gap · M Medium confidence

Self-rated confidence distribution

1	2	3	4	5
0	4	2	15	9

Number of responses

1 = very unsure · 5 = very sure

⚠ Debrief prompt

24 participants answered incorrectly with high confidence. All of them missed the correct option “26”. 24 also selected “22”.

First explain why “26” is the correct answer. Then discuss why “22” is incorrect.

NEXT QUESTION

QUESTION 7 OF 13 Single-answer question **Round 1** Participants: 30

Voting results

Which creative-coding environment was this sketch written for?

```
float angle = 0;

void setup() {
  size(130, 130, OPENGL);
}

void draw() {
  background(100);

  translate(60, 40, 0);
  rotateY(angle);
  angle += .01;

  beginShape(TRIANGLES);
  vertex(0, 40, 0);
  vertex(40, 40, 0);
  vertex(20, 0, -20);

  vertex(0, 40, 0);
  vertex(20, 40, -40);
  vertex(20, 0, -20);

  vertex(40, 40, 0);
  vertex(20, 40, -40);
  vertex(20, 0, -20);
  endShape();
}
```

Answer distribution

Groovy ✕	0% · 0 of 30
Python ✕	73% · 22 of 30
Processing correct	27% · 8 of 30
Scala ✕	0% · 0 of 30

Option analysis

Most frequently selected distractor: Python — selected by 22 participants.

Incorrect option “Groovy” was not chosen in this session. If this repeats, consider revising it.

Incorrect option “Scala” was not chosen in this session. If this repeats, consider revising it.

Answered correctly: 8 of 30 · 27%

Only about 27% answered correctly in this session. Consider reviewing the wording, required prior knowledge, and time limit.

Answer confidence was disabled for this question.

NEXT QUESTION

QUESTION 8 OF 13 Short answer Round 1 Participants: 30

Voting results

What is the instructional strategy called in which learners vote individually, discuss briefly, and then vote again?

Expected answer: the established term for this sequence.

Submitted answers

Peer Instruction **correct** 33% · 10 of 30

Accepted solutions

- Peer Instruction
- Peer-Instruction
- Mazur method
- Mazur's method

Answered correctly: 10 of 30 · 33%

Only about 33% answered correctly in this session. Consider reviewing the wording, required prior knowledge, and time limit.

Most frequent incorrect responses

1. “Think Pair Share” · 20 of 30

Answer confidence · 30 responses

Correctness × self-rated confidence

	Low	Medium	High
Correct	**6**	**4**	**0**
Incorrect	**11**	**9**	**0**

The number in each cell shows the response count.

✓ Solid understanding · ⚠ Possible misconception · ? Not yet secure · ◯ Knowledge gap · M Medium confidence

Self-rated confidence distribution

1	2	3	4	5
9	8	13	0	0

Number of responses

1 = very unsure · 5 = very sure

NEXT QUESTION

QUESTION 9 OF 13 Numerical estimate **Round 2 (Peer Instruction)** Participants: 30

Result after discussion – round 2

In which year did the French Revolution begin?

Expected answer: the year commonly used as the beginning of the French Revolution.

Answered correctly: 25 of 30 · 83%

Effect of discussion

Within accepted range: 9 of 30 → 25 of 30

+53 percentage points

16 closer to the reference · 0 farther away · 14 unchanged

Comparison of estimation rounds

Metric	Round 1	Round 2 (Peer Instruction)
Responses	30	30
Mean	1780	1783
Median	1789	1789
Standard deviation	152	62
Within tolerance	30%	83.3%

Change: 16 closer to the reference · 0 farther away · 14 unchanged

Estimates — round 1

Accepted range: 1789–1790 · Reference: 1789

1400–1470	1470–1540	1540–1610	1610–1680	1680–1789	1789–1790	1790–1890	1890–1960	1960–2030	2030–2100
0	2	3	6	0	9	0	6	4	0

Estimates — round 2

Accepted range: 1789–1790 · Reference: 1789

1550–1595	1595–1640	1640–1685	1685–1730	1730–1789	1789–1790	1790–1865	1865–1910	1910–1955	1955–2000
0	1	2	0	0	25	0	0	2	0

Change relative to the reference value

Closer to the reference · 16 Unchanged · 14 Farther away · 0

Answer confidence · 30 responses


Correctness × self-rated confidence

	Low	Medium	High
Correct	**0**	**12**	**13**
Incorrect	**5**	**0**	**0**

The number in each cell shows the response count.

✓ Solid understanding · ⚠ Possible misconception · ? Not yet secure · ◯ Knowledge gap · M Medium confidence

Self-rated confidence distribution



NEXT QUESTION

QUESTION 10 OF 13 Ordering question **Round 1** Participants: 30

Voting results

Put the steps of gene expression in a eukaryotic cell into the correct order.

Arrange the six steps in the correct sequence.

Correct sequence (model solution)

Transcription

Pre-mRNA processing

Export of mature mRNA from the nucleus

Initiation of translation

Elongation of the polypeptide chain

Termination and release of the polypeptide chain

Selected positions

Item	1	2	3	4	5	6
Transcription	**21 (70%)** ✓ Answer key	0 (0%)	0 (0%)	0 (0%)	0 (0%)	9 (30%)
Pre-mRNA processing	9 (30%)	**18 (60%)** ✓ Answer key	3 (10%)	0 (0%)	0 (0%)	0 (0%)
Export of mature mRNA from the nucleus	0 (0%)	12 (40%)	**15 (50%)** ✓ Answer key	3 (10%)	0 (0%)	0 (0%)
Initiation of translation	0 (0%)	0 (0%)	12 (40%)	**14 (47%)** ✓ Answer key	4 (13%)	0 (0%)
Elongation of the polypeptide chain	0 (0%)	0 (0%)	0 (0%)	13 (43%)	**17 (57%)** ✓ Answer key	0 (0%)
Termination and release of the polypeptide chain	0 (0%)	0 (0%)	0 (0%)	0 (0%)	9 (30%)	**21 (70%)** ✓ Answer key

COMMON SWAPS

"Elongation of the polypeptide chain" ↔ "Initiation of translation" (4)

"Export of mature mRNA from the nucleus" ↔ "Initiation of translation" (3)

"Pre-mRNA processing" ↔ "Export of mature mRNA from the nucleus" (3)

Fully correct: 11 of 30 · 37%

Only about 37% answered correctly in this session. Consider reviewing the wording, required prior knowledge, and time limit.

Answer confidence · 30 responses

Correctness × self-rated confidence

	Low	Medium	High
Correct	**7**	**4**	**0**
Incorrect	**13**	**6**	**0**

The number in each cell shows the response count.

✓ Solid understanding · ⚠ Possible misconception · ? Not yet secure · ◯ Knowledge gap · M Medium confidence

Self-rated confidence distribution

1	2	3	4	5
11	9	10	0	0

Number of responses

1 = very unsure · 5 = very sure

NEXT QUESTION

QUESTION 11 OF 13 Matching question **Round 1** Participants: 30

Voting results

Match each historical date of the Weimar Republic to the corresponding event.

Match each date on the left to its historical milestone on the right.

Correct pairs (model solution)

9 November 1918	Proclamation of the Republic by Philipp Scheidemann
28 June 1919	Signing of the Treaty of Versailles
11 August 1919	Signing of the Weimar Constitution by Friedrich Ebert
15 November 1923	Introduction of the Rentenmark
29 October 1929	Wall Street stock-market crash (“Black Tuesday”)
30 January 1933	Appointment of Adolf Hitler as Chancellor

Proclamation of the Republic by Philipp Scheidemann
Signing of the Weimar Constitution by Friedrich Ebert
Wall Street stock-market crash (“Black Tuesday”)
Signing of the Treaty of Versailles
Introduction of the Rentenmark
Appointment of Adolf Hitler as Chancellor

Selected matches

Item						
9 November 1918	**17 (57%)** ✓ Answer key	11 (37%)	0 (0%)	0 (0%)	0 (0%)	2 (7%)
28 June 1919	2 (7%)	**17 (57%)** ✓ Answer key	11 (37%)	0 (0%)	0 (0%)	0 (0%)
11 August 1919	0 (0%)	2 (7%)	**17 (57%)** ✓ Answer key	11 (37%)	0 (0%)	0 (0%)
15 November 1923	0 (0%)	0 (0%)	2 (7%)	**18 (60%)** ✓ Answer key	10 (33%)	0 (0%)
29 October 1929	0 (0%)	0 (0%)	0 (0%)	1 (3%)	**19 (63%)** ✓ Answer key	10 (33%)
30 January 1933	11 (37%)	0 (0%)	0 (0%)	0 (0%)	1 (3%)	**18 (60%)** ✓ Answer key

HIT RATE PER PAIR

9 November 1918 → Proclamation of the Republic by Philipp Scheidemann	**57%**
28 June 1919 → Signing of the Treaty of Versailles	**57%**
11 August 1919 → Signing of the Weimar Constitution by Friedrich Ebert	**57%**
15 November 1923 → Introduction of the Rentenmark	**60%**
29 October 1929 → Wall Street stock-market crash (“Black Tuesday”)	**63%**
30 January 1933 → Appointment of Adolf Hitler as Chancellor	**60%**

COMMON MISMATCHES

9 November 1918 → Signing of the Treaty of Versailles · 11

28 June 1919 → Signing of the Weimar Constitution by Friedrich Ebert · 11

11 August 1919 → Introduction of the Rentenmark · 11

30 January 1933 → Proclamation of the Republic by Philipp Scheidemann · 11

15 November 1923 → Wall Street stock-market crash (“Black Tuesday”) · 10

29 October 1929 → Appointment of Adolf Hitler as Chancellor · 10

28 June 1919 → Proclamation of the Republic by Philipp Scheidemann · 2

9 November 1918 → Appointment of Adolf Hitler as Chancellor · 2

Fully correct: 11 of 30 · 37%

Only about 37% answered correctly in this session. Consider reviewing the wording, required prior knowledge, and time limit.

Answer confidence · 30 responses

Correctness × self-rated confidence

	Low	Medium	High
Correct	**7**	**4**	**0**
Incorrect	**14**	**5**	**0**

The number in each cell shows the response count.

✓ Solid understanding · ⚠ Possible misconception · ? Not yet secure · ◯ Knowledge gap · M Medium confidence

Self-rated confidence distribution

1	2	3	4	5
8	13	9	0	0

Number of responses

1 = very unsure · 5 = very sure

NEXT QUESTION

QUESTION 12 OF 13 Categorization question Round 1 Participants: 30

Voting results

Categorise the following six works by literary period.

Correct categories (model solution)

Enlightenment (c. 1720–1785)

Nathan the Wise

Emilia Galotti

Sturm und Drang (c. 1765–1785)

The Sorrows of Young Werther

The Robbers

Romanticism (c. 1795–1835)

The Sandman

Moonlit Night

Selected categories

Item	Enlightenment (c. 1720–1785)	Sturm und Drang (c. 1765–1785)	Romanticism (c. 1795–1835)
Nathan the Wise	**11 (37%)** ✓ Answer key	19 (63%)	0 (0%)
Emilia Galotti	**11 (37%)** ✓ Answer key	19 (63%)	0 (0%)
The Sorrows of Young Werther	19 (63%)	**11 (37%)** ✓ Answer key	0 (0%)
The Robbers	19 (63%)	**11 (37%)** ✓ Answer key	0 (0%)
The Sandman	19 (63%)	0 (0%)	**11 (37%)** ✓ Answer key
Moonlit Night	19 (63%)	0 (0%)	**11 (37%)** ✓ Answer key

COMMON MISCLASSIFICATIONS

Nathan the Wise → Sturm und Drang (c. 1765–1785) · 19

Emilia Galotti → Sturm und Drang (c. 1765–1785) · 19

The Sorrows of Young Werther → Enlightenment (c. 1720–1785) · 19

The Robbers → Enlightenment (c. 1720–1785) · 19

The Sandman → Enlightenment (c. 1720–1785) · 19

Moonlit Night → Enlightenment (c. 1720–1785) · 19

Fully correct: 11 of 30 · 37%

Only about 37% answered correctly in this session. Consider reviewing the wording, required prior knowledge, and time limit.

Answer confidence · 30 responses

Correctness × self-rated confidence

	Low	Medium	High
Correct	**6**	**5**	**0**
Incorrect	**14**	**5**	**0**

The number in each cell shows the response count.

✓ Solid understanding · ⚠ Possible misconception · ? Not yet secure · ◯ Knowledge gap · M Medium confidence

Self-rated confidence distribution

1	2	3	4	5
10	10	10	0	0

Number of responses

1 = very unsure · 5 = very sure

NEXT QUESTION

QUESTION 13 OF 13 Rating **Round 1** **Participants: 30**

Voting results

How likely are you to try a live quiz like this in one of your own classes?

Rating on a scale from 1 to 5

Avg. 4.3 out of 5 ★ · σ 0.78

1 ★	**0% · 0**
2 ★	**0% · 0**
3 ★	**20% · 6**
4 ★	**30% · 9**
5 ★	**50% · 15**

1 = very unlikely · 5 = very likely

Answer confidence is not collected for “Rating” questions.

↑ Back to overview

Next steps

1. For Question 5, address the missed option “Activate prior knowledge at the start of class”.
2. For Question 6, explain why 22 is incorrect and 26 is correct.
3. For Questions 8, 10, 11, 12, 4, and 7, revisit the underlying concepts.
4. For Question 9, reinforce the correct answer; the correct-response rate was about 83%, but confidence was not consistently high.
5. For Question 3, confirm the correct reasoning; the correct-response rate was 90%, but all responses were given with low confidence.

Participant feedback

Overall rating

Avg. 4.0 out of 5 ★

1 ★	**0% · 0**
2 ★	**10% · 3**
3 ★	**20% · 6**
4 ★	**30% · 9**
5 ★	**40% · 12**

30 responses · 100% response rate

70% of respondents gave the session four or five stars.

Question quality

Avg. 4.2 out of 5 ★

1 ★	**0% · 0**
2 ★	**0% · 0**
3 ★	**20% · 6**
4 ★	**40% · 12**
5 ★	**40% · 12**

80% of respondents rated the quality of the questions four or five stars.

24 of 30 participants would like more quizzes · 80%

↑ Back to overview

Team ranking

Points are used for ranking and reflect correctness, question difficulty, response time when a timer is active, and streak bonuses. Answer confidence does not affect points. Because the maximum attainable score depends on the quiz setup and session flow, scores are not percentages and should not be compared across sessions.

The team score is the average of members' scores, so teams of different sizes remain comparable.

Rank	Team	Members	Team score
1	Team 🍎	15	9,863.0
2	Team 🍐	15	8,990.1

Team learning profile

Only teams with at least five members are shown. Strengths: correct-response rate of at least 80% · Needs review: correct-response rate of 40% or lower.

Team	Needs review	Strengths
Team 🍎	Question 5 · 7%, Question 6 · 7%	Question 9 · 87%, Question 3 · 80%
Team 🍐	Question 5 · 13%, Question 6 · 13%	Question 3 · 100%, Question 9 · 80%

Bonus codes

Pseudonymous codes can be linked to identities only through voluntary email submission.

Rank	Nickname	Code	Points	Generated at
1	White Rabbit 13	BNS-DJJ7-CUKW	21,992	8 Nov 2026, 09:02
2	Purple Dolphin 3	BNS-BZJT-8EPZ	17,295	8 Nov 2026, 09:02
3	Red Dragon 1	BNS-CDH6-8R9K	17,195	8 Nov 2026, 09:02