Connecting PowerBI with Snowflake

1. Creating Database:

```
CREATE DATABASE IF NOT EXISTS SALES_DB;
```

2. Creating a Warehouse:

```
CREATE WAREHOUSE IF NOT EXISTS SALES_WH
WAREHOUSE_SIZE = XSMALL
AUTO_SUSPEND = 60
AUTO_RESUME = TRUE
INITIALLY_SUSPENDED = TRUE;
```

3. Creating a Schema:

```
CREATE SCHEMA IF NOT EXISTS SALES_DB.RAW;
USE SCHEMA SALES_DB.RAW;
```

4. Creating the necessary Tables:

```
CREATE TABLE IF NOT EXISTS SALES_DB.RAW.CUSTOMERS (
    CUSTOMER_ID VARCHAR(20),
    CUSTOMER_NAME VARCHAR(100),
    CITY VARCHAR(50),
    CUSTOMER_TYPE VARCHAR(30)
);

CREATE TABLE IF NOT EXISTS SALES_DB.RAW.PRODUCTS (
    PRODUCT_ID VARCHAR(20),
    PRODUCT_NAME VARCHAR(100),
    UNIT_PRICE VARCHAR(20),
    CATEGORY VARCHAR(50)
);

CREATE TABLE IF NOT EXISTS SALES_DB.RAW.SALES (
    SALES_ID VARCHAR(20),
    CUSTOMER_ID VARCHAR(20),
    PRODUCT_ID VARCHAR(20),
    SALES_DATE VARCHAR(30),
    QUANTITY VARCHAR(20),
    CITY VARCHAR(50),
    PRODUCT VARCHAR(100),
    UNIT_PRICE VARCHAR(20)
);
```

5. Creating a File Format:

```
CREATE OR REPLACE FILE FORMAT SALES_DB.RAW.CSV_FORMAT
    TYPE = CSV
    FIELD_DELIMITER = ','
    SKIP_HEADER = 1
    FIELD_OPTIONALLY_ENCLOSED_BY = '"'
    EMPTY_FIELD_AS_NULL = TRUE
    NULL_IF = ('', 'NULL', 'null');
```

6. Creating a Stage to load data:

```
CREATE OR REPLACE STAGE SALES_DB.RAW.SALES_STAGE
    FILE_FORMAT = SALES_DB.RAW.CSV_FORMAT;
```

7. After loading Data into the Stage:

```
50  LIST @SALES_DB.RAW.SALES_STAGE;
```

Results (just now)

Table | Chart | Pivot

	name	size
1	sales_stage/customers.csv	256
2	sales_stage/products.csv	240
3	sales_stage/sales.csv	1184

8. Loading Data into Tables:


We use the COPY INTO command to load individual files from the stage to each table.

```
COPY INTO SALES_DB.RAW.CUSTOMERS
FROM @SALES_DB.RAW.SALES_STAGE/customers.csv
FILE_FORMAT = (
   FORMAT_NAME = SALES_DB.RAW.CSV_FORMAT
)
ON_ERROR = 'ABORT_STATEMENT';


COPY INTO SALES_DB.RAW.PRODUCTS
FROM @SALES_DB.RAW.SALES_STAGE/products.csv
FILE_FORMAT = (
   FORMAT_NAME = SALES_DB.RAW.CSV_FORMAT
)
ON_ERROR = 'ABORT_STATEMENT';

COPY INTO SALES_DB.RAW.SALES
FROM @SALES_DB.RAW.SALES_STAGE/sales.csv
FILE_FORMAT = (
   FORMAT_NAME = SALES_DB.RAW.CSV_FORMAT
)
ON_ERROR = 'ABORT_STATEMENT';
```


9. Connecting Snowflake with PowerBI



10. Select the Tables for Visualization:



11. Visualizations:



12. Slicer for City (Chennai):

