

UNDEAD LEGION

EXTENDED EDITION

PHYSICS · NAVIGATION · COMBAT AI · ARMIES
UNITY 6 (6000.4) · UNIVERSAL RENDER PIPELINE · AI NAVIGATION

CONTENTS

- | | |
|-----------------------------|--|
| 1. Overview | 9. Rise and dissolve effects, glowing eyes |
| 2. Requirements and setup | 10. NavMesh movement |
| 3. Folder structure | 11. Combat AI |
| 4. The extended prefabs | 12. Army spawner |
| 5. Ragdolls | 13. The arena demo |
| 6. Hit reactions | 14. The extended animation browser |
| 7. Health, damage and death | 15. Performance |
| 8. Cloth | 16. Support |

1. OVERVIEW

The Extended Edition contains the complete Undead Legion pack (characters, armor modules, weapons, animations and the browser demo, described in `UndeadLegion/Documentation/UndeadLegion_Documentation.pdf`) and adds the systems that turn the skeletons into a playable army. Everything new lives in `UndeadLegion/Extended`; the base assets are used as they are.

- **Full-body ragdolls:** 11 rigidbodies with joints on every character, used as hitboxes while animated, with an impulse on death and a blend back to the animation for revives and get-ups.
- **Hit reactions:** physical flinches layered over any clip, so a struck skeleton recoils while it keeps walking or attacking.
- **Cloth:** robes, skirts and pants simulate, pinned at the waist and colliding with the legs.
- **Rise and dissolve effects:** skeletons rise out of the ground and turn to dust, with a glowing edge. **Glowing eyes** in any color.
- **NavMesh movement:** an agent drives directional locomotion blend trees built from the pack's measured walk, run, back and strafe clips.
- **Combat AI:** finds the nearest enemy, closes in and attacks with the moves that suit the equipped weapon: melee, arrows, spells and an area cast.
- **Army spawner:** formations of varied skeletons with mixed armor, suitable loadouts, tints and team colors.
- An **arena demo:** two armies, a battle, and a skeleton you can take over; and the **animation browser** with the extended characters, cloth, hits, ragdolls and the effects.

2. REQUIREMENTS AND SETUP

- Unity 6 (6000.4 or newer), **Universal Render Pipeline** 17.4.
- The **AI Navigation** package (`com.unity.ai.navigation`, 2.x) for the NavMesh. It is listed in the project manifest; if you import the package into another project, install it from the Package Manager.

Open `UndeadLegion/Extended/Scenes/UndeadLegion_Extended_Demo.unity` and press Play. To use the extended skeletons in your own scene, bake a NavMesh there (add a *NavMesh Surface* to your level and press *Bake*), then drag a prefab from `UndeadLegion/Extended/Prefabs` onto it, or add an *ArmySpawner*.

The extended prefabs are prefab variants of the base characters: changes to a base prefab (its armor set, its hand slots) carry over to its extended variant.

3. FOLDER STRUCTURE

FOLDER	CONTENTS
Extended/Prefabs	PFX_Skeleton<Class>: the six characters with physics, navigation, AI and effects
Extended/Animations	AC_Skeleton_Extended: the base controller plus locomotion blend trees and upper-body weapon idles
Extended/Scripts	the runtime components (section 4 onwards), namespace <code>UndeadLegion.Extended</code>
Extended/Shaders	UndeadLegion/Lit Dissolve: URP Lit with a height cut, noise and a glowing edge
Extended/Materials	the arena's stone material and post-processing profile
Extended/Scenes	the arena demo and the extended animation browser, each with its baked NavMesh
Extended/Documentation	this document

4. THE EXTENDED PREFABS

Each PFX_Skeleton<Class> is the base character with AC_Skeleton_Extended and these components added:

COMPONENT	ROLE
SkeletonRagdoll	11 bodies (hips, chest, head, upper and lower arms and legs) with joints; kinematic hitboxes while animated
SkeletonHitReaction	physical flinches over the animation
SkeletonHealth	health, team, damage events, the death mode
SkeletonCloth	cloth on robes, skirts and pants
SkeletonDissolve	rise and dissolve effects
NavMeshAgent + SkeletonNavController	movement on the NavMesh (radius 0.32 m, height 1.8 m)
SkeletonAI	the combat behaviour; disable it to drive the skeleton yourself

The base components stay: `SkeletonModules` (armor), `SkeletonWeapon` (loadouts), `SkeletonTwitch` and `SkeletonFootLock`. Every component is independent: remove the ones you do not need (for example the AI in a player character, or the cloth in a large crowd).

5. RAGDOLLS

While the character animates, the ragdoll bodies are kinematic and follow the bones, so their colliders work as **hitboxes** (a raycast or a trigger tells you which body part was struck). `Activate(impulse, point)` hands the body to physics: the Animator and the root capsule switch off, every body keeps the velocity it had in the animation, the impulse is applied to the body nearest the point, and held weapons drop with their own physics (`dropWeapons`). `BlendToAnimation()` moves the character under the fallen hips and blends the pose back to the Animator over

blendTime seconds, for revives and get-ups. The bodies are generated by Build() from the humanoid bones; totalMass (35 kg) is spread by the usual ragdoll proportions.

```
var ragdoll = skeleton.GetComponent<SkeletonRagdoll>();
ragdoll.Activate(hitDirection * 80f, hitPoint);    // fall with a push
ragdoll.BlendToAnimation();                      // stand back up on the animation
```

6. HIT REACTIONS

SkeletonHitReaction.Hit(point, impulse) kicks damped angular springs on the struck bone and, with falloff, on its parents up to the hips (spine, chest, neck, head, shoulders and arms react). The springs are applied after the Animator every frame, so a hit reads on top of whatever plays and settles back by itself. stiffness sets how fast a bone returns, damping how much it wobbles, strength how far it moves per unit of impulse, maxAngle the largest offset. SkeletonHealth calls it on every hit, so you rarely need to call it directly.

7. HEALTH, DAMAGE AND DEATH

```
skeleton.GetComponent<SkeletonHealth>().TakeDamage(25f, hitPoint, hitDirection * 60f, attacker);
```

SETTING	EFFECT
maxHealth, health	hit points
team	skeletons of the same team never target each other
deathMode	Ragdoll (fall with the killing blow's impulse), DeathClip (one of the four death animations), DeathClipThenRagdoll (the clip starts, the ragdoll takes over after ragdollAfter seconds)
hitClips	additive reactions (Hit_01, Hit_02), one picked at random and played on the Animator's Hit layer on every hit that does not kill, over whatever the skeleton is doing, together with the physical flinch
dissolveAfter	seconds after death before the corpse turns to dust (0 = stays); destroyWhenDissolved removes it
invulnerable	hits still flinch, play the hit clips and raise onDamaged, but health never drops (a player character that cannot die)
blocking, blockArc	while blocking, a hit from within blockArc degrees of the front does no damage and gives only blockedReaction of the flinch
onDamaged, onDied	UnityEvents for your game logic (score, sounds, loot)

Die() kills at once, Revive() restores full health and blends a ragdoll back to the animation. SkeletonHealth.All lists every living and dead skeleton in the scene.

8. CLOTH

SkeletonCloth adds Unity Cloth to the worn armor pieces named in its rules (Skirt, Robe and Pants by default). Each cloth is pinned at the waist and frees gradually towards the hem: pinnedBand metres below the waist stay fixed, the hem may move up to maxDistance from its skinned position. The legs' ragdoll capsules are the colliders, so a robe

swings around the legs instead of through them. The Knight's set is plate (**rigidSets**): its pieces never simulate, also when another skeleton wears them. Call **Refresh()** after changing the worn armor, and **SetSimulate(false)** to switch cloth off. Beyond **cullDistance** from the main camera the cloth stops simulating.

9. RISE AND DISSOLVE EFFECTS, GLOWING EYES

SkeletonDissolve.DissolveIn() raises a skeleton out of the ground; **DissolveOut(destroyAfter)** turns it to dust from the top down. For the duration of an effect each renderer (body, armor, held and dropped weapons) uses a copy of its material on the **UndeadLegion/Lit Dissolve** shader, a URP Lit shader with a cut height, noise and a glowing band; the original materials come back when a rise ends, and per-renderer colors (tints) are kept. Set **duration**, **edgeColor** (HDR), **edgewidth** and **noiseScale** to taste; **dissolveInOnEnable** plays the rise whenever the object is enabled (useful with object pools).

SkeletonEyes (a base-pack script, on every character prefab) places two small glowing spheres in the eye sockets and follows the head. The color is HDR: values above 1 glow with Bloom (the arena uses URP's Bloom post effect). **SetColor()** changes it at runtime; **addLight** adds a faint light at the face, off by default because every light costs in a crowd.

10. NAVMESH MOVEMENT

SkeletonNavController reads the **NavMeshAgent**'s velocity into the controller's **MoveX / MoveZ** parameters (metres per second in the character's frame) and plays one of two 2D directional blend trees on the Base layer:

GAIT	STATE	CLIPS (WALK / RUN / BACK / STRAFE)	WALK / RUN SPEED
Heavy	Locomotion_Heavy	the shambling _01 set	0.52 / 1.14 m/s
Upright	Locomotion_Upright	the upright _02 set	1.28 / 1.87 m/s

The agent plans the path and steers; the clips' own **root motion** moves and turns the body (the agent follows it and keeps it on the NavMesh), so the feet plant and the body turns with each step as authored. The blend-tree positions are the clips' measured speeds, so the wanted speed picks the matching clip. The agent's speed is set from the gait (walk or run). When the skeleton stops, it plays the idle that suits its weapon (**Idle_1H_Combat**, **Idle_TwoHanded**, **Idle_Bow**, **Idle_Staff**); while it moves, the same weapon pose plays on the **UpperBody** layer so a two-hander or a bow is still held properly.

```
var nav = skeleton.GetComponent<SkeletonNavController>();
nav.MoveTo(destination, running: true);
nav.FaceTowards(enemy.position);
nav.PlayAction("Taunt_01"); // a one-shot; a step in the clip moves the agent
nav.OnLoadoutChanged(); // after equipping another weapon
```

11. COMBAT AI

SkeletonAI picks the nearest living enemy within **sightRange** (or your **target**), runs toward it and slows to a walk **walkWithin** metres (0.8) outside its attack's reach (archers keep walking), stops at the range of its attacks (melee: **meleeRange**, 1.1 m centre to centre), turns to face it and attacks, waiting **attackCooldown** seconds between attacks. Damage lands at the moment in the clip where the blow connects. The attacks come from **attack modules**

(`AttackModule`, the `attackModules` list on the component): each module names the weapon loadouts it attaches to, and a skeleton fights with the moves of every module that matches what it holds, picking one at random (never the same twice in a row when it has a choice). The defaults:

MODULE	WEAPONS	ATTACKS	RANGE
Sword	sword, sword + shield	<code>Attack_R_01_Stab</code> , <code>Attack_R_02_Swing</code> , <code>Attack_R_03_Swing</code>	1.7–1.8 m
Dagger	dagger, two daggers	the same three	1.7–1.8 m
Dagger, left hand	two daggers	<code>Attack_L_01_Stab</code> , <code>Attack_L_02_Swing</code> , <code>Attack_L_03_Swing</code>	1.5–1.6 m
Axe / Axe, heavy	axe + shield	the three right-hand attacks / their <code>_Heavy</code> variants: a bigger lunge, more damage	1.7–1.9 m
Mace / Mace, heavy	mace	the two swings / their <code>_Heavy</code> variants (no stab)	1.7–1.8 m
Two-handed	longsword, battle axe	<code>Attack_2H_01_Swing</code> , <code>Attack_2H_02_Swing</code>	2.1–2.2 m
Two-handed, heavy	battle axe	<code>Attack_2H_01_Swing_Heavy</code> , <code>Attack_2H_02_Swing_Heavy</code>	2.2–2.3 m
Bow	recurve bow	<code>Shoot_01</code> : the arrow flies and hits after its flight time	16 m
Wand	wand	<code>Cast_Wand_01/02</code> : a homing bolt (<code>MagicBolt</code>)	11 m
Staff	staff	<code>Cast_Staff_01</code> bolt, and <code>AOE_Cast</code> hitting every enemy within 3 m of the target (8 s cooldown)	9–12 m
Unarmed	nothing held	light swings with both arms	1.4 m

So swords and daggers use regular attacks only, axes and maces mix regular and heavy ones (the mace only swings), and a second dagger adds the left-hand attacks. The weapon's pace comes from the base pack (the controller's `AttackSpeed`, set by `SkeletonWeapon`: sword 30 % faster, dagger 70 % faster), the same in every scene; a move's own speed and the component's `attackSpeed` multiply on top. A heavy module is skipped when `allowHeavy` is off, which it is on the assassin: it fights with regular attacks whatever it holds. Add a module, or change one's weapons and moves, in the inspector to give a weapon its own set.

`damageScale` and `attackSpeed` tune difficulty; `wanderRadius` lets idle skeletons roam around their start point; `magicColor` colors the spells. Disable the component to take control of a skeleton (the arena demo does this when you select one).

12. ARMY SPAWNER

`ArmySpawner` places count skeletons in a formation of `columns` × `rows`, spacing metres apart, snapped to the `NavMesh` and facing the spawner's forward. Each one gets:

- a random character from `characters`;
- a mixed armor set from `armorCatalogue`: each slot keeps the class's own piece or borrows another class's (`mixChance`), within the dressing rules of `ArmorRules`: the mage and the necromancer always wear a robe and a hood (the robe replaces chest, skirt and pants); the melee classes never wear a robe or a hood, except the assassin,

who may wear the mage's hood; a melee skeleton always keeps a chest piece and leaves any other slot empty more often (`meleeBareChance`, 0.3) than a caster (`bareChance`, 0.1);

- a loadout that suits its class (`randomLoadout`), a subtle color variation (`tintStrength`), the team's `eyeColor` and `team`;
- the upright gait for casters and the heavy gait for the rest (`gaitByClass`);
- a rise from the ground with a random delay (`riseFromGround`, `riseStagger`), the AI switching on when it has risen.

`Spawn()` and `Clear()` are also in the component's context menu; `spawned` lists the skeletons it created.

13. THE ARENA DEMO

Two armies face each other on a small arena with pillars and walls. The panel raises 8 or 16 skeletons per side, starts and stops the battle, clears the field, and switches cloth, the death mode and the dissolving of corpses.

INPUT	ACTION
Left click	select a skeleton: its AI stops and it follows your orders
Right click	move the selected skeleton (hold Shift to run), or send it at an enemy
Ctrl + left click	strike any skeleton (hit reaction; pushes a ragdoll)
Alt + left click	kill a skeleton with a heavy blow
WASD / arrows, middle drag	pan the camera
Right drag, Q / E	rotate the camera
Mouse wheel	zoom

14. THE EXTENDED ANIMATION BROWSER

`UndeadLegion/Extended/Scenes/UndeadLegion_Extended_Showcase.unity` is the base pack's animation browser with the extended characters and a **PHYSICS** panel: cloth on or off, a physical hit, a ragdoll death, revive, rise from the ground and turn to dust. Click the skeleton to hit it where you click; Shift + click kills it into a ragdoll pushed from that point, and clicks on the fallen body push it around. Picking any clip, or Revive, stands a fallen skeleton back up. The browser shows one character at a time, so the component `ExtendedShowcase` removes its navigation and AI when it spawns; the `Hit_01` and `Stagger_01` clips are in the Reactions section, and armor pieces put on from the modules panel get cloth.

15. THE PLAYER DEMO

`UndeadLegion/Extended/Scenes/UndeadLegion_Extended_Player.unity`: control one skeleton against waves of AI skeletons on the arena.

INPUT	ACTION
W A S D	walk forward, back and sideways on the locomotion blend tree (root motion, the clips' measured speeds)
Shift + W	run

Mouse	turn (the camera follows behind the shoulder); wheel zooms
Left click	attack with the moves of the attack modules attached to the weapon; each click plays the next move, a click late in an attack chains the next
Right button (hold)	raise the shield (a loadout with a shield): frontal hits are blocked
Esc	pause; the menu switches the class (the new skeleton replaces the old one where it stands), the weapon, and how many enemies fight at once

The controlled skeleton cannot die (`SkeletonHealth.invulnerable`) but shows every hit: the physical flinch, the hit clips, a camera kick and a red flash. Three components make it up, each usable on its own: `PlayerSkeleton` (on the character: input to the `SkeletonNavController`'s manual mode, attacks, block; the `SkeletonAI` stays on it, disabled, as the source of the attack modules), `PlayerCamera` (on the camera) and `PlayerDemo` (the scene: the player, the enemy waves from an `ArmySpawner`, the menu and the HUD). `SkeletonNavController.manual` with `ManualVelocity` (in the character's frame) is the hook for your own character controller.

16. PERFORMANCE

- Ragdoll bodies are kinematic until death, so a living skeleton costs only its colliders.
- Cloth is the most expensive feature: keep `cullDistance` modest, or remove `SkeletonCloth` from background crowds.
- The rise and dissolve material copies are shared per source material and only used during an effect.
- Eyes are two unlit spheres; their optional light is off by default.
- For large crowds, set the agents' obstacle avoidance quality lower and consider disabling `SkeletonTwitch` and the hit reactions far from the camera.

17. SUPPORT

For questions or issues, email vadymudod@hotmail.com. Please include your Unity version, the edition (Extended) and a short description or screenshot of the problem.