

UNDEAD LEGION

EXTENDED EDITION

PHYSICS · NAVIGATION · COMBAT AI · ARMIES
UNITY 6 (6000.4) · UNIVERSAL RENDER PIPELINE · AI NAVIGATION

CONTENTS

- | | |
|-----------------------------|--|
| 1. Overview | 9. Rise and dissolve effects, glowing eyes |
| 2. Requirements and setup | 10. NavMesh movement |
| 3. Folder structure | 11. Combat AI |
| 4. The extended prefabs | 12. Army spawner |
| 5. Ragdolls | 13. The arena demo |
| 6. Hit reactions | 14. The extended animation browser |
| 7. Health, damage and death | 15. Performance |
| 8. Cloth | 16. Support |

1. OVERVIEW

The Extended Edition contains the complete Undead Legion pack (characters, armour modules, weapons, animations and the browser demo, described in `UndeadLegion/Documentation/UndeadLegion_Documentation.pdf`) and adds the systems that turn the skeletons into a playable army. Everything new lives in `UndeadLegion/Extended`; the base assets are used as they are.

- **Full-body ragdolls:** 11 rigidbodies with joints on every character, used as hitboxes while animated, with an impulse on death and a blend back to the animation for revives and get-ups.
- **Hit reactions:** physical flinches layered over any clip, so a struck skeleton recoils while it keeps walking or attacking.
- **Cloth:** robes, skirts and pants simulate, pinned at the waist and colliding with the legs.
- **Rise and dissolve effects:** skeletons rise out of the ground and turn to dust, with a glowing edge. **Glowing eyes** in any colour.
- **NavMesh movement:** an agent drives directional locomotion blend trees built from the pack's measured walk, run, back and strafe clips.
- **Combat AI:** finds the nearest enemy, closes in and attacks with the moves that suit the equipped weapon: melee, arrows, spells and an area cast.
- **Army spawner:** formations of varied skeletons with mixed armour, suitable loadouts, tints and team colours.
- An **arena demo:** two armies, a battle, and a skeleton you can take over; and the **animation browser** with the extended characters, cloth, hits, ragdolls and the effects.

2. REQUIREMENTS AND SETUP

- Unity 6 (6000.4 or newer), **Universal Render Pipeline** 17.4.
- The **AI Navigation** package (`com.unity.ai.navigation`, 2.x) for the NavMesh. It is listed in the project manifest; if you import the package into another project, install it from the Package Manager.

Open `UndeadLegion/Extended/Scenes/UndeadLegion_Extended_Demo.unity` and press Play. To use the extended skeletons in your own scene, bake a NavMesh there (add a *NavMesh Surface* to your level and press *Bake*), then drag a prefab from `UndeadLegion/Extended/Prefabs` onto it, or add an *ArmySpawner*.

The extended prefabs are prefab variants of the base characters: changes to a base prefab (its armour set, its hand slots) carry over to its extended variant.

3. FOLDER STRUCTURE

FOLDER	CONTENTS
Extended/Prefabs	PFX_Skeleton<Class>: the six characters with physics, navigation, AI and effects
Extended/Animations	AC_Skeleton_Extended: the base controller plus locomotion blend trees and upper-body weapon idles
Extended/Scripts	the runtime components (section 4 onwards), namespace <code>UndeadLegion.Extended</code>
Extended/Shaders	<code>UndeadLegion/Lit Dissolve</code> : URP Lit with a height cut, noise and a glowing edge
Extended/Materials	the arena's stone material and post-processing profile
Extended/Scenes	the arena demo and the extended animation browser, each with its baked NavMesh
Extended/Documentation	this document

4. THE EXTENDED PREFABS

Each PFX_Skeleton<Class> is the base character with AC_Skeleton_Extended and these components added:

COMPONENT	ROLE
SkeletonRagdoll	11 bodies (hips, chest, head, upper and lower arms and legs) with joints; kinematic hitboxes while animated
SkeletonHitReaction	physical flinches over the animation
SkeletonHealth	health, team, damage events, the death mode
SkeletonCloth	cloth on robes, skirts and pants
SkeletonDissolve	rise and dissolve effects
SkeletonEyes	glowing eyes
NavMeshAgent + SkeletonNavController	movement on the NavMesh (radius 0.32 m, height 1.8 m)
SkeletonAI	the combat behaviour; disable it to drive the skeleton yourself

The base components stay: `SkeletonModules` (armour), `SkeletonWeapon` (loadouts), `SkeletonTwitch` and `SkeletonFootLock`. Every component is independent: remove the ones you do not need (for example the AI in a player character, or the cloth in a large crowd).

5. RAGDOLLS

While the character animates, the ragdoll bodies are kinematic and follow the bones, so their colliders work as **hitboxes** (a raycast or a trigger tells you which body part was struck). `Activate(impulse, point)` hands the body to physics: the Animator and the root capsule switch off, every body keeps the velocity it had in the animation, the

impulse is applied to the body nearest the point, and held weapons drop with their own physics (`dropWeapons`). `BlendToAnimation()` moves the character under the fallen hips and blends the pose back to the Animator over `blendTime` seconds, for revives and get-ups. The bodies are generated by `Build()` from the humanoid bones; `totalMass` (35 kg) is spread by the usual ragdoll proportions.

```
var ragdoll = skeleton.GetComponent<SkeletonRagdoll>();
ragdoll.Activate(hitDirection * 80f, hitPoint);    // fall with a push
ragdoll.BlendToAnimation();                       // stand back up on the animation
```

6. HIT REACTIONS

`SkeletonHitReaction.Hit(point, impulse)` kicks damped angular springs on the struck bone and, with `falloff`, on its parents up to the hips (spine, chest, neck, head, shoulders and arms react). The springs are applied after the Animator every frame, so a hit reads on top of whatever plays and settles back by itself. `stiffness` sets how fast a bone returns, `damping` how much it wobbles, `strength` how far it moves per unit of impulse, `maxAngle` the largest offset. `SkeletonHealth` calls it on every hit, so you rarely need to call it directly.

7. HEALTH, DAMAGE AND DEATH

```
skeleton.GetComponent<SkeletonHealth>().TakeDamage(25f, hitPoint, hitDirection * 60f, attacker);
```

SETTING	EFFECT
<code>maxHealth</code> , <code>health</code>	hit points
<code>team</code>	skeletons of the same team never target each other
<code>deathMode</code>	Ragdoll (fall with the killing blow's impulse), DeathClip (one of the four death animations), DeathClipThenRagdoll (the clip starts, the ragdoll takes over after <code>ragdollAfter</code> seconds)
<code>hitClips</code>	additive reactions (<code>Hit_01</code> , <code>Hit_02</code>), one picked at random and played on the Animator's Hit layer on every hit that does not kill, over whatever the skeleton is doing, together with the physical flinch
<code>dissolveAfter</code>	seconds after death before the corpse turns to dust (0 = stays); <code>destroyWhenDissolved</code> removes it
<code>onDamaged</code> , <code>onDied</code>	UnityEvents for your game logic (score, sounds, loot)

`Die()` kills at once, `Revive()` restores full health and blends a ragdoll back to the animation. `SkeletonHealth.All` lists every living and dead skeleton in the scene.

8. CLOTH

`SkeletonCloth` adds Unity Cloth to the worn armour pieces named in its `rules` (Skirt, Robe and Pants by default). Each cloth is pinned at the waist and frees gradually towards the hem: `pinnedBand` metres below the waist stay fixed, the hem may move up to `maxDistance` from its skinned position. The legs' ragdoll capsules are the colliders, so a robe swings around the legs instead of through them. The Knight's set is plate (`rigidSets`): its pieces never simulate, also

when another skeleton wears them. Call `Refresh()` after changing the worn armour, and `SetSimulate(false)` to switch cloth off. Beyond `cullDistance` from the main camera the cloth stops simulating.

9. RISE AND DISSOLVE EFFECTS, GLOWING EYES

`SkeletonDissolve.DissolveIn()` raises a skeleton out of the ground; `DissolveOut(destroyAfter)` turns it to dust from the top down. For the duration of an effect each renderer (body, armour, held and dropped weapons) uses a copy of its material on the `UndeadLegion/Lit Dissolve` shader, a URP Lit shader with a cut height, noise and a glowing band; the original materials come back when a rise ends, and per-renderer colours (tints) are kept. Set `duration`, `edgeColor` (HDR), `edgeWidth` and `noiseScale` to taste; `dissolveInOnEnable` plays the rise whenever the object is enabled (useful with object pools).

`SkeletonEyes` places two small glowing spheres in the eye sockets and follows the head. The colour is HDR: values above 1 glow with Bloom (the arena uses URP's Bloom post effect). `SetColor()` changes it at runtime; `addLight` adds a faint light at the face, off by default because every light costs in a crowd.

10. NAVMESH MOVEMENT

`SkeletonNavController` reads the `NavMeshAgent`'s velocity into the controller's `MoveX / MoveZ` parameters (metres per second in the character's frame) and plays one of two 2D directional blend trees on the Base layer:

GAIT	STATE	CLIPS (WALK / RUN / BACK / STRAFE)	WALK / RUN SPEED
Heavy	Locomotion_Heavy	the shambling_01 set	0.52 / 1.14 m/s
Upright	Locomotion_Upright	the upright_02 set	1.28 / 1.87 m/s

The blend-tree positions are the clips' measured speeds, so the feet do not slide at any agent speed. The agent's speed is set from the gait (walk or run). When the skeleton stops, it plays the idle that suits its weapon (`Idle_1H_Combat`, `Idle_TwoHanded`, `Idle_Bow`, `Idle_Staff`); while it moves, the same weapon pose plays on the `UpperBody` layer so a two-hander or a bow is still held properly.

```
var nav = skeleton.GetComponent<SkeletonNavController>();
nav.MoveTo(destination, running: true);
nav.FaceTowards(enemy.position);
nav.PlayAction("Taunt_01");           // a one-shot; a step in the clip moves the agent
nav.OnLoadoutChanged();               // after equipping another weapon
```

11. COMBAT AI

`SkeletonAI` picks the nearest living enemy within `sightRange` (or your `target`), walks to it (runs when more than 4 m away; archers keep walking), stops at the range of its attacks, turns to face it and attacks, waiting `attackCooldown` seconds between attacks. Damage lands at the moment in the clip where the blow connects. The style is read from the equipped loadout unless you set it:

STYLE	ATTACKS	RANGE
OneHanded	<code>Attack_R_Slice</code> , <code>Attack_R_Stab</code>	1.7–1.8 m
DualDaggers	both right and both left attacks, alternating	1.5–1.6 m

TwoHanded	Attack_2H_01, Attack_2H_02	2.1–2.2 m
Bow	Shoot_01: the arrow flies and hits after its flight time	16 m
Wand	Cast_Wand_01/02: a homing bolt (MagicBolt)	11 m
Staff	Cast_Staff_01 bolt, and AOE_Cast hitting every enemy within 3 m of the target (8 s cooldown)	9–12 m
Unarmed	light slices with both arms	1.4 m

damageScale and attackSpeed tune difficulty; wanderRadius lets idle skeletons roam around their start point; magicColor colours the spells. Disable the component to take control of a skeleton (the arena demo does this when you select one).

12. ARMY SPAWNER

ArmySpawner places count skeletons in a formation of columns × rows, spacing metres apart, snapped to the NavMesh and facing the spawner's forward. Each one gets:

- a random character from characters;
- a mixed armour set from armourCatalogue: each slot keeps the class's own piece or borrows another class's (mixChance), or stays empty (bareChance); a robe replaces chest, skirt and pants;
- a loadout that suits its class (randomLoadout), a subtle colour variation (tintStrength), the team's eyeColor and team;
- the upright gait for casters and the heavy gait for the rest (gaitByClass);
- a rise from the ground with a random delay (riseFromGround, riseStagger), the AI switching on when it has risen.

Spawn() and Clear() are also in the component's context menu; spawned lists the skeletons it created.

13. THE ARENA DEMO

Two armies face each other on a small arena with pillars and walls. The panel raises 8 or 16 skeletons per side, starts and stops the battle, clears the field, and switches cloth, the death mode and the dissolving of corpses.

INPUT	ACTION
Left click	select a skeleton: its AI stops and it follows your orders
Right click	move the selected skeleton (hold Shift to run), or send it at an enemy
Ctrl + left click	strike any skeleton (hit reaction; pushes a ragdoll)
Alt + left click	kill a skeleton with a heavy blow
WASD / arrows, middle drag	pan the camera
Right drag, Q / E	rotate the camera
Mouse wheel	zoom

14. THE EXTENDED ANIMATION BROWSER

UndeadLegion/Extended/Scenes/UndeadLegion_Extended_Showcase.unity is the base pack's animation browser with the extended characters and a **PHYSICS** panel: cloth on or off, a physical hit, a ragdoll death, revive, rise from the ground and turn to dust. Click the skeleton to hit it where you click; Shift + click kills it into a ragdoll pushed from that point, and clicks on the fallen body push it around. Picking any clip, or Revive, stands a fallen skeleton back up. The browser shows one character at a time, so the component ExtendedShowcase removes its navigation and AI when it spawns; the Hit_01 and Stagger_01 clips are in the Reactions section, and armour pieces put on from the modules panel get cloth.

15. PERFORMANCE

- Ragdoll bodies are kinematic until death, so a living skeleton costs only its colliders.
- Cloth is the most expensive feature: keep cullDistance modest, or remove SkeletonCloth from background crowds.
- The rise and dissolve material copies are shared per source material and only used during an effect.
- Eyes are two unlit spheres; their optional light is off by default.
- For large crowds, set the agents' obstacle avoidance quality lower and consider disabling SkeletonTwitch and the hit reactions far from the camera.

16. SUPPORT

For questions or issues, email vadymudod@hotmail.com. Please include your Unity version, the edition (Extended) and a short description or screenshot of the problem.