



CHIS 2009 DATA DICTIONARY

Public Use File
Adult Survey
November 2012



CHIS 2009 DATA DICTIONARY

Adult Survey

Public Use File

November 2012

adult.sas7bdat

Contact:
California Health Interview Survey
UCLA Center for Health Policy Research
10960 Wilshire Blvd., Suite 1550
Los Angeles, CA 90024
Email: chis@ucla.edu

Copyright © 2012 The Regents of the University of California. All Rights Reserved.

Suggested Citation:

California Health Interview Survey. CHIS 2009 Adult Survey. UCLA Center for Health Policy Research. Los Angeles, CA: November 2012.

TABLE OF CONTENTS

1. Introduction	3
1.1 CHIS 2009 Adult Survey Data File	3
1.2 Accompanying Files	3
2. CHIS 2009 Design and Methodology Summary.....	3
2.1 Overview	3
2.2 Sample Design Objectives.....	4
2.3 Data Collection	6
2.4 Response Rates	7
2.5 Weighting the Sample	8
2.6 Imputation Methods.....	9
3. How to Use the Data Dictionary.....	11
4. Sample Code Using Sample Design Information	12
4.1 Mean Calculation.....	13
4.2 Frequency Calculation.....	14
4.3 Linear Regression	15
4.4 Logistic Regression	16
5. Data Dictionary Variable Listings	17
A. Variable Name (alphabetical)	17
B. Variable name (by Location in CHIS 2009 Adult Questionnaire)	31
C. Restricted Variables.....	45
6. Data Dictionary.....	46
Section Q: Screening Information	46
Section A: Demographic Information, Part I.....	48
Section B: Health Conditions	61
Section C: Health Behaviors.....	104
Section D: General Health, Disability, and Sexual Health.....	143
Section E: Women's Health	152
Section F: Mental Health.....	166
Section G: Demographic Information, Part II	179
Section H: Health Insurance	198
Section J: Health Care Utilization and Access, Violence.....	229
Section K: Employment, Income, Poverty Status, Food Security.....	249
Section L: Public Program Participation	260

Section M: Housing and Social Cohesion	265
Section EM: Emergency Preparedness Module	270
Section N: Demographic Information III	273
Section O: Full Design and Replicate Weight Series 0-80.....	277

1. Introduction

1.1 CHIS 2009 Adult Survey Data File

The 2009 California Health Interview Survey (CHIS 2009) Adult Data File consists of individual records from the Adult component of CHIS 2009.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (09-05-103-02) and the California Committee for the Protection of Human Subjects (00-04-04). Organizations that receive CHIS data are required to complete a data sharing agreement with UCLA-CHPR. The data files listed below must be maintained in accordance with the provisions of the data sharing agreement between the California Department of Public Health (CDPH) and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center located at UCLA-CHPR. If researchers would like access to the latitude and longitude data in the CHIS 2009 data file by special request, or require access to other highly sensitive variables, please contact dacchpr@ucla.edu. Limited technical assistance is also available from CHIS – please send email to chis@ucla.edu

1.2 Accompanying Files

The following describes multiple files included in the package along with the data file. Some are not necessary for data analysis but add convenience in utilizing the main data.

- a. **Data file:** adult.sas7bdat, adult.sav, adult.dta
- b. **Proc format file:** ADULT_PROC_FORMAT.SAS
- c. **Format file:** ADULT_FORMAT.SAS
- d. **Label file:** ADULT_LABEL.SAS
For sample codes using Proc format, format and label files, see Section 4.
- e. **Imputation flag file:** adultf.sas7bdat, adultf.sav, adultf.dta
See Section 2.6 for descriptions of imputation flag variables and values.
- f. **Others:** ADULT.XPT, ADULTF.XPT

2. CHIS 2009 Design and Methodology Summary

2.1 Overview

The California Health Interview Survey (CHIS) is a population-based telephone survey of California's population conducted every other year since 2001. CHIS is the largest health survey conducted in any state and one of the largest health surveys in the nation. CHIS is conducted by the UCLA Center for Health Policy Research (UCLA-CHPR) in collaboration with the California Department of Public Health, the Department of Health Care Services, California Department of Mental Health, First 5 California, The California Endowment, the National Cancer Institute, and Kaiser Permanente. CHIS collects extensive

information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health related issues. Within each household, separate interviews are conducted with a randomly selected adult (age 18 and over), adolescents (ages 12-17), and parents of children (ages 0 to 11). CHIS 2009 is the fifth CHIS data collection cycle and was conducted between September 2009 and April 2010.

CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. The data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health-related issues (for many examples of these studies, visit the CHIS Research Clearinghouse: <http://www.chis.ucla.edu/rc>).

2.2 Sample Design Objectives

The CHIS sample is designed to meet two sampling objectives: (1) provide estimates for most counties and groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller ethnic subgroups as well. To achieve these objectives, CHIS employed a multi-stage sample design. The random-digit-dial (RDD) sample included telephone numbers assigned to both landline and cellular service. For the landline RDD sample, the state was divided into 56 geographic sampling strata, including 2 counties with sub-county strata (8 Service Planning Areas in Los Angeles County and 6 Health Service Regions in San Diego County), 41 single-county strata (including Los Angeles and San Diego counties), and three multi-county strata comprised of the 17 remaining counties. Within each geographic stratum, residential telephone numbers were selected, and within each household, one adult (age 18 and over) respondent was randomly selected. In those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent and one child were randomly selected; the adolescent was interviewed directly, and the adult most knowledgeable about the child's health completed the child interview.

Table 1-1 shows the 56 sampling strata, which include 41 independent county strata. A sufficient number of adult interviews were allocated to each stratum to support the first sample design objective—to provide health estimates for adults at the local level. The geographic stratification of the state was the same as that used since CHIS 2005. In the first two CHIS cycles there were 47 total sampling strata, including 33 individual counties and one county with sub-county strata (Los Angeles). The CHIS 2009 samples in Humboldt, Marin, and San Diego Counties were enhanced with additional funding.

The main landline RDD CHIS sample size is sufficient to accomplish the second objective. To increase the precision of estimates for Koreans and Vietnamese, areas with relatively high concentrations of these groups were sampled at higher rates. These geographically targeted oversamples were supplemented by telephone numbers associated with group-specific surnames drawn from listed telephone directories to further increase the sample size for Koreans and Vietnamese. CHIS 2009 included additional Korean and Vietnamese oversamples conducted on behalf of the National Cancer Institute.

To help compensate for the increasing number of households without landline telephone service, a separate RDD sample was drawn of telephone numbers assigned to cellular service. In CHIS 2009, the goal was to complete approximately 2,500 interviews statewide with adults from the cell phone sample. The CHIS 2009 cell phone sample differed from the CHIS 2007 cell phone sample in two significant ways. First, all cell phone sample numbers used by adults for non-business purposes were eligible for the extended interview regardless of the presence of a landline phone. The landline and cell samples, therefore, overlap and contrast to CHIS 2007 when cell phone cases with a landline telephone were screened out to limit the cell phone sample to “cell phone only” cases. This change was made due to the large number and potentially unique characteristics of telephone users who possess both a landline and cell phone, but rely principally on their cell phone for communication and would otherwise be under-represented in the sample. The second change to the cell phone sample was the inclusion of child and adolescent extended interviews. About 200 teen interviews and nearly 500 child interviews were completed from the cell phone sample in CHIS 2009. Because data are not available for numbers assigned to cellular service to support the same level of geographic stratification as the landline sample, the cell RDD sample was stratified by area code. If the sampled number was shared by two or more adult members of a cell-only household, one household member was selected for the adult interview. Otherwise, the adult owner of the sampled number was selected.

Table 1-1. California county and county group strata used in the CHIS 2009 sample design

1. Los Angeles	7. Alameda	27. Shasta
1.1 Antelope Valley	8. Sacramento	28. Yolo
1.2 San Fernando Valley	9. Contra Costa	29. El Dorado
1.3 San Gabriel Valley	10. Fresno	30. Imperial
1.4 Metro	11. San Francisco	31. Napa
1.5 West	12. Ventura	32. Kings
1.6 South	13. San Mateo	33. Madera
1.7 East	14. Kern	34. Monterey
1.8 South Bay	15. San Joaquin	35. Humboldt
2. San Diego	16. Sonoma	36. Nevada
2.1 N. Coastal	17. Stanislaus	37. Mendocino
2.2 N. Central	18. Santa Barbara	38. Sutter
2.3 Central	19. Solano	39. Yuba
2.4 South	20. Tulare	40. Lake
2.5 East	21. Santa Cruz	41. San Benito
2.6 N. Inland	22. Marin	42. Colusa, Glen, Tehama
3. Orange	23. San Luis Obispo	43. Plumas, Sierra, Siskiyou, Lassen, Lassen, Modoc, Trinity, Del Norte
4. Santa Clara	24. Placer	44. Mariposa, Mono, Tuolumne, Alpine, Amador, Calaveras, Inyo
5. San Bernardino	25. Merced	
6. Riverside	26. Butte	

Source: UCLA Center for Health Policy Research, 2009 California Health Interview Survey.

2.3 Data Collection

To capture the rich diversity of the California population, interviews were conducted in five languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese, and Korean. These languages were chosen based on analysis of 2000 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted the CHIS 2009 data collection under contract with the UCLA Center for Health Policy Research. For the landline and cell RDD samples, Westat staff interviewed one randomly selected adult in each sampled household, and sampled one adolescent and one child if present in the household and the sampled adult was the parent or legal guardian. Up to three interviews could have been completed in each household. In landline sample households with children where the sampled adult was not the screener respondent, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview. This “child-first” procedure was new for CHIS 2005 and has been continued in subsequent CHIS cycles; this procedure substantially increases the yield of child interviews. While numerous subsequent attempts were made to complete the adult interview, there were completed child and/or adolescent interviews in households for which an adult interview was not completed. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2009 by the type of sample (landline RDD, surname list, and cell RDD).

Table 1-2. Number of completed CHIS 2009 interviews by type of sample and instrument

Type of sample	Adult	Child	Adolescent
Total all samples	47,614	8,945	3,379
Landline RDD	42,682	7,918	3,002
Surname list	1,885	545	178
Cell RDD	3,047	482	199

Source: UCLA Center for Health Policy Research, 2009 California Health Interview Survey.

Interviews in all languages were administered using Westat’s computer-assisted telephone interviewing (CATI) system. The average adult interview took about 40 minutes to complete. The average child and adolescent interviews took about 16 minutes and 18 minutes, respectively. For “child-first” interviews, additional household information asked as part of the child interview averaged about 9 minutes. Interviews in non-English languages generally took longer to complete. More than 12 percent of the adult interviews were completed in a language other than English, as were about 24 percent of all child (parent proxy) interviews and 8 percent of all adolescent interviews.

2.4 Response Rates

The overall response rate for CHIS 2009 is a composite of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). To maximize the response rate, especially at the screener stage, an advance letter in five languages was mailed to all landline sampled telephone numbers for which an address could be obtained from reverse directory services. An advance letter was mailed for approximately 58 percent of the landline RDD sample telephone numbers, and 82 percent of list sample numbers. Addresses were not available for the cell sample. As in CHIS 2005 and 2007, a \$2 bill was included with the advance letter to promote cooperation.

The CHIS 2009 screener completion rate for the landline and samples was 36.1 percent, and was higher for households that were sent the advance letter. For the cell phone sample, the screener completion rate was 19.7 percent in all households. The extended interview completion rate for the landline sample varied across the adult (49.0 percent), child (72.9 percent) and adolescent (42.8 percent) interviews. The adolescent rate includes getting permission from a parent or guardian. The adult interview completion rate for the cell sample was 56.7 percent. Multiplying the screener and extended rates gives an overall response rate for each type of interview. The percentage of households completing one or more of the extended interviews (adult, child, and/or adolescent) is a useful summary of the overall performance of the landline sample. For CHIS 2009, the landline sample household response rate was 19.7 percent (the product of the screener response rate and the completion rate at the household level of 54.7 percent). All of the household and person level response rates vary by sampling stratum. For more information about the CHIS 2009 response rates, please see *CHIS 2009 Methodology Series: Report 4 – Response Rates*.

Historically, the CHIS response rates are comparable to response rates of other scientific telephone surveys in California, such as the California Behavioral Risk Factor Surveillance System (BRFSS) Survey. It has become increasingly difficult, however, to compare the CHIS and BRFSS response rates due to changes in the BRFSS response rate calculation methods. California as a whole and the state's urban areas in particular are among the most difficult parts of the nation in which to conduct telephone interviews. The 2009 BRFSS, for example, shows the refusal rate for the California (32.2%) is the highest in the nation and more than twice the national median (15.7%).¹ Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California. Further information about CHIS data quality and nonresponse bias is available at <http://www.chis.ucla.edu/dataquality.html>.

Adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K (on employment, income, poverty status, and food security), after all follow-up attempts were exhausted to complete the full questionnaire, were counted as "complete." At least some items in the employment and income series or public program eligibility and food insecurity series are missing from those cases that did not complete the entire interview.

¹ As reported in the Behavioral Risk Factor Surveillance System 2009 Summary Data Quality Report (Version #1 – Revised: 04/27/2010, available online at ftp://ftp.cdc.gov/pub/Data/Brfss/2009_Summary_Data_Quality_Report.pdf)

Proxy interviews were allowed for frail and ill persons over the age of 65 who were unable to complete the extended adult interview in order to avoid biases for health estimates of elderly persons that might otherwise result. Eligible selected persons were recontacted and offered a proxy option. For 283 elderly adults, a proxy interview was completed by either a spouse/partner or adult child. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered. (Note: questions not administered in proxy interviews are given a value of “-2” in the data files.)

2.5 Weighting the Sample

To produce population estimates from the CHIS data, weights are applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample is weighted to represent the non-institutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2009 accomplish the following objectives:

- Compensate for differential probabilities of selection for households and persons;
- Reduce biases occurring because nonrespondents may have different characteristics than respondents;
- Adjust, to the extent possible, for undercoverage in the sampling frames and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information.

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the telephone number) and a variety of adjustment factors. The household weight is used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and nonresponse. The final step is to adjust the person-level weight using a raking method so that the CHIS estimates are consistent with population control totals. Raking is an iterative procedure that forces the CHIS weights to sum to known population control totals from an independent data source (see below). The procedure requires iteration to make sure all the control totals, or raking dimensions, are simultaneously satisfied within a specified tolerance.

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2009 were created primarily from the California Department of Finance’s 2009 Population Estimates and 2009 Population Projections. The raking procedure used 11 raking dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area in Los Angeles County, and Health Region in San Diego County), household composition (presence of children and adolescents in the household), and socio-economic variables (home ownership and education). The socio-economic variables are included to reduce biases associated with excluding households without landline telephones from the sample frame. One limitation of using Department of Finance data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons). These persons were excluded from the CHIS target population and as a result, the number of persons living in group quarters was estimated and removed from the Department of Finance control totals prior to raking.

2.6 Imputation Methods

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a massive task designed to enhance the analytic utility of the files. Westat imputed missing values for those variables used in the weighting process and UCLA-CHPR staff imputed values for nearly all other variables.

Two different imputation procedures were used by Westat to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot deck imputation without replacement. The hot deck approach is probably the most commonly used method for assigning values for missing responses. With a hot deck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot deck imputation, the respondents to a survey item form a pool of donors, while the nonrespondents are a group of recipients. A recipient is matched to the subset pool of donors based on household and individual characteristics. A value for the recipient is then randomly imputed from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors for that variable. Hot deck imputation was used to impute the same items in CHIS 2003, CHIS 2005, CHIS 2007, and CHIS 2009 (i.e., race, ethnicity, home ownership, and education).

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those imputed by Westat and some sensitive variables in which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2009 were low, with most variables missing valid responses for less than 2% of the sample. However, there were a few exceptions where item nonresponse rate was greater than 20%, such as household income.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, model-based hot-deck imputation with donor replacement was used. This method replaces a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a generalized linear model with a set of control variables (predictors). The link function of the model is corresponding to the nature of the variable being imputed, e.g. linear regression for continuous variables, logistic regression for binary variables, etc. The donors and recipients are grouped based on their predicted values from the model.

Control variables (predictors) used in the model to form donor pools for hot-decking always included the following: gender, age group, race/ethnicity, poverty level (based on household income), educational attainment, and region. Other control variables were also used depending on the nature of the imputed variable. Among the control variables, gender, age, race/ethnicity and regions were imputed by Westat. UCLA-CHPR then imputed household income and educational attainment in order to impute other variables. Household income, for example, was imputed using the hot-deck method within ranges from a set of auxiliary variables such as income range and/or poverty level.

The imputation order of the other variables followed the questionnaire. After all imputation procedures were complete, every step in the data quality control process is performed once again to ensure consistency between the imputed and nonimputed values on a case-by-case basis.

In addition to the main data file, a data file including variables flagging the imputation status of all variables subject to imputation provided. CHIS data users who wish to exclude imputed values may apply the imputation flags to the main data. This is done by merging the main data file with the imputation flag file.

Imputation flag variables starting with **I** followed by variable names are flags for weighting variables (e.g., **ISRAGE**). The remainder of imputation flag variables begin with variable names and end with **X** (e.g., **AB1_X**). For both types of imputation flag variables, the value of “**-10**” in the imputation flag file indicates that there was no imputation done on the corresponding variable for that respondent. For the weighting variable imputation flags, “**-9**” indicates that the value in the data file was imputed but does not provide the original value. The values in the imputation flags for non-weighting variables (other than “**-10**” indicating no imputation) represent the original responses. In most cases, the values of the original responses are: Don't Know (**-8**), Refused (**-7**), or Not Ascertained (**-9**). In a few cases, the values of the original responses have been edited; the imputation flag file contains the original positive value.

A series of five methodology reports are available with more detail about the methods used in CHIS 2009:

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://www.chis.ucla.edu/designs-methods.html>.

3. How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2009 data file. The index of the data dictionary lists variables by the alphabetical order and by the order in the survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003, CHIS 2005, CHIS 2007 and CHIS 2009 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the questionnaire can be found on the California Health Interview Survey web site at <http://www.chis.ucla.edu/questionnaires.html>.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **QNAME09:** The names of the 2009 survey items. A blank/NA field means the variable is constructed with survey items shown in the **INPUT VAR** field.
- **QPAGENUM:** Location of the question in the CHIS 2009 questionnaire.
- **QNAME07:** The names of 2007 survey items identical or similar to the 2009 items.
- **QNAME05:** The names of 2005 survey items identical or similar to the 2009 items.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
 - 1: INAPPLICABLE.
 - 2: PROXY SKIPPED.
 - 5: ADULT/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
 - 7: REFUSED.
 - 8: DON'T KNOW.
 - 9: NOT ASCERTAINED.
- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.
- **NOTES:** Additional information about the variable.

4. Sample Code Using Sample Design Information

The California Health Interview Survey (CHIS) employs a two-stage geographically stratified random digit-dial (RDD) sample design. This complex design requires proper weighting and variance (or its square root– standard error) calculation of the estimates. Most statistical software packages calculate variance assuming that the data are from a simple random sample; this underestimates the variance of estimates produced from the CHIS complex sample design. In order to accurately estimate variance without jeopardizing data confidentiality and respondent privacy, CHIS Public Use Files (PUFs) provide 80 replicate weights (rakedw1, ..., rakedw80) in addition to the final weight (rakedw0).

These weights fulfill different functions. The final weight (rakedw0) accounts for the sample selection probabilities and statistical adjustments for potential undercoverage and nonresponse biases. When this weight is applied, it ensures that estimates from the CHIS sample are an unbiased representation of the California population. The replicate weights (rakedw1, ..., rakedw80) are specially designed for valid variance estimation in the absence of the geographical sample design information (excluded from the CHIS PUFs). These 80 different weights provide variance estimates computed with 80 replications.

When using replicate weights in conjunction with the final weight, the estimates and their variance estimation are unbiased. When analyzing data from the CHIS PUFs, if the final weight is applied without the replicate weights unbiased estimates will be produced, but their variability will be underestimated due to the incorrect assumption that the sample is a simple random sample.

This document illustrates how the CHIS PUFs can be analyzed to produce valid variance estimates using SAS/STAT 9.2 or higher, SUDAAN, and Stata V.9 or higher. (Note SAS/STAT 9.2 is a new version that was released in 2009.) These are three main software packages capable of incorporating replicate weights. The main difference in operating these software packages is that the sample design information is specified within each procedure for SAS/STAT and SUDAAN, whereas Stata requires sample design specification in a separate step preceding the analyses.

For SAS users, the following code can be used to apply PROC FORMAT, FORMAT and LABEL files described in Section 1.2.

SAS:

```
LIBNAME libraryname "folder location";
%INC "folder location/PROCFORMATfilename.sas";

DATA data;
SET libraryname.datafilename;
%INC "folder location/FORMATfilename.sas";a
%INC "folder location/LABELfilename.sas";
RUN;
```

^a Unless the PROCFORMAT file is commanded beforehand, the FORMAT file will not function properly.

This section illustrates sample codes for a number of different types of analyses: for continuous variables, we present calculation of means and linear regression analysis; and for categorical

variables, we demonstrate calculation of frequencies and logistic regression analysis. Sample codes for all four software packages are provided for each analysis. Throughout all analyses, we find that the estimates and their standard errors are identical across all software packages examined in this document.

For illustration purposes, Body Mass Index (bmi_p) is presented as a continuous dependent variable and current asthma status (astcur) as a categorical dependent variable. These variables are examined in relation to race (racehpr2), sex (srsex) and age (srage_p). CHIS data users who wish to replicate the analysis presented here may copy the sample codes and generate the same results.

4.1 Mean Calculation

In the sample code that follows, the distribution of BMI (bmi_p) is examined by race (racehpr2) and by the interaction between race and sex (racehpr2*srsex).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR bmi_p;
BY racehpr2 srsex; a
RUN;
```

^a This produces just racehpr2*srsex grouping.

SUDAAN:

```
PROC DESCRIPT DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
VAR bmi_p;
TABLES racehpr2 racehpr2*srsex;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
RUN;
```

Stata:

***Sample design specification step* ^a**

```
use "DATASET LOCATION"
svyset [pw=rakedw0], jkrw(rakedw1-rakedw80, multiplier(1)) vce(jack) mse
```

Analysis

```
svy: mean bmi_p, over(racehpr2)
svy: mean bmi_p, over(srsex racehpr2)
```

^a **Sample design specification step** should be included before any analysis in SPSS and Stata.

4.2 Frequency Calculation

In the following sample code, the percentage of people who have asthma currently (astcur) is examined by race (racehpr2) and by the interaction between race and sex (racehpr2*srsex).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR astcur;
CLASS astcur;
BY racehpr2 srsex; a
RUN;
```

Alternatively, PROC SURVEYFREQ may be useful especially for the variables with more than two categories. One caveat in creating multiple tables in one PROC SURVEYFREQ procedure is that the procedure takes the smallest applicable sample sizes among all variables. We recommend creating one table per one PROC SURVEYFREQ procedure as follows:

```
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE racehpr2*astcur /row;
RUN;
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE srsex*racehpr2*astcur/row;
RUN;
```

^a This produces just racehpr2*srsex grouping.

SUDAAN:

```
PROC CROSSTAB DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
TABLES astcur*racehpr2 racehpr2*astcur*srsex;
SUBGROUP astcur racehpr2 srsex;
LEVELS 2 7 2;
RUN;
```

Stata:

```
svy: tabulate astcur racehpr2, col se ci

gen racesex=1 if racehpr2 ==1 & srsex ==1 a
replace racesex=2 if racehpr2 ==1 & srsex ==2
replace racesex=3 if racehpr2 ==2 & srsex ==1
```

```

replace racesex=4 if racehpr2 ==2 & srsex ==2
replace racesex=5 if racehpr2 ==3 & srsex ==1
replace racesex=6 if racehpr2 ==3 & srsex ==2
replace racesex=7 if racehpr2 ==4 & srsex ==1
replace racesex=8 if racehpr2 ==4 & srsex ==2
replace racesex=9 if racehpr2 ==5 & srsex ==1
replace racesex=10 if racehpr2 ==5 & srsex ==2
replace racesex=11 if racehpr2 ==6 & srsex ==1
replace racesex=12 if racehpr2 ==6 & srsex ==2
replace racesex=13 if racehpr2 ==7 & srsex ==1
replace racesex=14 if racehpr2 ==7 & srsex ==2
label variable racesex "Race x Sex"
label define racesexf 1 "latin male" 2 "latin fem" 3 "pi male" 4 "pi fem" 5 "na
male" 6 "na female" 7 "asian mal" 8 "asian fem" 9 "aa male" 10 "aa fem" 11
"white mal" 12 "white fem" 13 "others mal" 14 "others fem"
label values racesex racesexf
svy: tabulate astcur racesex, col se ci

```

^a Generating a new variable is recommended, as Stata creates overlapping categories when crossing variables.

4.3 Linear Regression

The following example examines Body Mass Index (bmi) in relation to sex (srsex) and age (srage_p) while controlling for each other. Note srsex is a categorical variable; and Male (srsex=1) are used as their reference categories.

SAS:

```

DATA newdata;SET data;
IF SRSEX=1 THEN FEMALE=0;ELSE FEMALE=1; a
RUN;

PROC SURVEYREG DATA = newdata VARMETHOD=JACKKNIFE;
WEIGHT RAKEDW0;
REPWEIGHT RAKEDW1--RAKEDW80;
MODEL BMI_P = FEMALE SRAGE_P;
RUN;

```

^a For categorical variable, we need to create indicator variable for each category except the reference category.

SUDAAN:

```

PROC REGRESS DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP srsex;
LEVELS 2;
REFLEVEL srsex=1;
MODEL bmi_p = srsex srage_p;
RUN;

```

Stata:

```

xi: svy: regress bmi_p i.srsex srage_p

```

4.4 Logistic Regression

The following sample programming code examines current asthma status (*astcur*) among adults in California, controlling for race (*racehpr2*), sex (*srsex*), and age (*srage_p*). As SUDAAN and Stata require the dependent variables coded as 0 and 1 for logistic regression, we create a new dependent variable *ast* and assign 1 where *astcur*=1 (“Current asthma”) and 0 where *astcur*=2 (“No current asthma”). The category, “No current asthma,” is used as the reference in the analysis.

SAS:

```
PROC SURVEYLOGISTIC DATA = data VARMETHOD=JACKKNIFE;
FORMAT astcur astcurf. racehpr2 racehprf. srsex srsex.;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
CLASS astcur (REF="NO CURRENT ASTHMA"); CLASS racehpr2(REF="WHITE")
srsex(REF="MALE")/PARAM = REF;
MODEL astcur = racehpr2 srsex srage;
RUN;
```

^a. When the values are formatted either in the data step or in the procedure, SAS automatically picks the category of the categorical variables whose label is in the last alphabetical order as a reference group. In PROC SURVEYLOGISTIC, the reference category of the independent and dependent variables may be specified in a CLASS statement.

SUDAAN:

```
DATA newdata;
SET data;
IF astcur=1 THEN ast=1;
ELSE IF astcur=2 THEN ast=0;
RUN;

PROC RLOGIST data = newdata FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
REFLEVEL racehpr2 = 6 srsex = 1;
MODEL ast = racehpr2 srsex srage_p;
RUN;
```

Stata:

```
recode astcur (2=0) (1=1) (-9=.), gen (ast)

xi: svy: logit ast srage_p i.race i.srsex a
xi: svy: logistic ast srage_p i.race i.srsex b
```

^a. This statement produces parameter estimates.

^b. This statement produces odds ratios.

Stata automatically chooses the lowest value of the categorical variable as the reference group for the independent and dependent variables.

5. Data Dictionary Variable Listings

A. Variable Name (alphabetical)

VARIABLE	LABEL	PAGE
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-11
AB1	GENERAL HEALTH CONDITION	DD-16
AB100	HAD FLU SHOT OR NASAL FLU VACCINE	DD-44
AB101_1	MOTHER DIAGNOSED WITH COLON/RECTAL CANCER	DD-47
AB101_2	FATHER DIAGNOSED WITH COLON/RECTAL CANCER	DD-47
AB103	DOC EVER TALKED ADVANTAGE/DISADVANTAGE OF PSA TEST	DD-57
AB104	DOC EVER TOLD DIFFERENT DR'S RECOMMENDATION FOR PSA TEST	DD-58
AB105	DOC EVER RECOMMENDED PSA TEST	DD-58
AB106_P	ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF)	DD-21
AB108	CONFIDENCE TO CONTROL AND MANAGE ASTHMA	DD-25
AB109	VISITED ER FOR DIABETES IN PAST 12 MOS	DD-34
AB110_P	VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE)	DD-35
AB111	ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS	DD-35
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE	DD-36
AB113	HAVE WRITTEN COPY OF DIABETES CARE PLAN	DD-36
AB114	CONFIDENCE TO CONTROL AND MANAGE DIABETE	DD-37
AB115	VISITED ER FOR HEART DISEASE IN PAST 12 MOS	DD-40
AB116_P	VISITED ER FOR HEART DX B/C UNABLE TO SEE OWN DR (PUF RECODE)	DD-41
AB117	ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS	DD-41
AB118	MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN	DD-42
AB119	HAVE WRITTEN COPY OF HEART DISEASE CARE	DD-42
AB120	CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE	DD-43
AB121_P	METHOD OF TAKING INSULIN (PUF RECODE)	DD-29
AB122	TAKE MEDICINE TO LOWER CHOLESTEROL	DD-30
AB123	TAKE ASPIRIN REGULARLY TO REDUCE HEART ATTACK RISK	DD-31
AB124	TAKE OTHER MEDICATIONS TO REDUCE HEART ATTACK RISK	DD-31
AB126	HAD A FASTING BLOOD SUGAR TEST AFTER PREGNANCY	DD-38
AB17	DOCTOR EVER TOLD HAVE ASTHMA	DD-17
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	DD-22
AB19	HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS	DD-20
AB22	DOCTOR EVER TOLD HAVE DIABETES	DD-26
AB23_P	AGE FIRST TOLD HAVE DIABETES (PUF RECODE)	DD-27
AB24	CURRENTLY TAKING INSULIN	DD-29
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	DD-30
AB26	# OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE	DD-32

VARIABLE	LABEL	PAGE
AB26UNT	# OF TIMES CHECK BLOOD FOR GLUCOSE - UNIT	DD-32
AB27	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A ONE C LAST YR	DD-33
AB28	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR	DD-33
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	DD-38
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	DD-39
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	DD-39
AB40	STILL HAS ASTHMA	DD-17
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-18
AB42	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS	DD-24
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-24
AB51	TYPE I OR TYPE II DIABETES	DD-28
AB52	EVER TOLD HAVE HEART FAILURE/CONGESTIVE	DD-40
AB57	KIND OF PLACE GOT LAST FLU SHOT	DD-44
AB60	HOW FIRST FOUND BREAST CANCER	DD-116
AB63	LAST EYE EXAM DILATED PUPILS	DD-34
AB66	HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMATICS	DD-22
AB67	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: PREVIOUS ASTHMATICS	DD-23
AB80	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: PREVIOUS ASTHMATICS	DD-23
AB81	DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY	DD-37
AB83	MAIN REASON MOST RECENT BLOOD STOOL TEST	DD-50
AB84	EVER HAD A COLONOSCOPY	DD-50
AB85	MOST RECENT COLONOSCOPY EXAM	DD-51
AB86	MAIN REASON MOST RECENT COLONOSCOPY	DD-52
AB87	EVER HAD A SIGMOIDOSCOPY	DD-52
AB88	MOST RECENT SIGMOIDOSCOPY EXAM	DD-53
AB89	MAIN REASON MOST RECENT SIGMOIDOSCOPY	DD-53
AB90	PAST 5 YRS DOCTOR RECOMMENDED COLON TESTS	DD-54
AB98	HAVE WRITTEN COPY OF ASTHMA CARE PLAN	DD-25
AB99	DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES	DD-26
AC11	# OF TIMES DRANK SODA LAST MONTH	DD-74
AC11UNT	# OF TIMES DRANK SODA LAST MONTH - UNIT	DD-75
AC12	# OF TIMES DRANK FRUIT-FLAV LAST MONTH	DD-75
AC12UNT	# OF TIMES DRANK FRUIT-FLAV LAST MONTH - UNIT	DD-76
AC13	# OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH	DD-79
AC13UNT	# OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH - UNIT	DD-79
AC14	# OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH	DD-80
AC14UNT	# OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH - UNIT	DD-81
AC17	SMOKING EVER ALLOWED INSIDE HOME	DD-93
AC31	# TIMES ATE FAST FOOD PAST WEEK	DD-81
AC32	HAD ALCOHOL PAST 12 MONTHS	DD-96
AC34	# DAYS HAD 5+ DRINKS PAST 12 MONTHS	DD-97

VARIABLE	LABEL	PAGE
AC35	# DAYS HAD 4+ DRINKS PAST 12 MONTHS	DD-97
AC36	# OF TIMES DRANK SWEETENED COFFEE/TEA LAST MONTH	DD-77
AC36UNT	# OF TIMES DRANK SWEETENED COFFEE/TEA LAST MONTH - UNIT	DD-78
AC38YR	# YEARS SMOKED CIGARETTES REGULARLY	DD-93
AC40	# OF CIGARETTES USUALLY SMOKE PER DAY	DD-92
AC41	# OF TIMES DRANK SWEETENED FRUIT DRINKS LAST MONTH	DD-76
AC41UNT	# OF TIMES DRANK SWEETENED FRUIT DRINKS LAST MONTH - UNIT	DD-77
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-185
AD1	AGE WHEN PERIOD STARTED	DD-107
AD13	CURRENTLY PREGNANT	DD-108
AD14	EVER HAD A MAMMOGRAM	DD-111
AD16	# OF MAMMOGRAMS IN LAST 6 YRS	DD-112
AD17	HOW LONG SINCE MOST RECENT MAMMOGRAM	DD-112
AD18	MAIN REASON FOR HAVING MAMMOGRAM	DD-113
AD19	EVER HAD MAMMOGRAM W/ ABNORMAL RESULTS?	DD-114
AD2	EVER GIVEN BIRTH TO LIVE INFANT	DD-109
AD20	EVER HAD OPERATION TO REMOVE LUMP FROM BREAST	DD-114
AD21	DID THE LUMP TURN OUT TO BE CANCER?	DD-115
AD22	# OF BREAST OPERATIONS TO REMOVE NONCANCER	DD-115
AD23	TESTS/SURGERY WHEN MAMMOGRAM ABNORMAL	DD-116
AD25	MAIN REASON FOR HAVING NO MAMMOGRAM	DD-117
AD26	DOCTOR RECOMMENDED MAMMOGRAM IN PAST TWO YRS	DD-117
AD28	CURRENTLY TAKING HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE	DD-118
AD3	AGE WHEN FIRST CHILD WAS BORN	DD-110
AD32	# OF CIGARETTES PER DAY	DD-91
AD34	# OF DAYS PER WEEK ANY SMOKING INSIDE HOME	DD-94
AD37W	WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	DD-59
AD38W	# TIMES WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	DD-59
AD39W	AVERAGE LENGTH OF TIME WALKED FOR TRANSPORTION	DD-60
AD39WUNT	AVERAGE LENGTH OF TIME WALKED FOR TRANSPORT - UNIT	DD-60
AD40W	WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-61
AD41W	# TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-61
AD42W	AVERAGE LENGTH OF TIME WALKED FOR LEISURE	DD-62
AD42WUNT	AVERAGE LENGTH OF TIME WALKED FOR LEISURE- UNIT	DD-62
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	DD-103
AD51	HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING	DD-105
AD52	HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND	DD-105
AD53	HAS DIFFICULTY GOING OUTSIDE HOME ALONE	DD-106
AD54	HAS DIFFICULTY WORKING AT A JOB	DD-106
AD57	CONDITION LIMITS BASIC PHYS ACTIVITY	DD-105
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	DD-90
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	DD-91
AE16	# OF CIGARETTES PER DAY	DD-92

VARIABLE	LABEL	PAGE
AE2	# TIMES ATE FRUIT IN PAST MO	DD-70
AE24	HARD/VIGOROUS EXERCISE IN PAST 7 DAYS	DD-65
AE25	# DAYS DID VIGOROUS PHYSICAL ACTIVITY IN PAST WEEK	DD-66
AE25A	TIME PER DAY OF VIGOROUS PHYSICAL ACTIVITY	DD-66
AE25AMIN	AVG LENGTH OF VIGOROUS ACTIVITY PER DAY	DD-67
AE25AUNT	TIME PER DAY OF VIGOROUS PHYS ACTIVITY - UNIT	DD-67
AE26	MODERATE PHYSICAL ACTIVITIES IN PAST 7 DAYS	DD-63
AE27	# DAYS MODERATE PHYSICAL ACTIVITY IN PAST WEEK	DD-63
AE27A	TIME PER DAY OF MODERATE PHYSICAL ACTIVITY	DD-64
AE27AMIN	AVG LENGTH OF MODERATE ACTIVITY PER DAY	DD-64
AE27AUNT	TIME PER DAY OF MODERATE PHYS ACTIVITY - UNIT	DD-65
AE2UNT	# OF TIMES ATE FRUIT IN PAST MO - UNIT	DD-71
AE3	# TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO	DD-71
AE30	FLU SHOT IN PAST 12 MOS	DD-43
AE3UNT	# TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO- UNIT	DD-72
AE50	MOST RECENT MAMMOGRAM RECOMENDED BY DOCT	DD-113
AE51	CURRENTLY TAKING TAMOXIFEN OR MALVADEX	DD-120
AE52	CURRENTLY TAKING RALOXIFEN OR EVISTA	DD-120
AE7	# OF TIMES ATE VEGETABLES IN PAST MO	DD-72
AE7UNT	# OF TIMES ATE VEGETABLES IN PAST MO - UNIT	DD-73
AE84	# YRS TAKEN HRT	DD-119
AE89_P	STILL HAVE MENSTRUAL CYCLE (PUF RECODE)	DD-108
AE90	TIME SINCE LAST MENSTRUAL CYCLE	DD-109
AE_FRIES	# OF TIME EATING FRIES PER WEEK	DD-73
AE_FRUIT	# OF TIMES EATING FRUIT PER WEEK	DD-74
AE_SODA	# OF TIMES DRINKING SODA PER WEEK	DD-78
AE_VEGI	# OF TIMES EATING VEGETABLES PER WEEK	DD-80
AF13	TIMES SUNBURNED PAST 12 MOS	DD-89
AF20	MAIN REASON NO SIGMOID/COLONOSCOPY IN PAST 10 YRS	DD-54
AF22	EVER HAD HOME BLOOD STOOL TEST	DD-48
AF24	WHEN WAS MOST RECENT HOME BLOOD STOOL TEST	DD-49
AF30	EVER HEARD OF PSA TEST	DD-55
AF31	EVER HAD A PSA TEST	DD-55
AF33	WHEN WAS MOST RECENT PSA TEST	DD-56
AF34	MAIN REASON FOR LAST PSA TEST	DD-57
AF37	DOCTOR EXAMINED BREASTS FOR LUMPS PAST 12 MOS	DD-110
AF4	BLOOD RELATIVE EVER HAVE ANY KIND CANCER	DD-45
AF47	EVER TAKEN HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE	DD-118
AF48	HOW LONG AGO STOPPED USING HORMONE REPLACEMENT SUPPLEMENTS	DD-119
AF6	MOTHER EVER DIAGNOSED WITH BREAST CANCER	DD-45
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	DD-124
AF63	FEEL NERVOUS WORST MONTH	DD-125

VARIABLE	LABEL	PAGE
AF64	FEEL HOPELESS WORST MONTH	DD-125
AF65	FEEL RESTLESS WORST MONTH	DD-126
AF66	FEEL DEPRESSED WORST MONTH	DD-126
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	DD-127
AF68	FEEL WORTHLESS WORST MONTH	DD-127
AF69	EMOTIONS INTERFERE W/WORK WORST MONTH	DD-128
AF7	SISTER EVER DIAGNOSED WITH BREAST CANCER	DD-46
AF70	EMOTIONS INTERFERE W/CHORES WORST MONTH	DD-128
AF71	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	DD-129
AF72	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	DD-129
AF8	NUMBER OF SISTERS WITH BREAST CANCER	DD-46
AG10	RESPONDENT USUALLY WORKS	DD-146
AG11	SPOUSE USUALLY WORKS	DD-149
AG20	LANGUAGE SPEAK WITH FRIENDS	DD-138
AG21	LANGUAGE OF TV, RADIO, NEWSPAPERS	DD-138
AG22	EVER SERVE IN U.S. ARMED FORCES	DD-143
AG8	WORK STATUS OF SPOUSE LAST WEEK	DD-149
AG9	TYPE OF EMPLOYER OF SPOUSE'S MAIN JOB	DD-150
AH1	HAVE USUAL SOURCE OF HEALTH CARE	DD-153
AH12	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-156
AH13A	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS	DD-20
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	DD-167
AH15A	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMATICS	DD-21
AH16	DELAY GETTING PRESCRIPTION IN PAST 12 MO	DD-191
AH22	DELAY OTHER MEDICAL CARE IN PAST 12 MOS	DD-193
AH3	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE	DD-154
AH33NEW	BORN IN U.S.	DD-134
AH34NEW	MOTHER BORN IN U.S.	DD-134
AH35NEW	FATHER BORN IN U.S.	DD-135
AH37	HOW WELL YOU SPEAK ENGLISH	DD-139
AH43A	LIVING WITH A PARENT	DD-142
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	DD-141
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MOS	DD-142
AH49	MEDICARE COVERAGE PROVIDED THROUGH HMO	DD-157
AH5	# TIMES SAW MD IN PAST 12 MOS	DD-184
AH50_P	NAME OF MEDICARE HMO PLAN (PUF RECODE)	DD-157
AH52	SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE	DD-158
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	DD-185
AH71	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000	DD-164
AH72	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000	DD-164
AH73	SPECIAL FUND TO PAY MEDICAL EXPENSES	DD-165
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-165
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-166

VARIABLE	LABEL	PAGE
AH77	FREE PRENATAL CARE DURING PAST 12 MOS	DD-167
AHCHLDC	AMOUNT SPENT ON CHILD CARE PER WEEK	DD-143
AHEDUC	EDUCATIONAL ATTAINMENT	DD-150
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	DD-159
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-159
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-162
AI22C	MAIN HEALTH PLAN IS HMO	DD-161
AI25	COVERED FOR PRESCRIPTION DRUGS	DD-163
AI25NEW	RX COVERAGE EDITED FOR MEDICAL/HF	DD-163
AI28	HOW LONG SINCE LAST HAD HEALTH INS	DD-166
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	DD-160
AI4	COVERED BY MEDICARE SUPPL POLICY	DD-158
AI45	MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN	DD-160
AI45A	MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-161
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	DD-130
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-190
AJ100	AMOUNT OF OWN MONEY SPENT ON CAREGIVING PAST MO	DD-204
AJ101	CURRENTLY PROVIDE CARE	DD-198
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	DD-190
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	DD-191
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	DD-194
AJ29	FEEL NERVOUS PAST 30 DAYS	DD-121
AJ30	FEEL HOPELESS PAST 30 DAYS	DD-122
AJ31	FEEL RESTLESS PAST 30 DAYS	DD-122
AJ32	FEEL DEPRESSED PAST 30 DAYS	DD-123
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-123
AJ34	FEEL WORTHLESS PAST 30 DAYS	DD-124
AJ50_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	DD-189
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	DD-186
AJ78	CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS	DD-187
AJ79	HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE	DD-187
AJ8	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	DD-188
AJ80	DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS	DD-188
AJ81	DELAYED PRESCRIPTION FOR ASTHMA	DD-192
AJ82	DELAYED PRESCRIPTION FOR DIABETES	DD-192
AJ83	DELAYED PRESCRIPTION FOR HEART DISEASE	DD-193
AJ84	DELAYED MEDICAL CARE FOR ASTHMA	DD-194
AJ85	DELAYED MEDICAL CARE FOR DIABETES	DD-195
AJ86	DELAYED MEDICAL CARE FOR HEART DISEASE	DD-195
AJ87	PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR	DD-196
AJ88	# OF PEOPLE PROVIDED CARE TO	DD-196
AJ89	PERSON NEEDED HELP FOR MORE THAN 3 MOS	DD-197
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	DD-189

VARIABLE	LABEL	PAGE
AJ90_P	RELATIONSHIP WITH PERSON YOU PROVIDE MOST HELP TO (PUF RECODE)	DD-197
AJ91	CARE RECIPIENT LIVES W/RESP	DD-198
AJ92	CARE RECIPIENT LIVES IN NURSING HOME	DD-199
AJ93	# HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WEEK	DD-199
AJ93UNT	# HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WK - UNIT	DD-200
AJ94	PAID FOR HELPING CARE RECIPIENT	DD-200
AJ95	LENGTH OF TIME HELP CARE FOR RECIPIENT	DD-201
AJ95UNT	LENGTH OF TIME HELP CARE FOR RECIPIENT - UNIT	DD-201
AJ96	EVER USED RESPITE CARE SERVICE	DD-202
AJ97	SOMEONE TO CARE FOR RECIPIENT IF RESP UNABLE	DD-202
AJ98	CARE RECIPIENT RECEIVED MEDI-CAL	DD-203
AJ99	ATTENDED MEDI-CAL TRAINING FOR LONG-TERM CAREGIVERS	DD-203
AK1	WORK STATUS LAST WEEK	DD-144
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	DD-208
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	DD-207
AK2	MAIN REASON FOR NOT WORKING LAST WEEK	DD-145
AK20	# OF HRS PER WEEK SPOUSE USUALLY WORKS	DD-207
AK22_P	HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)	DD-208
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	DD-220
AK25	OWN OR RENT HOME	DD-221
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	DD-224
AK3	# OF USUAL HRS WORKED PER WEEK	DD-205
AK4	TYPE OF EMPLOYER AT MAIN JOB	DD-148
AK7	LENGTH OF TIME WORKING AT MAIN JOB	DD-205
AK7UNT	TIME AT MAIN JOB: UNIT OF TIME	DD-206
AK8	HOW MANY PEOPLE WORK FOR EMPLOYER/YOU	DD-206
AKWKLNG	TIME AT MAIN JOB	DD-151
AL15	RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH	DD-217
AL16_P	TOTAL RECVD FROM ALIMONY/CHILD SUPPORT/GOVT (PUF RECODE)	DD-217
AL17	PAID ALIMONY OR CHILD SUPPORT LAST MONTH	DD-218
AL18A	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	DD-219
AL18B_P	TOTAL SOCIAL SECURITY/PENSION RECVD LAST MONTH (PUF RECODE)	DD-219
AL18_P	TOTAL ALIMONY/CHILD SUPPORT PAID LAST MONTH (PUF RECODE)	DD-218
AL2	CURRENTLY ON TANF OR CALWORKS	DD-215
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	DD-148
AL23	APPLIED FOR MEDI-CAL FOR SELF OR CHILD IN PAST 12 MOS	DD-220
AL5	RECEIVING FOOD STAMP BENEFITS	DD-215
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	DD-216
AL7	CURRENTLY ON WIC	DD-216
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	DD-209
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	DD-222

VARIABLE	LABEL	PAGE
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	DD-209
AM20	PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG WITH EACH OTHER	DD-222
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	DD-223
AM3	ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-210
AM34	TELEPHONE CALLS RECEIVED	DD-229
AM35	NEIGHBORHOOD WATCH OUT CHILDREN FOR SAFE	DD-223
AM36	DID VOLUNTEER WORK OR COMMUNITY SERVICES	DD-224
AM3A	HOW OFTEN ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-210
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	DD-211
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	DD-211
ASIAN8	ASIAN SUBTYPES- (8 TYPES) (PUF RECODE)	DD-11
ASNHP2_P	ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE), UNBRIDGED	DD-12
ASTCUR	CURRENT ASTHMA STATUS	DD-18
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA	DD-19
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA	DD-19
BINGE12	BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)	DD-98
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-103
CATRIBE	CALIFORNIA TRIBE	DD-10
CHORES	CHORE IMPAIRMENT PAST 12 MONTHS	DD-132
CITIZEN2	CITIZENSHIP STATUS - 3 LEVELS	DD-140
CNTRYF	COUNTRY FATHER BORN	DD-135
CNTRYM	COUNTRY MOTHER BORN	DD-136
CNTRYs	COUNTRY BORN	DD-136
CRC_SCRN	COMPLIANCE W/COLONOSCOPY/SIG/FOBT SCREEN TEST	DD-51
DIABCK	# OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH	DD-27
DIAMED	TAKING INSULIN OR PILLS	DD-28
DISABLE	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	DD-107
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-130
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	DD-186
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	DD-131
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	DD-131
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	DD-132
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-213
EM1	TAKE PRESCRIBED MEDICINE DAILY	DD-225
EM2	HAVE AT LEAST 2 WEEK SUPPLY OF ALL PRESCRIPTION DRUGS	DD-225
EM3	ABLE TO GET 2 WEEK SUPPLY OF ALL PRESCRIPTION DRUGS	DD-226
EM4CODE	REASON UNABLE GET 2-WK SUPPLY DRUGS	DD-226
EM5	# DAYS ABLE TO STAY AT HOME WITHOUT SHOPPING FOR ADD'L SUPPLIES	DD-227
EM6	HOW CONFIDENT COUNTY'S PUB HLTH SYS CAN RESPOND	DD-227

VARIABLE	LABEL	PAGE
EM7	HOW CONFIDENT COUNTY'S PUB HLTH SYS FAIRLY RESPOND	DD-228
ER	ER VISIT WITHIN THE PAST YEAR	DD-168
FAMILY	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	DD-152
FAMT4	FAMILY TYPE - 4 LVLS	DD-153
FAM_TYPE	FAMILY TYPE	DD-152
FOBT2	BLOOD STOOL TEST PAST 2 YEARS	DD-49
FRIED_PO	UNADJUSTED DAILY CUP EQUIVALENTS OF FRIED POTATOES	DD-85
FRUIT	UNADJUSTED DAILY CUP EQUIVALENTS OF FRUITS	DD-85
FSLEV	FOOD SECURITY STATUS LEVEL	DD-214
FSLEVCB	FOOD SECURITY STATUS - 2 LVLS	DD-214
FVNB2ADJ	VARIANCE-ADJ DAILY CUP EQUIV OF FRUITS/VEG EXCL BEANS	DD-88
FVNB2AJ	VARIANCE-ADJ DAILY CUP EQUIV FRUITS/VEG EXCL FRENCH FRIES & BEANS	DD-88
FV_NOBNS	DAILY CUP EQUIVALENTS OF FRUITS & VEGETABLES EXCLUDING BEANS	DD-86
FV_NOFBN	DAILY CUP EQUIVALENTS OF FRUITS/VEG EXCL FRENCH FRIES & BEANS	DD-87
HEIGHM_P	HEIGHT: METERS - UCLA (PUF RECODE)	DD-100
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	DD-99
HGHTM_P	HEIGHT: METERS (PUF RECODE)	DD-99
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-1
HHSMK	HOUSEHOLD SMOKING	DD-96
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-168
IHS_S	SPOUSE COVERED BY INDIAN HEALTH SERVICES	DD-169
IMPAIR	FUNCTIONAL ROLE IMPAIRMENT DUE TO EMOTIONS PAST 12 MONTHS	DD-133
INS	CURRENTLY INSURED	DD-169
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-170
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	DD-171
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	DD-171
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	DD-172
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	DD-172
INSANY	ANY INS IN LAST 12 MOS	DD-173
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-173
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	DD-174
INSMC	COVERED BY MEDICARE	DD-174
INSMC_S	SPOUSE COVERED BY MEDICARE	DD-175
INSMD	COVERED BY MEDI-CAL	DD-175
INSMD_S	SPOUSE COVERED BY MEDI-CAL	DD-176
INSOG	COVERED BY OTHER GOVT PLANS	DD-176
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	DD-177
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-177
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	DD-178
INSPS	PRIMARY OR SECONDARY COVERAGE	DD-178
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	DD-179
INSTYP_P	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (PUF	DD-180

VARIABLE	LABEL	PAGE
	RECODE)	
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-179
INS_S	SPOUSE CURRENTLY INSURED	DD-170
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
LANGHOME	LANGUAGE SPOKEN AT HOME	DD-137
LATIN9TP	LATIN/HISPANIC SUBTYPES - 9 LVLS	DD-4
MAM_SCRN	MAMMOGRAM IN PAST 2 YRS	DD-111
MARIT	MARITAL STATUS- 3 CATEGORIES	DD-14
MARIT2	MARITAL STATUS- 4 CATEGORIES	DD-15
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	DD-15
MODACTLE	MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY (EXCL WALK	DD-68
MODPA	MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY (INCL WALK	DD-68
NUMCIG	# OF CIGARETTES PER DAY	DD-95
NUMTAN12	# OF TIMES USED INDOOR TANNING DEVICE PAST 12 MOS	DD-90
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	DD-183
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	DD-184
OMBSRASO	OMB S-R NONHISPANIC ASIAN GROUP (ONLY)	DD-6
OMBSRREO	OMB/CURRENT DOF RACE - ETHNICITY	DD-6
OVRWT	OVERWEIGHT OR OBESE	DD-104
PCTLF_P	PERCENT LIFE IN US (PUF RECODE)	DD-141
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL(PUF RECODE)	DD-212
POVLL	POVERTY LEVEL	DD-212
POVLL2_P	POVERTY LEVEL - 100% FPL (PUF RECODE)	DD-213
PROXY	A PROXY INTERVIEW	DD-2
PSA_SCRN	PROSTATE SCREENING PAST YEAR	DD-56
PUF_ID	PUBLIC USE FILE ID	DD-1
RACECEN	RACE - CENSUS 2000 DEFINITION	DD-7
RACEDOF	FORMER DOF RACE - ETHNICITY	DD-7
RACEHPR2	RACE - UCLA CHPR DEFINITION, UNBRIDGED	DD-8
RAKEDW0	CHIS2009 RAKED WEIGHT - FULL SAMPLE	DD-232
RAKEDW1	CHIS2009 RAKED WEIGHT - REPLICATE 1	DD-233
RAKEDW10	CHIS2009 RAKED WEIGHT - REPLICATE 10	DD-236
RAKEDW11	CHIS2009 RAKED WEIGHT - REPLICATE 11	DD-236
RAKEDW12	CHIS2009 RAKED WEIGHT - REPLICATE 12	DD-236
RAKEDW13	CHIS2009 RAKED WEIGHT - REPLICATE 13	DD-237
RAKEDW14	CHIS2009 RAKED WEIGHT - REPLICATE 14	DD-237
RAKEDW15	CHIS2009 RAKED WEIGHT - REPLICATE 15	DD-237
RAKEDW16	CHIS2009 RAKED WEIGHT - REPLICATE 16	DD-238
RAKEDW17	CHIS2009 RAKED WEIGHT - REPLICATE 17	DD-238
RAKEDW18	CHIS2009 RAKED WEIGHT - REPLICATE 18	DD-238
RAKEDW19	CHIS2009 RAKED WEIGHT - REPLICATE 19	DD-239
RAKEDW2	CHIS2009 RAKED WEIGHT - REPLICATE 2	DD-233

VARIABLE	LABEL	PAGE
RAKEDW20	CHIS2009 RAKED WEIGHT - REPLICATE 20	DD-239
RAKEDW21	CHIS2009 RAKED WEIGHT - REPLICATE 21	DD-239
RAKEDW22	CHIS2009 RAKED WEIGHT - REPLICATE 22	DD-240
RAKEDW23	CHIS2009 RAKED WEIGHT - REPLICATE 23	DD-240
RAKEDW24	CHIS2009 RAKED WEIGHT - REPLICATE 24	DD-240
RAKEDW25	CHIS2009 RAKED WEIGHT - REPLICATE 25	DD-241
RAKEDW26	CHIS2009 RAKED WEIGHT - REPLICATE 26	DD-241
RAKEDW27	CHIS2009 RAKED WEIGHT - REPLICATE 27	DD-241
RAKEDW28	CHIS2009 RAKED WEIGHT - REPLICATE 28	DD-242
RAKEDW29	CHIS2009 RAKED WEIGHT - REPLICATE 29	DD-242
RAKEDW3	CHIS2009 RAKED WEIGHT - REPLICATE 3	DD-233
RAKEDW30	CHIS2009 RAKED WEIGHT - REPLICATE 30	DD-242
RAKEDW31	CHIS2009 RAKED WEIGHT - REPLICATE 31	DD-243
RAKEDW32	CHIS2009 RAKED WEIGHT - REPLICATE 32	DD-243
RAKEDW33	CHIS2009 RAKED WEIGHT - REPLICATE 33	DD-243
RAKEDW34	CHIS2009 RAKED WEIGHT - REPLICATE 34	DD-244
RAKEDW35	CHIS2009 RAKED WEIGHT - REPLICATE 35	DD-244
RAKEDW36	CHIS2009 RAKED WEIGHT - REPLICATE 36	DD-244
RAKEDW37	CHIS2009 RAKED WEIGHT - REPLICATE 37	DD-245
RAKEDW38	CHIS2009 RAKED WEIGHT - REPLICATE 38	DD-245
RAKEDW39	CHIS2009 RAKED WEIGHT - REPLICATE 39	DD-245
RAKEDW4	CHIS2009 RAKED WEIGHT - REPLICATE 4	DD-234
RAKEDW40	CHIS2009 RAKED WEIGHT - REPLICATE 40	DD-246
RAKEDW41	CHIS2009 RAKED WEIGHT - REPLICATE 41	DD-246
RAKEDW42	CHIS2009 RAKED WEIGHT - REPLICATE 42	DD-246
RAKEDW43	CHIS2009 RAKED WEIGHT - REPLICATE 43	DD-247
RAKEDW44	CHIS2009 RAKED WEIGHT - REPLICATE 44	DD-247
RAKEDW45	CHIS2009 RAKED WEIGHT - REPLICATE 45	DD-247
RAKEDW46	CHIS2009 RAKED WEIGHT - REPLICATE 46	DD-248
RAKEDW47	CHIS2009 RAKED WEIGHT - REPLICATE 47	DD-248
RAKEDW48	CHIS2009 RAKED WEIGHT - REPLICATE 48	DD-248
RAKEDW49	CHIS2009 RAKED WEIGHT - REPLICATE 49	DD-249
RAKEDW5	CHIS2009 RAKED WEIGHT - REPLICATE 5	DD-234
RAKEDW50	CHIS2009 RAKED WEIGHT - REPLICATE 50	DD-249
RAKEDW51	CHIS2009 RAKED WEIGHT - REPLICATE 51	DD-249
RAKEDW52	CHIS2009 RAKED WEIGHT - REPLICATE 52	DD-250
RAKEDW53	CHIS2009 RAKED WEIGHT - REPLICATE 53	DD-250
RAKEDW54	CHIS2009 RAKED WEIGHT - REPLICATE 54	DD-250
RAKEDW55	CHIS2009 RAKED WEIGHT - REPLICATE 55	DD-251
RAKEDW56	CHIS2009 RAKED WEIGHT - REPLICATE 56	DD-251
RAKEDW57	CHIS2009 RAKED WEIGHT - REPLICATE 57	DD-251
RAKEDW58	CHIS2009 RAKED WEIGHT - REPLICATE 58	DD-252
RAKEDW59	CHIS2009 RAKED WEIGHT - REPLICATE 59	DD-252
RAKEDW6	CHIS2009 RAKED WEIGHT - REPLICATE 6	DD-234
RAKEDW60	CHIS2009 RAKED WEIGHT - REPLICATE 60	DD-252

VARIABLE	LABEL	PAGE
RAKEDW61	CHIS2009 RAKED WEIGHT - REPLICATE 61	DD-253
RAKEDW62	CHIS2009 RAKED WEIGHT - REPLICATE 62	DD-253
RAKEDW63	CHIS2009 RAKED WEIGHT - REPLICATE 63	DD-253
RAKEDW64	CHIS2009 RAKED WEIGHT - REPLICATE 64	DD-254
RAKEDW65	CHIS2009 RAKED WEIGHT - REPLICATE 65	DD-254
RAKEDW66	CHIS2009 RAKED WEIGHT - REPLICATE 66	DD-254
RAKEDW67	CHIS2009 RAKED WEIGHT - REPLICATE 67	DD-255
RAKEDW68	CHIS2009 RAKED WEIGHT - REPLICATE 68	DD-255
RAKEDW69	CHIS2009 RAKED WEIGHT - REPLICATE 69	DD-255
RAKEDW7	CHIS2009 RAKED WEIGHT - REPLICATE 7	DD-235
RAKEDW70	CHIS2009 RAKED WEIGHT - REPLICATE 70	DD-256
RAKEDW71	CHIS2009 RAKED WEIGHT - REPLICATE 71	DD-256
RAKEDW72	CHIS2009 RAKED WEIGHT - REPLICATE 72	DD-256
RAKEDW73	CHIS2009 RAKED WEIGHT - REPLICATE 73	DD-257
RAKEDW74	CHIS2009 RAKED WEIGHT - REPLICATE 74	DD-257
RAKEDW75	CHIS2009 RAKED WEIGHT - REPLICATE 75	DD-257
RAKEDW76	CHIS2009 RAKED WEIGHT - REPLICATE 76	DD-258
RAKEDW77	CHIS2009 RAKED WEIGHT - REPLICATE 77	DD-258
RAKEDW78	CHIS2009 RAKED WEIGHT - REPLICATE 78	DD-258
RAKEDW79	CHIS2009 RAKED WEIGHT - REPLICATE 79	DD-259
RAKEDW8	CHIS2009 RAKED WEIGHT - REPLICATE 8	DD-235
RAKEDW80	CHIS2009 RAKED WEIGHT - REPLICATE 80	DD-259
RAKEDW9	CHIS2009 RAKED WEIGHT - REPLICATE 9	DD-235
RBMI	BMI DESCRIPTIVE	DD-104
REGACTLE	REGULAR, SOME OR NO PHYSICAL ACTIVITY (EXCL WALK)	DD-70
REGPA	REGULAR, SOME OR NO PHYSICAL ACTIVITY (INCL WALK)	DD-69
RSN_UNI2	REASON FOR UNINSURED STATUS ANYTIME PAST 12 MONTHS	DD-181
RSN_UNIN	REASON FOR CURRENTLY UNINSURED STATUS	DD-182
SCBRSCAN	1+ SIBLING AND/OR CHILD DIAGNOSED WITH COLON/RECTAL CANCER	DD-48
SECTION A	DEMOGRAPHIC INFORMATION, PART I	DD-3
SECTION B	HEALTH CONDITIONS	DD-16
SECTION C	HEALTH BEHAVIORS	DD-59
SECTION D	GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH	DD-98
SECTION E	WOMEN'S HEALTH	DD-107
SECTION EM	EMERGENCY PREPAREDNESS MODULE	DD-225
SECTION F	MENTAL HEALTH	DD-121
SECTION G	DEMOGRAPHIC INFORMATION, PART II	DD-134
SECTION H	HEALTH INSURANCE	DD-153
SECTION J	HEALTH CARE UTILIZATION AND ACCESS, VIOLENCE	DD-184
SECTION K	EMPLOYMENT, INCOME, POVERTY STATUS, FOOD SECURITY	DD-204
SECTION L	PUBLIC PROGRAM PARTICIPATION	DD-215
SECTION M	HOUSING AND SOCIAL COHESION	DD-220
SECTION N	DEMOGRAPHIC INFORMATION PART III	DD-228

VARIABLE	LABEL	PAGE
SECTION O	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-232
SECTION Q	SCREENING INFORMATION	DD-1
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	DD-144
SMKCUR	CURRENT SMOKER	DD-94
SMOKING	CURRENT SMOKING HABITS	DD-95
SOCIAL	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	DD-133
SPK_ENG	ENGLISH USE AND PROFICIENCY	DD-139
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-8
SRAGE_P	AGE (PUF RECODE)	DD-3
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-9
SRAS	SELF-REPORTED ASIAN	DD-9
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-9
SRCH	SELF-REPORTED CHINESE	DD-10
SRH	SELF-REPORTED LATINO/HISPANIC	DD-5
SRKR	SELF-REPORTED KOREAN	DD-12
SRO	SELF-REPORTED OTHER RACE	DD-5
SRPH	SELF-REPORTED FILIPINO	DD-13
SRPI	SELF-REPORTED PI AND NTV HW	DD-13
SRSEX	GENDER	DD-4
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-3
SRVT	SELF-REPORTED VIETNAMESE	DD-13
SRW	SELF-REPORTED WHITE	DD-14
SUG2_ADJ	VARIANCE-ADJ DAILY TEASPOONS OF ADDED SUGAR	DD-89
SUGAR2	DAILY TEASPOONS OF ADDED SUGAR	DD-87
SUG_BEV	UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN ALL BEVERAGES	DD-84
SUG_COFF	UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN COFFEE AND TEA	DD-84
SUG_ENGD	UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN FRUIT/ENERGY DRINKS	DD-82
SUG_ICRM	UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN ICE CREAM	DD-83
SUG_PAST	UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN PASTRIES	DD-83
SUG_SODA	UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN SODA	DD-82
TIMEAD	LENGTH OF TIME LIVED AT CURRENT ADDRESS (IN MONTHS)	DD-221
UNINSANY	UNINSURED IN PAST 12 MOS	DD-183
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-229
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-230
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-230
UR_IHS	RURAL AND URBAN - IHS	DD-231
UR_OMB	RURAL AND URBAN - OMB	DD-231
UR_RHP	RURAL AND URBAN - RHP	DD-231
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-232
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-154
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-155
USUAL5TP	USUAL SOURCE OF CARE - 5 LVLS	DD-156

VARIABLE	LABEL	PAGE
USUAL_TP	USUAL SOURCE OF CARE - 7 LVLS	DD-155
VEG_OTH	UNADJUSTED DAILY CUP EQUIVALENTS OF OTHER VEGETABLES	DD-86
VIGACTLE	VIGOROUS LEISURE ACTIVITY FOR 3 DAYS/WK AND 20 MIN/DAY	DD-69
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	DD-100
WGHTK_P	WEIGHT: KG (PUF RECODE)	DD-101
WGHTP_P	WEIGHT: LBS (PUF RECODE)	DD-101
WORK	WORK IMPAIRMENT PAST 12 MONTHS	DD-146
WRKST	WORKING STATUS	DD-147
WRKST_S	SPOUSE WORKING STATUS	DD-147
WT18K_P	WEIGHT AT 18: KILOS (PUF RECODE)	DD-102
WT18P_P	WEIGHT AT 18: LBS (PUF RECODE)	DD-102
YRUS	YEARS LIVED IN THE U.S.	DD-140

B. Variable name (by Location in CHIS 2009 Adult Questionnaire)

VARIABLE	LABEL	PAGE
SECTION Q	SCREENING INFORMATION	DD-1
PUF_ID	PUBLIC USE FILE ID	DD-1
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-1
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
PROXY	A PROXY INTERVIEW	DD-2
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-3
SECTION A	DEMOGRAPHIC INFORMATION, PART I	DD-3
SRAGE_P	AGE (PUF RECODE)	DD-3
SRSEX	GENDER	DD-4
LATIN9TP	LATIN/HISPANIC SUBTYPES - 9 LVLS	DD-4
SRH	SELF-REPORTED LATINO/HISPANIC	DD-5
SRO	SELF-REPORTED OTHER RACE	DD-5
OMBSRASO	OMB S-R NONHISPANIC ASIAN GROUP (ONLY)	DD-6
OMBSRREO	OMB/CURRENT DOF RACE - ETHNICITY	DD-6
RACECEN	RACE - CENSUS 2000 DEFINITION	DD-7
RACEDOF	FORMER DOF RACE - ETHNICITY	DD-7
RACEHPR2	RACE - UCLA CHPR DEFINITION, UNBRIDGED	DD-8
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-8
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-9
SRAS	SELF-REPORTED ASIAN	DD-9
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-9
SRCH	SELF-REPORTED CHINESE	DD-10
CATRIBE	CALIFORNIA TRIBE	DD-10
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-11
ASIAN8	ASIAN SUBTYPES- (8 TYPES) (PUF RECODE)	DD-11
ASNHP2_P	ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE), UNBRIDGED	DD-12
SRKR	SELF-REPORTED KOREAN	DD-12
SRPH	SELF-REPORTED FILIPINO	DD-13
SRPI	SELF-REPORTED PI AND NTV HW	DD-13
SRVT	SELF-REPORTED VIETNAMESE	DD-13
SRW	SELF-REPORTED WHITE	DD-14
MARIT	MARITAL STATUS- 3 CATEGORIES	DD-14
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	DD-15
MARIT2	MARITAL STATUS- 4 CATEGORIES	DD-15
SECTION B	HEALTH CONDITIONS	DD-16
AB1	GENERAL HEALTH CONDITION	DD-16
AB17	DOCTOR EVER TOLD HAVE ASTHMA	DD-17
AB40	STILL HAS ASTHMA	DD-17
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-18
ASTCUR	CURRENT ASTHMA STATUS	DD-18
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA	DD-19

VARIABLE	LABEL	PAGE
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA	DD-19
AB19	HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS	DD-20
AH13A	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS	DD-20
AB106_P	ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF)	DD-21
AH15A	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMATICS	DD-21
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	DD-22
AB66	HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMATICS	DD-22
AB67	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: PREVIOUS ASTHMATICS	DD-23
AB80	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: PREVIOUS ASTHMATICS	DD-23
AB42	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS	DD-24
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-24
AB98	HAVE WRITTEN COPY OF ASTHMA CARE PLAN	DD-25
AB108	CONFIDENCE TO CONTROL AND MANAGE ASTHMA	DD-25
AB22	DOCTOR EVER TOLD HAVE DIABETES	DD-26
AB99	DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES	DD-26
AB23_P	AGE FIRST TOLD HAVE DIABETES (PUF RECODE)	DD-27
DIABCK	# OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH	DD-27
DIAMED	TAKING INSULIN OR PILLS	DD-28
AB51	TYPE I OR TYPE II DIABETES	DD-28
AB24	CURRENTLY TAKING INSULIN	DD-29
AB121_P	METHOD OF TAKING INSULIN (PUF RECODE)	DD-29
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	DD-30
AB122	TAKE MEDICINE TO LOWER CHOLESTEROL	DD-30
AB123	TAKE ASPIRIN REGULARLY TO REDUCE HEART ATTACK RISK	DD-31
AB124	TAKE OTHER MEDICATIONS TO REDUCE HEART ATTACK RISK	DD-31
AB26	# OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE	DD-32
AB26UNT	# OF TIMES CHECK BLOOD FOR GLUCOSE - UNIT	DD-32
AB27	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A ONE C LAST YR	DD-33
AB28	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR	DD-33
AB63	LAST EYE EXAM DILATED PUPILS	DD-34
AB109	VISITED ER FOR DIABETES IN PAST 12 MOS	DD-34
AB110_P	VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE)	DD-35
AB111	ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS	DD-35
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE	DD-36
AB113	HAVE WRITTEN COPY OF DIABETES CARE PLAN	DD-36
AB114	CONFIDENCE TO CONTROL AND MANAGE DIABETE	DD-37
AB81	DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY	DD-37

VARIABLE	LABEL	PAGE
AB126	HAD A FASTING BLOOD SUGAR TEST AFTER PREGNANCY	DD-38
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	DD-38
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	DD-39
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	DD-39
AB52	EVER TOLD HAVE HEART FAILURE/CONGESTIVE	DD-40
AB115	VISITED ER FOR HEART DISEASE IN PAST 12 MOS	DD-40
AB116_P	VISITED ER FOR HEART DX B/C UNABLE TO SEE OWN DR (PUF RECODE)	DD-41
AB117	ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS	DD-41
AB118	MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN	DD-42
AB119	HAVE WRITTEN COPY OF HEART DISEASE CARE	DD-42
AB120	CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE	DD-43
AE30	FLU SHOT IN PAST 12 MOS	DD-43
AB100	HAD FLU SHOT OR NASAL FLU VACCINE	DD-44
AB57	KIND OF PLACE GOT LAST FLU SHOT	DD-44
AF4	BLOOD RELATIVE EVER HAVE ANY KIND CANCER	DD-45
AF6	MOTHER EVER DIAGNOSED WITH BREAST CANCER	DD-45
AF7	SISTER EVER DIAGNOSED WITH BREAST CANCER	DD-46
AF8	NUMBER OF SISTERS WITH BREAST CANCER	DD-46
AB101_1	MOTHER DIAGNOSED WITH COLON/RECTAL CANCER	DD-47
AB101_2	FATHER DIAGNOSED WITH COLON/RECTAL CANCER	DD-47
SCBRSCAN	1+ SIBLING AND/OR CHILD DIAGNOSED WITH COLON/RECTAL CANCER	DD-48
AF22	EVER HAD HOME BLOOD STOOL TEST	DD-48
FOBT2	BLOOD STOOL TEST PAST 2 YEARS	DD-49
AF24	WHEN WAS MOST RECENT HOME BLOOD STOOL TEST	DD-49
AB83	MAIN REASON MOST RECENT BLOOD STOOL TEST	DD-50
AB84	EVER HAD A COLONOSCOPY	DD-50
AB85	MOST RECENT COLONOSCOPY EXAM	DD-51
CRC_SCRN	COMPLIANCE W/COLONOSCOPY/SIG/FOBT SCREEN TEST	DD-51
AB86	MAIN REASON MOST RECENT COLONOSCOPY	DD-52
AB87	EVER HAD A SIGMOIDOSCOPY	DD-52
AB88	MOST RECENT SIGMOIDOSCOPY EXAM	DD-53
AB89	MAIN REASON MOST RECENT SIGMOIDOSCOPY	DD-53
AB90	PAST 5 YRS DOCTOR RECOMMENDED COLON TESTS	DD-54
AF20	MAIN REASON NO SIGMOID/COLONOSCOPY IN PAST 10 YRS	DD-54
AF30	EVER HEARD OF PSA TEST	DD-55
AF31	EVER HAD A PSA TEST	DD-55
PSA_SCRN	PROSTATE SCREENING PAST YEAR	DD-56
AF33	WHEN WAS MOST RECENT PSA TEST	DD-56
AF34	MAIN REASON FOR LAST PSA TEST	DD-57
AB103	DOC EVER TALKED ADVANTAGE/DISADVANTAGE OF PSA TEST	DD-57
AB104	DOC EVER TOLD DIFFERENT DR'S RECOMMENDATION FOR PSA TEST	DD-58

VARIABLE	LABEL	PAGE
AB105	DOC EVER RECOMMENDED PSA TEST	DD-58
SECTION C	HEALTH BEHAVIORS	DD-59
AD37W	WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	DD-59
AD38W	# TIMES WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	DD-59
AD39W	AVERAGE LENGTH OF TIME WALKED FOR TRANSPORTION	DD-60
AD39WUNT	AVERAGE LENGTH OF TIME WALKED FOR TRANSPORT - UNIT	DD-60
AD40W	WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-61
AD41W	# TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-61
AD42W	AVERAGE LENGTH OF TIME WALKED FOR LEISURE	DD-62
AD42WUNT	AVERAGE LENGTH OF TIME WALKED FOR LEISURE- UNIT	DD-62
AE26	MODERATE PHYSICAL ACTIVITIES IN PAST 7 DAYS	DD-63
AE27	# DAYS MODERATE PHYSICAL ACTIVITY IN PAST WEEK	DD-63
AE27A	TIME PER DAY OF MODERATE PHYSICAL ACTIVITY	DD-64
AE27AMIN	AVG LENGTH OF MODERATE ACTIVITY PER DAY	DD-64
AE27AUNT	TIME PER DAY OF MODERATE PHYS ACTIVITY - UNIT	DD-65
AE24	HARD/VIGOROUS EXERCISE IN PAST 7 DAYS	DD-65
AE25	# DAYS DID VIGOROUS PHYSICAL ACTIVITY IN PAST WEEK	DD-66
AE25A	TIME PER DAY OF VIGOROUS PHYSICAL ACTIVITY	DD-66
AE25AMIN	AVG LENGTH OF VIGOROUS ACTIVITY PER DAY	DD-67
AE25AUNT	TIME PER DAY OF VIGOROUS PHYS ACTIVITY - UNIT	DD-67
MODPA	MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY (INCL WALK)	DD-68
MODACTLE	MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY (EXCL WALK)	DD-68
REGPA	REGULAR, SOME OR NO PHYSICAL ACTIVITY (INCL WALK)	DD-69
VIGACTLE	VIGOROUS LEISURE ACTIVITY FOR 3 DAYS/WK AND 20 MIN/DAY	DD-69
REGACTLE	REGULAR, SOME OR NO PHYSICAL ACTIVITY (EXCL WALK)	DD-70
AE2	# TIMES ATE FRUIT IN PAST MO	DD-70
AE2UNT	# OF TIMES ATE FRUIT IN PAST MO - UNIT	DD-71
AE3	# TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO	DD-71
AE3UNT	# TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO- UNIT	DD-72
AE7	# OF TIMES ATE VEGETABLES IN PAST MO	DD-72
AE7UNT	# OF TIMES ATE VEGETABLES IN PAST MO - UNIT	DD-73
AE_FRIES	# OF TIME EATING FRIES PER WEEK	DD-73
AE_FRUIT	# OF TIMES EATING FRUIT PER WEEK	DD-74
AC11	# OF TIMES DRANK SODA LAST MONTH	DD-74
AC11UNT	# OF TIMES DRANK SODA LAST MONTH - UNIT	DD-75
AC12	# OF TIMES DRANK FRUIT-FLAV LAST MONTH	DD-75
AC12UNT	# OF TIMES DRANK FRUIT-FLAV LAST MONTH - UNIT	DD-76
AC41	# OF TIMES DRANK SWEETENED FRUIT DRINKS LAST MONTH	DD-76
AC41UNT	# OF TIMES DRANK SWEETENED FRUIT DRINKS LAST MONTH - UNIT	DD-77
AC36	# OF TIMES DRANK SWEETENED COFFEE/TEA LAST MONTH	DD-77
AC36UNT	# OF TIMES DRANK SWEETENED COFFEE/TEA LAST MONTH - UNIT	DD-78

VARIABLE	LABEL	PAGE
AE_SODA	# OF TIMES DRINKING SODA PER WEEK	DD-78
AC13	# OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH	DD-79
AC13UNT	# OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH - UNIT	DD-79
AE_VEGI	# OF TIMES EATING VEGETABLES PER WEEK	DD-80
AC14	# OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH	DD-80
AC14UNT	# OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH - UNIT	DD-81
AC31	# TIMES ATE FAST FOOD PAST WEEK	DD-81
SUG_SODA	UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN SODA	DD-82
SUG_ENGD	UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN FRUIT/ENERGY DRINKS	DD-82
SUG_PAST	UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN PASTRIES	DD-83
SUG_ICRM	UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN ICE CREAM	DD-83
SUG_COFF	UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN COFFEE AND TEA	DD-84
SUG_BEV	UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN ALL BEVERAGES	DD-84
FRUIT	UNADJUSTED DAILY CUP EQUIVALENTS OF FRUITS	DD-85
FRIED_PO	UNADJUSTED DAILY CUP EQUIVALENTS OF FRIED POTATOES	DD-85
VEG_OTH	UNADJUSTED DAILY CUP EQUIVALENTS OF OTHER VEGETABLES	DD-86
FV_NOBNS	DAILY CUP EQUIVALENTS OF FRUITS & VEGETABLES EXCLUDING BEANS	DD-86
FV_NOFBN	DAILY CUP EQUIVALENTS OF FRUITS/VEG EXCL FRENCH FRIES & BEANS	DD-87
SUGAR2	DAILY TEASPOONS OF ADDED SUGAR	DD-87
FVNB2ADJ	VARIANCE-ADJ DAILY CUP EQUIV OF FRUITS/VEG EXCL BEANS	DD-88
FVNF2AJ	VARIANCE-ADJ DAILY CUP EQUIV FRUITS/VEG EXCL FRENCH FRIES & BEANS	DD-88
SUG2_ADJ	VARIANCE-ADJ DAILY TEASPOONS OF ADDED SUGAR	DD-89
AF13	TIMES SUNBURNED PAST 12 MOS	DD-89
NUMTAN12	# OF TIMES USED INDOOR TANNING DEVICE PAST 12 MOS	DD-90
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	DD-90
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	DD-91
AD32	# OF CIGARETTES PER DAY	DD-91
AC40	# OF CIGARETTES USUALLY SMOKE PER DAY	DD-92
AE16	# OF CIGARETTES PER DAY	DD-92
AC38YR	# YEARS SMOKED CIGARETTES REGULARLY	DD-93
AC17	SMOKING EVER ALLOWED INSIDE HOME	DD-93
AD34	# OF DAYS PER WEEK ANY SMOKING INSIDE HOME	DD-94
SMKCUR	CURRENT SMOKER	DD-94
SMOKING	CURRENT SMOKING HABITS	DD-95
NUMCIG	# OF CIGARETTES PER DAY	DD-95
HHSMK	HOUSEHOLD SMOKING	DD-96
AC32	HAD ALCOHOL PAST 12 MONTHS	DD-96
AC34	# DAYS HAD 5+ DRINKS PAST 12 MONTHS	DD-97
AC35	# DAYS HAD 4+ DRINKS PAST 12 MONTHS	DD-97
BINGE12	BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+	DD-98

VARIABLE	LABEL	PAGE
	DRINKS (FEMALE)	
SECTION D	GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH	DD-98
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	DD-99
HGHTM_P	HEIGHT: METERS (PUF RECODE)	DD-99
HEIGHM_P	HEIGHT: METERS - UCLA (PUF RECODE)	DD-100
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	DD-100
WGHTK_P	WEIGHT: KG (PUF RECODE)	DD-101
WGHTP_P	WEIGHT: LBS (PUF RECODE)	DD-101
WT18K_P	WEIGHT AT 18: KILOS (PUF RECODE)	DD-102
WT18P_P	WEIGHT AT 18: LBS (PUF RECODE)	DD-102
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	DD-103
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-103
RBMI	BMI DESCRIPTIVE	DD-104
OVWRT	OVERWEIGHT OR OBESE	DD-104
AD57	CONDITION LIMITS BASIC PHYS ACTIVITY	DD-105
AD51	HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING	DD-105
AD52	HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND	DD-105
AD53	HAS DIFFICULTY GOING OUTSIDE HOME ALONE	DD-106
AD54	HAS DIFFICULTY WORKING AT A JOB	DD-106
DISABLE	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	DD-107
SECTION E	WOMEN'S HEALTH	DD-107
AD1	AGE WHEN PERIOD STARTED	DD-107
AD13	CURRENTLY PREGNANT	DD-108
AE89_P	STILL HAVE MENSTRUAL CYCLE (PUF RECODE)	DD-108
AE90	TIME SINCE LAST MENSTRUAL CYCLE	DD-109
AD2	EVER GIVEN BIRTH TO LIVE INFANT	DD-109
AD3	AGE WHEN FIRST CHILD WAS BORN	DD-110
AF37	DOCTOR EXAMINED BREASTS FOR LUMPS PAST 12 MOS	DD-110
AD14	EVER HAD A MAMMOGRAM	DD-111
MAM_SCRN	MAMMOGRAM IN PAST 2 YRS	DD-111
AD16	# OF MAMMOGRAMS IN LAST 6 YRS	DD-112
AD17	HOW LONG SINCE MOST RECENT MAMMOGRAM	DD-112
AE50	MOST RECENT MAMMOGRAM RECOMENDED BY DOCT	DD-113
AD18	MAIN REASON FOR HAVING MAMMOGRAM	DD-113
AD19	EVER HAD MAMMOGRAM W/ ABNORMAL RESULTS?	DD-114
AD20	EVER HAD OPERATION TO REMOVE LUMP FROM BREAST	DD-114
AD21	DID THE LUMP TURN OUT TO BE CANCER?	DD-115
AD22	# OF BREAST OPERATIONS TO REMOVE NONCANCER	DD-115
AB60	HOW FIRST FOUND BREAST CANCER	DD-116
AD23	TESTS/SURGERY WHEN MAMMOGRAM ABNORMAL	DD-116
AD26	DOCTOR RECOMMENDED MAMMOGRAM IN PAST TWO YRS	DD-117
AD25	MAIN REASON FOR HAVING NO MAMMOGRAM	DD-117
AF47	EVER TAKEN HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE	DD-118
AD28	CURRENTLY TAKING HORMONE REPLACEMENT SUPPLEMENTS FOR	DD-118

VARIABLE	LABEL	PAGE
	MENOPAUSE	
AF48	HOW LONG AGO STOPPED USING HORMONE REPLACEMENT SUPPLEMENTS	DD-119
AE84	# YRS TAKEN HRT	DD-119
AE51	CURRENTLY TAKING TAMOXIFEN OR MALVADEX	DD-120
AE52	CURRENTLY TAKING RALOXIFEN OR EVISTA	DD-120
SECTION F	MENTAL HEALTH	DD-121
AJ29	FEEL NERVOUS PAST 30 DAYS	DD-121
AJ30	FEEL HOPELESS PAST 30 DAYS	DD-122
AJ31	FEEL RESTLESS PAST 30 DAYS	DD-122
AJ32	FEEL DEPRESSED PAST 30 DAYS	DD-123
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-123
AJ34	FEEL WORTHLESS PAST 30 DAYS	DD-124
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	DD-124
AF63	FEEL NERVOUS WORST MONTH	DD-125
AF64	FEEL HOPELESS WORST MONTH	DD-125
AF65	FEEL RESTLESS WORST MONTH	DD-126
AF66	FEEL DEPRESSED WORST MONTH	DD-126
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	DD-127
AF68	FEEL WORTHLESS WORST MONTH	DD-127
AF69	EMOTIONS INTERFERE W/WORK WORST MONTH	DD-128
AF70	EMOTIONS INTERFERE W/CHORES WORST MONTH	DD-128
AF71	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	DD-129
AF72	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	DD-129
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	DD-130
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-130
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	DD-131
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	DD-131
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	DD-132
CHORES	CHORE IMPAIRMENT PAST 12 MONTHS	DD-132
IMPAIR	FUNCTIONAL ROLE IMPAIRMENT DUE TO EMOTIONS PAST 12 MONTHS	DD-133
SOCIAL	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	DD-133
SECTION G	DEMOGRAPHIC INFORMATION, PART II	DD-134
AH33NEW	BORN IN U.S.	DD-134
AH34NEW	MOTHER BORN IN U.S.	DD-134
AH35NEW	FATHER BORN IN U.S.	DD-135
CNTRYF	COUNTRY FATHER BORN	DD-135
CNTRYM	COUNTRY MOTHER BORN	DD-136
CNTRY S	COUNTRY BORN	DD-136
LANGHOME	LANGUAGE SPOKEN AT HOME	DD-137
AG20	LANGUAGE SPEAK WITH FRIENDS	DD-138
AG21	LANGUAGE OF TV, RADIO, NEWSPAPERS	DD-138
AH37	HOW WELL YOU SPEAK ENGLISH	DD-139
SPK_ENG	ENGLISH USE AND PROFICIENCY	DD-139

VARIABLE	LABEL	PAGE
CITIZEN2	CITIZENSHIP STATUS - 3 LEVELS	DD-140
YRUS	YEARS LIVED IN THE U.S.	DD-140
PCTLF_P	PERCENT LIFE IN US (PUF RECODE)	DD-141
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	DD-141
AH43A	LIVING WITH A PARENT	DD-142
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MOS	DD-142
AHCHLDC	AMOUNT SPENT ON CHILD CARE PER WEEK	DD-143
AG22	EVER SERVE IN U.S. ARMED FORCES	DD-143
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	DD-144
AK1	WORK STATUS LAST WEEK	DD-144
AK2	MAIN REASON FOR NOT WORKING LAST WEEK	DD-145
AG10	RESPONDENT USUALLY WORKS	DD-146
WORK	WORK IMPAIRMENT PAST 12 MONTHS	DD-146
WRKST	WORKING STATUS	DD-147
WRKST_S	SPOUSE WORKING STATUS	DD-147
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	DD-148
AK4	TYPE OF EMPLOYER AT MAIN JOB	DD-148
AG8	WORK STATUS OF SPOUSE LAST WEEK	DD-149
AG11	SPOUSE USUALLY WORKS	DD-149
AG9	TYPE OF EMPLOYER OF SPOUSE'S MAIN JOB	DD-150
AHEDUC	EDUCATIONAL ATTAINMENT	DD-150
AKWKLNG	TIME AT MAIN JOB	DD-151
FAM_TYPE	FAMILY TYPE	DD-152
FAMILY	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	DD-152
FAMT4	FAMILY TYPE - 4 LVLS	DD-153
SECTION H	HEALTH INSURANCE	DD-153
AH1	HAVE USUAL SOURCE OF HEALTH CARE	DD-153
AH3	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE	DD-154
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-154
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-155
USUAL_TP	USUAL SOURCE OF CARE - 7 LVLS	DD-155
USUAL5TP	USUAL SOURCE OF CARE - 5 LVLS	DD-156
AH12	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-156
AH49	MEDICARE COVERAGE PROVIDED THROUGH HMO	DD-157
AH50_P	NAME OF MEDICARE HMO PLAN (PUF RECODE)	DD-157
AI4	COVERED BY MEDICARE SUPPL POLICY	DD-158
AH52	SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE	DD-158
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	DD-159
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-159
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	DD-160
AI45	MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN	DD-160
AI45A	MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-161
AI22C	MAIN HEALTH PLAN IS HMO	DD-161

VARIABLE	LABEL	PAGE
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-162
AI25	COVERED FOR PRESCRIPTION DRUGS	DD-163
AI25NEW	RX COVERAGE EDITED FOR MEDICAL/HF	DD-163
AH71	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000	DD-164
AH72	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000	DD-164
AH73	SPECIAL FUND TO PAY MEDICAL EXPENSES	DD-165
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-165
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-166
AI28	HOW LONG SINCE LAST HAD HEALTH INS	DD-166
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	DD-167
AH77	FREE PRENATAL CARE DURING PAST 12 MOS	DD-167
ER	ER VISIT WITHIN THE PAST YEAR	DD-168
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-168
IHS_S	SPOUSE COVERED BY INDIAN HEALTH SERVICES	DD-169
INS	CURRENTLY INSURED	DD-169
INS_S	SPOUSE CURRENTLY INSURED	DD-170
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-170
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	DD-171
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	DD-171
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	DD-172
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	DD-172
INSANY	ANY INS IN LAST 12 MOS	DD-173
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-173
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	DD-174
INSMC	COVERED BY MEDICARE	DD-174
INSMC_S	SPOUSE COVERED BY MEDICARE	DD-175
INSMD	COVERED BY MEDI-CAL	DD-175
INSMD_S	SPOUSE COVERED BY MEDI-CAL	DD-176
INSOG	COVERED BY OTHER GOVT PLANS	DD-176
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	DD-177
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-177
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	DD-178
INSPS	PRIMARY OR SECONDARY COVERAGE	DD-178
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	DD-179
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-179
INSTYP_P	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES(PUF RECODE)	DD-180
RSN_UNI2	REASON FOR UNINSURED STATUS ANYTIME PAST 12 MONTHS	DD-181
RSN_UNIN	REASON FOR CURRENTLY UNINSURED STATUS	DD-182
UNINSANY	UNINSURED IN PAST 12 MOS	DD-183
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	DD-183
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	DD-184
SECTION J	HEALTH CARE UTILIZATION AND ACCESS, VIOLENCE	DD-184
AH5	# TIMES SAW MD IN PAST 12 MOS	DD-184

VARIABLE	LABEL	PAGE
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	DD-185
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-185
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	DD-186
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	DD-186
AJ78	CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS	DD-187
AJ79	HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE	DD-187
AJ80	DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS	DD-188
AJ8	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	DD-188
AJ50_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	DD-189
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	DD-189
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-190
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	DD-190
AH16	DELAY GETTING PRESCRIPTION IN PAST 12 MO	DD-191
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	DD-191
AJ81	DELAYED PRESCRIPTION FOR ASTHMA	DD-192
AJ82	DELAYED PRESCRIPTION FOR DIABETES	DD-192
AJ83	DELAYED PRESCRIPTION FOR HEART DISEASE	DD-193
AH22	DELAY OTHER MEDICAL CARE IN PAST 12 MOS	DD-193
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	DD-194
AJ84	DELAYED MEDICAL CARE FOR ASTHMA	DD-194
AJ85	DELAYED MEDICAL CARE FOR DIABETES	DD-195
AJ86	DELAYED MEDICAL CARE FOR HEART DISEASE	DD-195
AJ87	PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR	DD-196
AJ88	# OF PEOPLE PROVIDED CARE TO	DD-196
AJ89	PERSON NEEDED HELP FOR MORE THAN 3 MOS	DD-197
AJ90_P	RELATIONSHIP WITH PERSON YOU PROVIDE MOST HELP TO (PUF RECODE)	DD-197
AJ101	CURRENTLY PROVIDE CARE	DD-198
AJ91	CARE RECIPIENT LIVES W/RESP	DD-198
AJ92	CARE RECIPIENT LIVES IN NURSING HOME	DD-199
AJ93	# HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WEEK	DD-199
AJ93UNT	# HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WK - UNIT	DD-200
AJ94	PAID FOR HELPING CARE RECIPIENT	DD-200
AJ95	LENGTH OF TIME HELP CARE FOR RECIPIENT	DD-201
AJ95UNT	LENGTH OF TIME HELP CARE FOR RECIPIENT - UNIT	DD-201
AJ96	EVER USED RESPITE CARE SERVICE	DD-202
AJ97	SOMEONE TO CARE FOR RECIPIENT IF RESP UNABLE	DD-202
AJ98	CARE RECIPIENT RECEIVED MEDI-CAL	DD-203
AJ99	ATTENDED MEDI-CAL TRAINING FOR LONG-TERM CAREGIVERS	DD-203
AJ100	AMOUNT OF OWN MONEY SPENT ON CAREGIVING PAST MO	DD-204
SECTION K	EMPLOYMENT, INCOME, POVERTY STATUS, FOOD SECURITY	DD-204
AK3	# OF USUAL HRS WORKED PER WEEK	DD-205
AK7	LENGTH OF TIME WORKING AT MAIN JOB	DD-205
AK7UNT	TIME AT MAIN JOB: UNIT OF TIME	DD-206

VARIABLE	LABEL	PAGE
AK8	HOW MANY PEOPLE WORK FOR EMPLOYER/YOU	DD-206
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	DD-207
AK20	# OF HRS PER WEEK SPOUSE USUALLY WORKS	DD-207
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	DD-208
AK22_P	HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)	DD-208
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	DD-209
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	DD-209
AM3	ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-210
AM3A	HOW OFTEN ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-210
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	DD-211
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	DD-211
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-212
POVLL	POVERTY LEVEL	DD-212
POVLL2_P	POVERTY LEVEL - 100% FPL (PUF RECODE)	DD-213
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-213
FSLEV	FOOD SECURITY STATUS LEVEL	DD-214
FSLEVCB	FOOD SECURITY STATUS - 2 LVLS	DD-214
SECTION L	PUBLIC PROGRAM PARTICIPATION	DD-215
AL2	CURRENTLY ON TANF OR CALWORKS	DD-215
AL5	RECEIVING FOOD STAMP BENEFITS	DD-215
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	DD-216
AL7	CURRENTLY ON WIC	DD-216
AL15	RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH	DD-217
AL16_P	TOTAL RECVD FROM ALIMONY/CHILD SUPPORT/GOVT (PUF RECODE)	DD-217
AL17	PAID ALIMONY OR CHILD SUPPORT LAST MONTH	DD-218
AL18_P	TOTAL ALIMONY/CHILD SUPPORT PAID LAST MONTH (PUF RECODE)	DD-218
AL18A	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	DD-219
AL18B_P	TOTAL SOCIAL SECURITY/PENSION RECVD LAST MONTH (PUF RECODE)	DD-219
AL23	APPLIED FOR MEDI-CAL FOR SELF OR CHILD IN PAST 12 MOS	DD-220
SECTION M	HOUSING AND SOCIAL COHESION	DD-220
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	DD-220
AK25	OWN OR RENT HOME	DD-221
TIMEAD	LENGTH OF TIME LIVED AT CURRENT ADDRESS (IN MONTHS)	DD-221
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	DD-222
AM20	PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG WITH EACH OTHER	DD-222
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	DD-223
AM35	NEIGHBORHOOD WATCH OUT CHILDREN FOR SAFE	DD-223
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	DD-224
AM36	DID VOLUNTEER WORK OR COMMUNITY SERVICES	DD-224
SECTION	EMERGENCY PREPAREDNESS MODULE	DD-225

VARIABLE	LABEL	PAGE
EM		
EM1	TAKE PRESCRIBED MEDICINE DAILY	DD-225
EM2	HAVE AT LEAST 2 WEEK SUPPLY OF ALL PRESCRIPTION DRUGS	DD-225
EM3	ABLE TO GET 2 WEEK SUPPLY OF ALL PRESCRIPTION DRUGS	DD-226
EM4CODE	REASON UNABLE GET 2-WK SUPPLY DRUGS	DD-226
EM5	# DAYS ABLE TO STAY AT HOME WITHOUT SHOPPING FOR ADD'L SUPPLIES	DD-227
EM6	HOW CONFIDENT COUNTY'S PUB HLTH SYS CAN RESPOND	DD-227
EM7	HOW CONFIDENT COUNTY'S PUB HLTH SYS FAIRLY RESPOND	DD-228
SECTION N	DEMOGRAPHIC INFORMATION PART III	DD-228
AM34	TELEPHONE CALLS RECEIVED	DD-229
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-229
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-230
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-230
UR_IHS	RURAL AND URBAN - IHS	DD-231
UR_OMB	RURAL AND URBAN - OMB	DD-231
UR_RHP	RURAL AND URBAN - RHP	DD-231
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-232
SECTION O	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-232
RAKEDW0	CHIS2009 RAKED WEIGHT - FULL SAMPLE	DD-232
RAKEDW1	CHIS2009 RAKED WEIGHT - REPLICATE 1	DD-233
RAKEDW2	CHIS2009 RAKED WEIGHT - REPLICATE 2	DD-233
RAKEDW3	CHIS2009 RAKED WEIGHT - REPLICATE 3	DD-233
RAKEDW4	CHIS2009 RAKED WEIGHT - REPLICATE 4	DD-234
RAKEDW5	CHIS2009 RAKED WEIGHT - REPLICATE 5	DD-234
RAKEDW6	CHIS2009 RAKED WEIGHT - REPLICATE 6	DD-234
RAKEDW7	CHIS2009 RAKED WEIGHT - REPLICATE 7	DD-235
RAKEDW8	CHIS2009 RAKED WEIGHT - REPLICATE 8	DD-235
RAKEDW9	CHIS2009 RAKED WEIGHT - REPLICATE 9	DD-235
RAKEDW10	CHIS2009 RAKED WEIGHT - REPLICATE 10	DD-236
RAKEDW11	CHIS2009 RAKED WEIGHT - REPLICATE 11	DD-236
RAKEDW12	CHIS2009 RAKED WEIGHT - REPLICATE 12	DD-236
RAKEDW13	CHIS2009 RAKED WEIGHT - REPLICATE 13	DD-237
RAKEDW14	CHIS2009 RAKED WEIGHT - REPLICATE 14	DD-237
RAKEDW15	CHIS2009 RAKED WEIGHT - REPLICATE 15	DD-237
RAKEDW16	CHIS2009 RAKED WEIGHT - REPLICATE 16	DD-238
RAKEDW17	CHIS2009 RAKED WEIGHT - REPLICATE 17	DD-238
RAKEDW18	CHIS2009 RAKED WEIGHT - REPLICATE 18	DD-238
RAKEDW19	CHIS2009 RAKED WEIGHT - REPLICATE 19	DD-239
RAKEDW20	CHIS2009 RAKED WEIGHT - REPLICATE 20	DD-239
RAKEDW21	CHIS2009 RAKED WEIGHT - REPLICATE 21	DD-239
RAKEDW22	CHIS2009 RAKED WEIGHT - REPLICATE 22	DD-240
RAKEDW23	CHIS2009 RAKED WEIGHT - REPLICATE 23	DD-240
RAKEDW24	CHIS2009 RAKED WEIGHT - REPLICATE 24	DD-240
RAKEDW25	CHIS2009 RAKED WEIGHT - REPLICATE 25	DD-241

VARIABLE	LABEL	PAGE
RAKEDW26	CHIS2009 RAKED WEIGHT - REPLICATE 26	DD-241
RAKEDW27	CHIS2009 RAKED WEIGHT - REPLICATE 27	DD-241
RAKEDW28	CHIS2009 RAKED WEIGHT - REPLICATE 28	DD-242
RAKEDW29	CHIS2009 RAKED WEIGHT - REPLICATE 29	DD-242
RAKEDW30	CHIS2009 RAKED WEIGHT - REPLICATE 30	DD-242
RAKEDW31	CHIS2009 RAKED WEIGHT - REPLICATE 31	DD-243
RAKEDW32	CHIS2009 RAKED WEIGHT - REPLICATE 32	DD-243
RAKEDW33	CHIS2009 RAKED WEIGHT - REPLICATE 33	DD-243
RAKEDW34	CHIS2009 RAKED WEIGHT - REPLICATE 34	DD-244
RAKEDW35	CHIS2009 RAKED WEIGHT - REPLICATE 35	DD-244
RAKEDW36	CHIS2009 RAKED WEIGHT - REPLICATE 36	DD-244
RAKEDW37	CHIS2009 RAKED WEIGHT - REPLICATE 37	DD-245
RAKEDW38	CHIS2009 RAKED WEIGHT - REPLICATE 38	DD-245
RAKEDW39	CHIS2009 RAKED WEIGHT - REPLICATE 39	DD-245
RAKEDW40	CHIS2009 RAKED WEIGHT - REPLICATE 40	DD-246
RAKEDW41	CHIS2009 RAKED WEIGHT - REPLICATE 41	DD-246
RAKEDW42	CHIS2009 RAKED WEIGHT - REPLICATE 42	DD-246
RAKEDW43	CHIS2009 RAKED WEIGHT - REPLICATE 43	DD-247
RAKEDW44	CHIS2009 RAKED WEIGHT - REPLICATE 44	DD-247
RAKEDW45	CHIS2009 RAKED WEIGHT - REPLICATE 45	DD-247
RAKEDW46	CHIS2009 RAKED WEIGHT - REPLICATE 46	DD-248
RAKEDW47	CHIS2009 RAKED WEIGHT - REPLICATE 47	DD-248
RAKEDW48	CHIS2009 RAKED WEIGHT - REPLICATE 48	DD-248
RAKEDW49	CHIS2009 RAKED WEIGHT - REPLICATE 49	DD-249
RAKEDW50	CHIS2009 RAKED WEIGHT - REPLICATE 50	DD-249
RAKEDW51	CHIS2009 RAKED WEIGHT - REPLICATE 51	DD-249
RAKEDW52	CHIS2009 RAKED WEIGHT - REPLICATE 52	DD-250
RAKEDW53	CHIS2009 RAKED WEIGHT - REPLICATE 53	DD-250
RAKEDW54	CHIS2009 RAKED WEIGHT - REPLICATE 54	DD-250
RAKEDW55	CHIS2009 RAKED WEIGHT - REPLICATE 55	DD-251
RAKEDW56	CHIS2009 RAKED WEIGHT - REPLICATE 56	DD-251
RAKEDW57	CHIS2009 RAKED WEIGHT - REPLICATE 57	DD-251
RAKEDW58	CHIS2009 RAKED WEIGHT - REPLICATE 58	DD-252
RAKEDW59	CHIS2009 RAKED WEIGHT - REPLICATE 59	DD-252
RAKEDW60	CHIS2009 RAKED WEIGHT - REPLICATE 60	DD-252
RAKEDW61	CHIS2009 RAKED WEIGHT - REPLICATE 61	DD-253
RAKEDW62	CHIS2009 RAKED WEIGHT - REPLICATE 62	DD-253
RAKEDW63	CHIS2009 RAKED WEIGHT - REPLICATE 63	DD-253
RAKEDW64	CHIS2009 RAKED WEIGHT - REPLICATE 64	DD-254
RAKEDW65	CHIS2009 RAKED WEIGHT - REPLICATE 65	DD-254
RAKEDW66	CHIS2009 RAKED WEIGHT - REPLICATE 66	DD-254
RAKEDW67	CHIS2009 RAKED WEIGHT - REPLICATE 67	DD-255
RAKEDW68	CHIS2009 RAKED WEIGHT - REPLICATE 68	DD-255
RAKEDW69	CHIS2009 RAKED WEIGHT - REPLICATE 69	DD-255
RAKEDW70	CHIS2009 RAKED WEIGHT - REPLICATE 70	DD-256

VARIABLE	LABEL	PAGE
RAKEDW71	CHIS2009 RAKED WEIGHT - REPLICATE 71	DD-256
RAKEDW72	CHIS2009 RAKED WEIGHT - REPLICATE 72	DD-256
RAKEDW73	CHIS2009 RAKED WEIGHT - REPLICATE 73	DD-257
RAKEDW74	CHIS2009 RAKED WEIGHT - REPLICATE 74	DD-257
RAKEDW75	CHIS2009 RAKED WEIGHT - REPLICATE 75	DD-257
RAKEDW76	CHIS2009 RAKED WEIGHT - REPLICATE 76	DD-258
RAKEDW77	CHIS2009 RAKED WEIGHT - REPLICATE 77	DD-258
RAKEDW78	CHIS2009 RAKED WEIGHT - REPLICATE 78	DD-258
RAKEDW79	CHIS2009 RAKED WEIGHT - REPLICATE 79	DD-259
RAKEDW80	CHIS2009 RAKED WEIGHT - REPLICATE 80	DD-259

C. Restricted Variables

The following geographic variables are not located in the source files, but may be accessible upon request and IRB approval (UCLA & CHPS). These variables are restricted due to their identifiable nature.

VARIABLE	LABEL	NOTE
LATITUDE	LATITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
LONGIT	LONGITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
CBLK	CENSUS BLOCK INCLUDING CENSUS TRACT	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, NEIGHBORHOOD ANALYSIS.

Teen and child restricted variables

VARIABLE	LABEL	NOTE
SCH_BLK	SCHOOL CENSUS TRACT INCLUDING BLOCK	
SCH_CDS	STATE SCHOOL ID NUMBER	
SCH_LAT	SCHOOL LATITUDE	
SCH_LON	SCHOOL LONGITUDE	

6. Data Dictionary

2009 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

Section Q: Screening Information

VARNAME: PUF_ID QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA
 LABEL: PUBLIC USE FILE ID
 VALUE: 0-HIGH PERSON # FREQ %
 47614 100.00
 UNIVERSE: ALL ADULTS
 INPUT VAR:
 NOTES:

VARNAME: HH_SIZE_P QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA
 LABEL: HOUSEHOLD SIZE (PUF RECODE)
 MEAN STATISTICS
 N 47614
 MIN 1
 MAX 10
 MEAN 2.52
 UNIVERSE: ALL ADULTS
 INPUT VAR: HH_SIZE
 NOTES: TOPCODE=10

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INTVLANG QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: LANGUAGE OF INTERVIEW

VALUE:			FREQ	%
1	ENGLISH		41915	88.03
2	SPANISH		3844	8.07
3	VIETNAMESE		887	1.86
4	KOREAN		616	1.29
5	CANTONESE		165	0.35
6	MANDARIN		187	0.39

UNIVERSE: ALL ADULTS

INPUT VAR: ENGLSPAN

NOTES:

VARNAME: PROXY QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: A PROXY INTERVIEW

VALUE:			FREQ	%
1	YES		283	0.59
2	NO		47331	99.41

UNIVERSE: ALL ADULTS

INPUT VAR: APRX1

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME :	SRTENR	QNAME09 :	NA	QPAGENUM :	NA
		QNAME07 :	NA	QNAME05 :	NA
LABEL :	SELF-REPORTED HOUSEHOLD TENURE (HH)				
				FREQ	%
VALUE :	1	OWN		33047	69.41
	2	RENT/SOME OTHER ARRANGEMENT		14567	30.59
UNIVERSE :	ALL ADULTS				
INPUT VAR :					
NOTES :					

Section A: Demographic Information, Part I

```

VARNAME:      SRAGE_P                                QNAME09:      NA                                QPAGENUM:      NA
                                                    QNAME07:      NA                                QNAME05:      NA

LABEL:        AGE (PUF RECODE)

                                MEAN STATISTICS
                                N                    47614
                                MIN                   18
                                MAX                    85
                                MEAN                   55.67

UNIVERSE:     ALL ADULTS

INPUT VAR:     SRAGE

NOTES:        TOPCODE=85

```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRSEX QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: GENDER

VALUE:			FREQ	%
1	MALE		19428	40.80
2	FEMALE		28186	59.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: LATIN9TP QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: LATIN/HISPANIC SUBTYPES - 9 LVLS

VALUE:			FREQ	%
-1	NON-LATINO		39307	82.55
1	MEXICAN		6494	13.64
2	SALVADORAN		398	0.84
3	GUATEMALAN		186	0.39
4	CENTRAL AMERICAN		149	0.31
5	PUERTO RICAN		112	0.24
6	LATINO EUROPEAN		291	0.61
7	SOUTH AMERICAN		266	0.56
8	OTHER LATINO		128	0.27
9	2+ LATINO TYPES		283	0.59

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR: SRH AA4 AA5_1-AA5_21 AH33 AH34 AH35

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME :	SRH	QNAME09 :	NA	QPAGENUM :	NA
		QNAME07 :	NA	QNAME05 :	NA
LABEL :	SELF-REPORTED LATINO/HISPANIC				
				FREQ	%
VALUE :	1	YES		8307	17.45
	2	NO		39307	82.55
UNIVERSE :	ALL ADULTS				
INPUT VAR :					
NOTES :					

VARNAME:	SRO	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	SELF-REPORTED OTHER RACE				
				FREQ	%
VALUE:	1	YES		4809	10.10
	2	NO		42805	89.90
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:  OMBSRASO                QNAME09:  NA                QPAGENUM:  NA
                                         QNAME07:  NA                QNAME05:  NA

LABEL:    OMB S-R NONHISPANIC ASIAN GROUP (ONLY)

VALUE:    1      NONHISPANIC CHINESE ONLY      FREQ      %
          2      NONHISPANIC KOREAN ONLY      935      1.96
          3      NONHISPANIC FILIPINO ONLY     941      1.98
          4      NONHISPANIC VIETNAMESE ONLY   430      0.90
          5      NONHISPANIC OTHER OR NON-ASIAN 1421     2.98
                                         43887    92.17
```

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

```
-----
VARNAME:  OMBSRREO                QNAME09:  NA                QPAGENUM:  NA
                                         QNAME07:  NA                QNAME05:  NA

LABEL:    OMB/CURRENT DOF RACE - ETHNICITY

VALUE:    1      HISPANIC      FREQ      %
          2      WHITE, NON-HISPANIC (NH)      8307    17.45
          3      AFRICAN AMERICAN ONLY, NOT HISPANIC      31167   65.46
          4      AMERICAN INDIAN/ALASKAN NATIVE ONLY, NH    1852    3.89
          5      ASIAN ONLY, NH      354    0.74
          6      NATIVE HAWAIIAN/PACIFIC ISLANDER, NH     4852   10.19
          7      TWO OR MORE RACES, NH      66    0.14
                                         1016    2.13
```

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RACECEN QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RACE - CENSUS 2000 DEFINITION

VALUE:			FREQ	%
1	PACIFIC ISLANDER		90	0.19
2	AMERICAN INDIAN/ALASKAN NATIVE		607	1.27
3	ASIAN		4909	10.31
4	AFRICAN AMERICAN		1907	4.01
5	WHITE		34205	71.84
6	OTHER SINGLE RACE		4785	10.05
7	MORE THAN ONE RACE		1111	2.33

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO

NOTES:

VARNAME: RACEDOF QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: FORMER DOF RACE - ETHNICITY

VALUE:			FREQ	%
1	LATINO		8307	17.45
2	NON-LATINO PI		66	0.14
3	NON-LATINO AMERICAN INDIAN/ALASKAN		353	0.74
4	NON-LATINO ASIAN		4845	10.18
5	NON-LATINO AFR. AMER.		1847	3.88
6	NON-LATINO WHITE		31095	65.31
7	NON-LATINO OTHER, ONE RACE		86	0.18
8	NON-LATINO, TWO+ RACES		1015	2.13

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RACEHPR2 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNBRIDGED

VALUE :			FREQ	%
1	LATINO		5753	12.08
2	PACIFIC ISLANDER		75	0.16
3	AMERICAN INDIAN/ALASKAN NATIVE		500	1.05
4	ASIAN		4874	10.24
5	AFRICAN AMERICAN		1950	4.10
6	WHITE		31769	66.72
7	OTHER SINGLE/MULTIPLE RACE		2693	5.66

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT FOR DIRECT COMPARISON TO RACEHPR OF PREVIOUS CYCLES

VARNAME: SRAA QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED AFRICAN AMERICAN

			FREQ	%
VALUE:	1	YES	2143	4.50
	2	NO	45471	95.50

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRAI QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED AMERICAN INDIAN

VALUE:			FREQ	%
1	YES		1369	2.88
2	NO		46245	97.12

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRAS QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED ASIAN

VALUE:			FREQ	%
1	YES		5125	10.76
2	NO		42489	89.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRASO QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED OTHER ASIAN GROUP

VALUE:			FREQ	%
1	YES		1105	2.32
2	NO		46509	97.68

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:   SRCH                      QNAME09:   NA                      QPAGENUM: NA
                                                QNAME07:   NA                      QNAME05:   NA

LABEL:     SELF-REPORTED CHINESE

VALUE:      1          YES                      1156          2.43
            2          NO                      46458         97.57

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:
-----
```

```
-----
VARNAME:   CATRIBE                      QNAME09:   NA                      QPAGENUM: NA
                                                QNAME07:   NA                      QNAME05:   NA

LABEL:     CALIFORNIA TRIBE

VALUE:      -9          UNKNOWN TRIBAL HERITAGE          140          0.29
            -1          INAPPLICABLE                    46245         97.12
            1          CALIFORNIA TRIBAL HERITAGE        164          0.34
            2          NON-CALIFORNIA TRIBAL HERITAGE    1065         2.24

UNIVERSE:   ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:  SRAI AA5B_1-AA5B_11 AA5BOS AA5DOS

NOTES:
-----
```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AA5C QNAME09: QA09_A10 QPAGENUM: A-9
QNAME07: QA07_A10 QNAME05: QA05_A10

LABEL: ENROLLED MEMBER IN RECOGNIZED TRIBE

VALUE:		FREQ	%
-9	NOT ASCERTAINED	67	0.14
-8	DON'T KNOW	13	0.03
-7	REFUSED	1	0.00
-1	INAPPLICABLE	46276	97.19
1	YES	233	0.49
2	NO	1024	2.15

UNIVERSE: ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: ASIAN8 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: ASIAN SUBTYPES- (8 TYPES) (PUF RECODE)

VALUE:		FREQ	%
-1	NON-ASIAN	42510	89.28
1	CHINESE	1065	2.24
2	JAPANESE	428	0.90
3	KOREAN	958	2.01
4	FILIPINO	507	1.06
5	SOUTH ASIAN	420	0.88
6	VIETNAMESE	1423	2.99
7	SOUTHEAST ASIAN	89	0.19
8	OTHER ASIAN/2+ ASIAN TYPES	214	0.45

UNIVERSE: ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ASNHP2_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE), UNBRIDGED

VALUE:			FREQ	%
-1	NON-ASIAN		42740	89.76
1	CHINESE		1037	2.18
2	FILIPINO		450	0.95
3	SOUTH ASIAN		408	0.86
4	JAPANESE		373	0.78
5	KOREAN		938	1.97
6	VIETNAMESE		1440	3.02
7	CAMBODIAN/OTHER SINGLE/MULTI ASIAN TYPE		228	0.48

UNIVERSE: ADULTS WHO ARE ASIAN

INPUT VAR: ASNHP2

NOTES:

VARNAME: SRKR QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED KOREAN

VALUE:			FREQ	%
1	YES		978	2.05
2	NO		46636	97.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRPH QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED FILIPINO

VALUE:	1	YES	FREQ	%
	2	NO	560	1.18
			47054	98.82

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRPI QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED PI AND NTV HW

VALUE:	1	YES	FREQ	%
	2	NO	153	0.32
			47461	99.68

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRVT QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED VIETNAMESE

VALUE:	1	YES	FREQ	%
	2	NO	1529	3.21
			46085	96.79

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRW QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED WHITE

VALUE:		FREQ	%
1	YES	35195	73.92
2	NO	12419	26.08

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: MARIT QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: MARITAL STATUS- 3 CATEGORIES

VALUE:		FREQ	%
1	MARRIED	24936	52.37
2	OTHERWID/SEP/DIV/LIVING W/PARTNER	15696	32.97
3	NEVER MARRIED	6982	14.66

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MARIT_45 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: MARITAL STATUS - AGE 45 AND OLDER

			FREQ	%
VALUE :	-1	INAPPLICABLE	12531	26.32
	1	MARRIED	18572	39.01
	2	LIVING WITH PARTNER	1281	2.69
	3	WIDOWED	6021	12.65
	4	DIVORCED/SEPARATED	6273	13.17
	5	NEVER MARRIED	2936	6.17

UNIVERSE: ADULTS AGE 45 AND OLDER

INPUT VAR:

NOTES :

VARNAME: MARIT2 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: MARITAL STATUS- 4 CATEGORIES

VALUE :			FREQ	%
1	MARRIED		24936	52.37
2	LIVING W/ PARTNER		2336	4.91
3	WID/SEP/DIV		13360	28.06
4	NEVER MARRIED		6982	14.66

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section B: Health Conditions

VARNAME: AB1 QNAME09: QA09_B1 QPAGENUM: A-14
QNAME07: QA07_B1 QNAME05: QA05_B1

LABEL: GENERAL HEALTH CONDITION

VALUE:			FREQ	%
1	EXCELLENT		9114	19.14
2	VERY GOOD		15490	32.53
3	GOOD		13658	28.68
4	FAIR		6878	14.45
5	POOR		2474	5.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	AB17	QNAME09:	QA09_B2	QPAGENUM:	A-14
		QNAME07:	QA07_B2	QNAME05:	QA05_B2
LABEL:	DOCTOR EVER TOLD HAVE ASTHMA				
				FREQ	%
VALUE:	1	YES		6441	13.53
	2	NO		41173	86.47
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	AB40	QNAME09:	QA09_B3	QPAGENUM:	A-14
		QNAME07:	QA07_B3	QNAME05:	QA05_B3
LABEL:	STILL HAS ASTHMA				
VALUE:	-1	INAPPLICABLE		FREQ	%
	1	YES		41173	86.47
	2	NO		3961	8.32
				2480	5.21
UNIVERSE:	ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB41 QNAME09: QA09_B4 QPAGENUM: A-14
QNAME07: QA07_B4 QNAME05: QA05_B4

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	41173	86.47
	2	NO	2130	4.47
			4311	9.05

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: ASTCUR QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CURRENT ASTHMA STATUS

VALUE:	1	CURRENT ASTHMA	FREQ	%
	2	NO CURRENT ASTHMA	4120	8.65
			43494	91.35

UNIVERSE: ALL ADULTS

INPUT VAR: AB17 AB40 AB41

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:   ASTS                                QNAME09:   NA                                QPAGENUM:  NA
                                                QNAME07:   NA                                QNAME05:   NA

LABEL:     ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA

VALUE:     -1      INAPPLICABLE                FREQ      %
           1       SYMPTOMS                    41173    86.47
           2       NO SYMPTOMS                 4374     9.19
                                                2067     4.34

UNIVERSE:  ADULTS DIAGNOSED WITH ASTHMA

INPUT VAR: AB19 AB66

NOTES:
-----
```

```
-----
VARNAME:   ASTYR                                QNAME09:   NA                                QPAGENUM:  NA
                                                QNAME07:   NA                                QNAME05:   NA

LABEL:     ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA

VALUE:     -1      INAPPLICABLE                FREQ      %
           1       SYMPTOMS                    43494    91.35
           2       NO SYMPTOMS                 3705     7.78
                                                415      0.87

UNIVERSE:  ADULTS WITH ASTHMA

INPUT VAR: AB19

NOTES:
-----
```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB19 QNAME09: QA09_B5 QPAGENUM: A-14
QNAME07: QA07_B5 QNAME05: QA05_B5

LABEL: HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS

VALUE:		FREQ	%
-1	INAPPLICABLE	43494	91.35
1	NOT AT ALL	415	0.87
2	LESS THAN EVERY MONTH	1655	3.48
3	EVERY MONTH	834	1.75
4	EVERY WEEK	581	1.22
5	EVERY DAY	635	1.33

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA
AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

VARNAME: AH13A QNAME09: QA09_B6 QPAGENUM: A-15
QNAME07: QA07_B6 QNAME05: QA05_B6

LABEL: ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS

VALUE:		FREQ	%
-1	INAPPLICABLE	43494	91.35
1	YES	336	0.71
2	NO	3784	7.95

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA
AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: SEE AB67 FOR ER VISITS AMONG THOSE W/ NO ASTHMA SYMPT, PAST 12 MOS

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB106_P QNAME09: QPAGENUM:

QNAME07: NA QNAME05: NA

LABEL: ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	47278	99.29
	2	NO	175	0.37
			161	0.34

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE/VISIT ER DUE TO ASTHMA IN LAST 12 MOS)

INPUT VAR:

NOTES:

VARNAME: AH15A QNAME09: QA09_B8 QPAGENUM: A-15

QNAME07: QA07_B7 QNAME05: NA

LABEL: HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMATICS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	43494	91.35
	2	NO	140	0.29
			3980	8.36

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB18 QNAME09: QA09_B9 QPAGENUM: A-15
QNAME07: QA07_B8 QNAME05: QA05_B7

LABEL: TAKING DAILY MEDICATION TO CONTROL ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		41173	86.47
1	YES		2237	4.70
2	NO		4204	8.83

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB66 QNAME09: QA09_B10 QPAGENUM: A-15
QNAME07: QA07_B9 QNAME05: QA05_B8

LABEL: HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMATICS

VALUE:			FREQ	%
-1	INAPPLICABLE		45293	95.13
1	NOT AT ALL		1652	3.47
2	LESS THAN EVERY MONTH		493	1.04
3	EVERY MONTH		87	0.18
4	EVERY WEEK		42	0.09
5	EVERY DAY		47	0.10

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT (NO ASTHMA CURRENTLY AND NO EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB67 QNAME09: QA09_B11 QPAGENUM: A-16
QNAME07: QA07_B10 QNAME05: QA05_B9

LABEL: ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: PREVIOUS ASTHMATICS

VALUE:			FREQ	%
-1	INAPPLICABLE		45293	95.13
1	YES		12	0.03
2	NO		2309	4.85

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT (NO ASTHMA CURRENTLY AND NO EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: SEE AH13A FOR ER VISITS AMONG THOSE W/ ASTHMA SYMPTOMS, PAST 12 MOS

VARNAME: AB80 QNAME09: QA09_B13 QPAGENUM: A-16
QNAME07: QA07_B11 QNAME05: NA

LABEL: HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: PREVIOUS ASTHMATICS

VALUE:			FREQ	%
-1	INAPPLICABLE		45293	95.13
1	YES		2	0.00
2	NO		2319	4.87

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT (NO ASTHMA CURRENTLY AND NO EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB42	QNAME09: QA09_B14	QPAGENUM: A-16
	QNAME07: QA07_B12	QNAME05: QA05_B10

LABEL: WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS

MEAN STATISTICS

N	5080
MIN	0
MAX	365
MEAN	0.89

UNIVERSE: ADULTS UNDER 70 WHOSE DR TOLD THEM THEY HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB43	QNAME09: QA09_B15	QPAGENUM: A-16
	QNAME07: QA07_B13	QNAME05: QA05_B11

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	41173	86.47
1	YES	3708	7.79
2	NO	2733	5.74

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB98 QNAME09: QA09_B16 QPAGENUM: A-17

QNAME07: NA QNAME05: NA

LABEL: HAVE WRITTEN COPY OF ASTHMA CARE PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	43906	92.21
1	YES	825	1.73
2	NO	2883	6.05

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND CARE PROVIDERS DEVELOP
ASTHMA CARE PLAN

INPUT VAR:

NOTES:

VARNAME: AB108 QNAME09: QA09_B17 QPAGENUM: A-17

QNAME07: NA QNAME05: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE ASTHMA

VALUE:		FREQ	%
-2	PROXY SKIPPED	283	0.59
-1	INAPPLICABLE	40913	85.93
1	VERY CONFIDENT	5008	10.52
2	SOMEWHAT CONFIDENT	1175	2.47
3	NOT TOO CONFIDENT	165	0.35
4	NOT AT ALL CONFIDENT	70	0.15

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB22 QNAME09: QA09_B18 QPAGENUM: A-17

QNAME07: QA07_B14 QNAME05: QA05_B17

LABEL: DOCTOR EVER TOLD HAVE DIABETES

VALUE:			FREQ	%
1	YES		4818	10.12
2	NO		42057	88.33
3	BORDERLINE OR PRE-DIABETES		739	1.55

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB99 QNAME09: QA09_B19 QPAGENUM: A-17

QNAME07: NA QNAME05: NA

LABEL: DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES

VALUE:			FREQ	%
-1	INAPPLICABLE		739	1.55
1	YES		4325	9.08
2	NO		42550	89.36

UNIVERSE: ADULTS WHO HAVE NOT ANSWERED BORDERLINE DIABETES EARLIER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB23_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: AGE FIRST TOLD HAVE DIABETES (PUF RECODE)

MEAN STATISTICS

N	4818
MIN	1
MAX	85
MEAN	52.85

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB23

NOTES: TOPCODE=85

VARNAME: DIABCK QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: # OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH

MEAN STATISTICS

N	4818
MIN	0
MAX	487
MEAN	39.02

UNIVERSE: ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES OR SUGAR DIABETES

INPUT VAR: AB26 AB26UNT

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DIAMED QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: TAKING INSULIN OR PILLS

VALUE:			FREQ	%
-1	INAPPLICABLE		42796	89.88
1	TAKING INSULIN & PILLS		630	1.32
2	TAKING INSULIN ONLY		494	1.04
3	TAKING PILLS ONLY		2836	5.96
4	NOT TAKING INSULIN NOR PILLS		858	1.80

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB24 AB25

NOTES :

VARNAME: AB51 QNAME09: QA09_B21 QPAGENUM: A-18

QNAME07: QA07_B16 QNAME05: QA05_B19

LABEL: TYPE I OR TYPE II DIABETES

VALUE:			FREQ	%
-1	INAPPLICABLE		42796	89.88
1	TYPE 1		512	1.08
2	TYPE 2		4206	8.83
3	ANOTHER TYPE		100	0.21

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	AB24	QNAME09:	QA09_B22	QPAGENUM:	A-18
		QNAME07:	QA07_B17	QNAME05:	QA05_B20

LABEL: CURRENTLY TAKING INSULIN

			FREQ	%
VALUE:	-1	INAPPLICABLE	42796	89.88
	1	YES	1124	2.36
	2	NO	3694	7.76

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES :

VARNAME:	AB121_P	QNAME09:	QPAGENUM:
		QNAME07: NA	QNAME05: NA

LABEL: METHOD OF TAKING INSULIN (PUF RECODE)

VALUE :			FREQ	%
-1	INAPPLICABLE		46490	97.64
1	NEEDLE		860	1.81
2	PEN		143	0.30
3	OTHER		121	0.25

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES AND TAKING INSULIN

INPUT VAR:

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:    AB25                      QNAME09:   QA09_B24          QPAGENUM:  A-18
                      QNAME07:   QA07_B18          QNAME05:   QA05_B21

LABEL:      CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR

VALUE:      -1      INAPPLICABLE                      FREQ      %
              1      YES                          42796    89.88
              2      NO                          3466     7.28
              1352    2.84

UNIVERSE:   ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:
-----

```

```

-----
VARNAME:    AB122                      QNAME09:   QA09_B25          QPAGENUM:  A-19
                      QNAME07:   NA                QNAME05:   NA

LABEL:      TAKE MEDICINE TO LOWER CHOLESTEROL

VALUE:      -1      INAPPLICABLE                      FREQ      %
              1      YES                          42796    89.88
              2      NO                          3200     6.72
              1618    3.40

UNIVERSE:   ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:
-----

```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AB123 QNAME09: QA09_B26 QPAGENUM: A-19

QNAME07: NA QNAME05: NA

LABEL: TAKE ASPIRIN REGULARLY TO REDUCE HEART ATTACK RISK

VALUE:			FREQ	%
-1	INAPPLICABLE		42796	89.88
1	YES		2697	5.66
2	NO		2121	4.45

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB124 QNAME09: QA09_B27 QPAGENUM: A-19

QNAME07: NA QNAME05: NA

LABEL: TAKE OTHER MEDICATIONS TO REDUCE HEART ATTACK RISK

VALUE:			FREQ	%
-1	INAPPLICABLE		42796	89.88
1	YES		1387	2.91
2	NO		3431	7.21

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB26 QNAME09: QA09_B29 QPAGENUM: A-19
QNAME07: QA07_B19 QNAME05: QA05_B22

LABEL: # OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE

MEAN STATISTICS

N	4818
MIN	0
MAX	5840
MEAN	469.32

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES: PLEASE REFER TO "AB26UNT" FOR MEASUREMENT UNIT

VARNAME: AB26UNT QNAME09: QA09_B29 QPAGENUM: A-19
QNAME07: QA07_B19 QNAME05: QA05_B22

LABEL: # OF TIMES CHECK BLOOD FOR GLUCOSE - UNIT

VALUE:		FREQ	%
-1	INAPPLICABLE	42796	89.88
4	PER YEAR	4818	10.12

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB27 QNAME09: QA09_B30 QPAGENUM: A-19
QNAME07: QA07_B20 QNAME05: QA05_B23

LABEL: # OF TIMES DOC CHECKED FOR HEMOGLOBIN A ONE C LAST YR

MEAN STATISTICS

N	4304
MIN	0
MAX	52
MEAN	2.77

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES: EXCLUDED VALUE "995" IN CALCULATING THE MEAN

VARNAME: AB28 QNAME09: QA09_B31 QPAGENUM: A-20
QNAME07: QA07_B21 QNAME05: QA05_B24

LABEL: # OF TIMES DOC CHECKED FEET FOR SORES LAST YR

MEAN STATISTICS

N	4818
MIN	0
MAX	52
MEAN	2.43

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB63	QNAME09: QA09_B32	QPAGENUM: A-20
	QNAME07: QA07_B22	QNAME05: QA05_B25

LABEL: LAST EYE EXAM DILATED PUPILS

VALUE:		FREQ	%
-1	INAPPLICABLE	42796	89.88
1	WITHIN THE PAST MONTH	810	1.70
2	1 TO 12 MOS AGO	2821	5.92
3	1 TO 2 YRS AGO	464	0.97
4	2 OR MORE YRS AGO	467	0.98
5	NEVER	256	0.54

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB109	QNAME09: QA09_B33	QPAGENUM: A-20
	QNAME07: NA	QNAME05: NA

LABEL: VISITED ER FOR DIABETES IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	42796	89.88
1	YES	229	0.48
2	NO	4589	9.64

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB110_P QNAME09: QPAGENUM:

QNAME07: NA QNAME05: NA

LABEL: VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	47385	99.52
	2	NO	87	0.18
			142	0.30

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES AND VISITED ER FOR
DIATBETES IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AB111 QNAME09: QA09_B35 QPAGENUM: A-20

QNAME07: NA QNAME05: NA

LABEL: ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	42796	89.88
	2	NO	154	0.32
			4664	9.80

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB112 QNAME09: QA09_B36 QPAGENUM: A-21

QNAME07: NA QNAME05: NA

LABEL: MEDICAL PROVIDERS DEVELOP DIABETES CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		42796	89.88
1	YES		3815	8.01
2	NO		1003	2.11

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB113 QNAME09: QA09_B37 QPAGENUM: A-21

QNAME07: NA QNAME05: NA

LABEL: HAVE WRITTEN COPY OF DIABETES CARE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		43799	91.99
1	YES		1725	3.62
2	NO		2090	4.39

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES AND MEDICAL PROVIDERS
DEVELOPED DIABETES CARE PLAN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB114 QNAME09: QA09_B38 QPAGENUM: A-21

QNAME07: NA QNAME05: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE DIABETE

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		42570	89.41
1	VERY CONFIDENT		2871	6.03
2	SOMEWHAT CONFIDENT		1527	3.21
3	NOT TOO CONFIDENT		289	0.61
4	NOT AT ALL CONFIDENT		74	0.16

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB81 QNAME09: QA09_B39 QPAGENUM: A-21

QNAME07: QA07_B23 QNAME05: NA

LABEL: DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY

VALUE:			FREQ	%
-1	INAPPLICABLE		21966	46.13
1	YES		929	1.95
2	NO		24569	51.60
3	BORDERLINE GESTATIONAL DIABETES		150	0.32

UNIVERSE: NON-DIABETIC WOMEN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB126 QNAME09: QA09_B40 QPAGENUM: A-22

QNAME07: NA QNAME05: NA

LABEL: HAD A FASTING BLOOD SUGAR TEST AFTER PREGNANCY

VALUE:			FREQ	%
-1	INAPPLICABLE		46685	98.05
1	YES		689	1.45
2	NO		240	0.50

UNIVERSE: WOMEN WITH GESTATIONAL DIABETES ONLY

INPUT VAR:

NOTES:

VARNAME: AB29 QNAME09: QA09_B41 QPAGENUM: A-22

QNAME07: QA07_B24 QNAME05: QA05_B26

LABEL: DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE

VALUE:			FREQ	%
1	YES		17233	36.19
2	NO		29442	61.83
3	BORDERLINE HYPERTENSION		939	1.97

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB30 QNAME09: QA09_B42 QPAGENUM: A-22
QNAME07: QA07_B25 QNAME05: QA05_B30

LABEL: CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE

VALUE:			FREQ	%
-1	INAPPLICABLE		30381	63.81
1	YES		13771	28.92
2	NO		3462	7.27

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HIGH BLOOD PRESSURE

INPUT VAR:

NOTES:

VARNAME: AB34 QNAME09: QA09_B43 QPAGENUM: A-22
QNAME07: QA07_B26 QNAME05: QA05_B30

LABEL: DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE

VALUE:			FREQ	%
1	YES		4862	10.21
2	NO		42752	89.79

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB52 QNAME09: QA09_B44 QPAGENUM: A-22
QNAME07: QA07_B27 QNAME05: QA05_B31

LABEL: EVER TOLD HAVE HEART FAILURE/CONGESTIVE

VALUE:			FREQ	%
-1	INAPPLICABLE		42752	89.79
1	YES		1353	2.84
2	NO		3509	7.37

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AB115 QNAME09: QA09_B45 QPAGENUM: A-22
QNAME07: NA QNAME05: NA

LABEL: VISITED ER FOR HEART DISEASE IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		42752	89.79
1	YES		714	1.50
2	NO		4148	8.71

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	AB116_P	QNAME09:	QPAGENUM:
		QNAME07: NA	QNAME05: NA
LABEL:	VISITED ER FOR HEART DX B/C UNABLE TO SEE OWN DR (PUF RECODE)		
VALUE:		FREQ	%
	-1 INAPPLICABLE	46900	98.50
	1 YES	242	0.51
	2 NO	472	0.99
UNIVERSE:	ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE AND VISITED ER FOR HEART DISEASE IN PAST 12 MOS		

INPUT VAR:

NOTES :

VARNAME:	AB117	QNAME09:	QA09_B47	QPAGENUM:	A-23
		QNAME07:	NA	QNAME05:	NA
LABEL:	ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS				
VALUE:	-1	INAPPLICABLE		FREQ	%
	1	YES		42752	89.79
	2	NO		695	1.46
				4167	8.75
UNIVERSE:	ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE				

INPUT VAR:

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB118 QNAME09: QA09_B48 QPAGENUM: A-23

QNAME07: NA QNAME05: NA

LABEL: MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		42752	89.79
1	YES		3681	7.73
2	NO		1181	2.48

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AB119 QNAME09: QA09_B49 QPAGENUM: A-23

QNAME07: NA QNAME05: NA

LABEL: HAVE WRITTEN COPY OF HEART DISEASE CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		43933	92.27
1	YES		1071	2.25
2	NO		2610	5.48

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE AND MEDICAL PROVIDER
DEVELOPED HEART DISEASE CARE PLAN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB120 QNAME09: QA09_B50 QPAGENUM: A-23

QNAME07: NA QNAME05: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		42578	89.42
1	VERY CONFIDENT		2765	5.81
2	SOMEWHAT CONFIDENT		1592	3.34
3	NOT TOO CONFIDENT		285	0.60
4	NOT AT ALL CONFIDENT		111	0.23

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AE30 QNAME09: QA09_B51 QPAGENUM: A-24

QNAME07: QA07_B28 QNAME05: QA05_B39

LABEL: FLU SHOT IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		21598	45.36
2	NO		26016	54.64

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB100 QNAME09: QA09_B52 QPAGENUM: A-24

QNAME07: NA QNAME05: NA

LABEL: HAD FLU SHOT OR NASAL FLU VACCINE

VALUE:		FREQ	%
-1	INAPPLICABLE	26016	54.64
1	FLU SHOT	20749	43.58
2	NASAL / FLUMIST	476	1.00
3	BOTH	373	0.78

UNIVERSE: ADULTS WHO HAD FLU VACCINE IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AB57 QNAME09: QA09_B53 QPAGENUM: A-24

QNAME07: NA QNAME05: NA

LABEL: KIND OF PLACE GOT LAST FLU SHOT

VALUE:		FREQ	%
-1	INAPPLICABLE	26016	54.64
1	DOCTOR'S OFFICE/KAISER/HMO	10145	21.31
2	COMM HLTH CTR/HLTH DEPT CLINIC/OTHER CLI	4112	8.64
3	STORE (MARKET, DRUGSTORE, PHARMACY)	3276	6.88
4	WORKPLACE	1701	3.57
5	SENIOR/RECREATION/COMMUNITY CENTER	641	1.35
6	HOSPITAL/EMERGENCY ROOM	1483	3.11
7	PLACE OF WORSHIP	136	0.29
8	SCHOOL	4	0.01
9	RESIDENCE	69	0.14
10	FEDERAL FACILITY	1	0.00
11	OTHER	30	0.06

UNIVERSE: ADULTS WHO HAD A FLU SHOT IN PAST 12 MONTHS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF4 QNAME09: QA09_B54 QPAGENUM: A-24

QNAME07: NA QNAME05: NA

LABEL: BLOOD RELATIVE EVER HAVE ANY KIND CANCER

VALUE:			FREQ	%
1	YES		22447	47.14
2	NO		25167	52.86

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF6 QNAME09: QA09_B57 QPAGENUM: A-26

QNAME07: NA QNAME05: NA

LABEL: MOTHER EVER DIAGNOSED WITH BREAST CANCER

VALUE:			FREQ	%
-1	INAPPLICABLE		43886	92.17
1	YES		2098	4.41
2	NO		1630	3.42

UNIVERSE: ADULT WOMEN WITH A BLOOD RELATIVE THAT HAS HAD BREAST CANCER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF7 QNAME09: QA09_B58 QPAGENUM: A-26

QNAME07: NA QNAME05: NA

LABEL: SISTER EVER DIAGNOSED WITH BREAST CANCER

VALUE:			FREQ	%
-1	INAPPLICABLE		43886	92.17
1	YES		1288	2.71
2	NO		2440	5.12

UNIVERSE: ADULT WOMEN WITH A BLOOD RELATIVE THAT HAS HAD BREAST CANCER

INPUT VAR:

NOTES:

VARNAME: AF8 QNAME09: QA09_B59 QPAGENUM: A-26

QNAME07: NA QNAME05: NA

LABEL: NUMBER OF SISTERS WITH BREAST CANCER

MEAN STATISTICS	
N	1288
MIN	1
MAX	5
MEAN	1.11

UNIVERSE: ADULT WOMEN WITH A SISTER THAT HAS HAD BREAST CANCER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB101_1 QNAME09: QA09_B60 QPAGENUM: A-26

QNAME07: NA QNAME05: NA

LABEL: MOTHER DIAGNOSED WITH COLON/RECTAL CANCER

VALUE:			FREQ	%
-1	INAPPLICABLE		44583	93.63
1	YES		1136	2.39
2	NO		1895	3.98

UNIVERSE: ADULTS WITH BLOOD RELATIVES THAT EVER HAD COLON OR RECTAL CANCER

INPUT VAR:

NOTES:

VARNAME: AB101_2 QNAME09: QA09_B60 QPAGENUM: A-26

QNAME07: NA QNAME05: NA

LABEL: FATHER DIAGNOSED WITH COLON/RECTAL CANCER

VALUE:			FREQ	%
-1	INAPPLICABLE		44583	93.63
1	YES		1249	2.62
2	NO		1782	3.74

UNIVERSE: ADULTS WITH BLOOD RELATIVES THAT EVER HAD COLON OR RECTAL CANCER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SCBRSCAN QNAME09: QPAGENUM:

QNAME07: NA QNAME05: NA

LABEL: 1+ SIBLING AND/OR CHILD DIAGNOSED WITH COLON/RECTAL CANCER

VALUE:			FREQ	%
1	YES		791	1.66
2	NO		46823	98.34

UNIVERSE: ADULTS WITH BLOOD RELATIVES THAT HAD COLON/RECTAL CANCER

INPUT VAR:

NOTES:

VARNAME: AF22 QNAME09: QA09_B62 QPAGENUM: A-27

QNAME07: QA07_B29 QNAME05: QA05_FB6

LABEL: EVER HAD HOME BLOOD STOOL TEST

VALUE:			FREQ	%
-1	INAPPLICABLE		9109	19.13
1	YES		19135	40.19
2	NO		19370	40.68

UNIVERSE: ADULTS 40 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FOBT2 QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: BLOOD STOOL TEST PAST 2 YEARS

VALUE:			FREQ	%
-1	SKIPPED FOR AGE < 50		16757	35.19
1	YES		10573	22.21
2	NO		20284	42.60

UNIVERSE: ADULTS 50 YEARS OR OLDER

INPUT VAR: AF24 AF22 SRAGE

NOTES:

VARNAME: AF24 QNAME09: QA09_B63 QPAGENUM: A-27

 QNAME07: QA07_B30 QNAME05: QA05_FB7

LABEL: WHEN WAS MOST RECENT HOME BLOOD STOOL TEST

VALUE:			FREQ	%
-1	INAPPLICABLE		28479	59.81
1	A YEAR AGO OR LESS		8021	16.85
2	MORE THAN 1 YEAR AGO UP TO 2 YEARS AGO		3249	6.82
3	MORE THAN 2 YEARS AGO UP TO 5 YEARS AGO		3829	8.04
4	MORE THAN 5 YEARS AGO		4036	8.48

UNIVERSE: ADULTS 40 AND OLDER WHO HAVE HAD BLOOD STOOL TEST

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB83 QNAME09: QA09_B64 QPAGENUM: A-27

QNAME07: QA07_B31 QNAME05: NA

LABEL: MAIN REASON MOST RECENT BLOOD STOOL TEST

VALUE:			FREQ	%
-1	INAPPLICABLE		28479	59.81
1	PART OF A ROUTINE EXAM		15976	33.55
2	BECAUSE OF A PROBLEM		1996	4.19
3	SOME OTHER REASON		1163	2.44

UNIVERSE: ADULTS 40 AND OLDER WHO HAVE HAD BLOOD STOOL TEST

INPUT VAR:

NOTES:

VARNAME: AB84 QNAME09: QA09_B65 QPAGENUM: A-28

QNAME07: QA07_B32 QNAME05: NA

LABEL: EVER HAD A COLONOSCOPY

VALUE:			FREQ	%
-1	INAPPLICABLE		9109	19.13
1	YES		19007	39.92
2	NO		19498	40.95

UNIVERSE: ADULTS 40 YEARS AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB85 QNAME09: QA09_B66 QPAGENUM: A-28

QNAME07: QA07_B33 QNAME05: NA

LABEL: MOST RECENT COLONOSCOPY EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	28607	60.08
1	A YEAR AGO OR LESS	5237	11.00
2	MORE THAN 1 UP TO 5 YEARS AGO	10242	21.51
3	MORE THAN 5 UP TO 10 YEARS AGO	2689	5.65
4	MORE THAN 10 YEARS AGO	839	1.76

UNIVERSE: ADULTS 40 YEARS AND OLDER WHO HAVE HAD COLONOSCOPY

INPUT VAR:

NOTES:

VARNAME: CRC_SCRN QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: COMPLIANCE W/COLONOSCOPY/SIG/FOBT SCREEN TEST

VALUE:		FREQ	%
-1	SKIP, AGE<40	9109	19.13
1	IN COMPLIANCE W/ SCREEN TEST	23257	48.84
2	HAD SCREEN TEST BUT NONCOMPLIANT	4154	8.72
3	NEVER HAD SCREEN TEST	11094	23.30

UNIVERSE: ADULTS 40 YEARS AND OLDER

INPUT VAR: AF22 AB85 AF24 AB84 AB87 AB88

NOTES: FOBT- EVERY YEAR, SIG- EVERY 5 YEARS, COLON- EVERY TEN YEARS

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB86 QNAME09: QA09_B67 QPAGENUM: A-28

QNAME07: QA07_B34 QNAME05: NA

LABEL: MAIN REASON MOST RECENT COLONOSCOPY

VALUE:			FREQ	%
-1	INAPPLICABLE		28607	60.08
1	PART OF A ROUTINE EXAM		13492	28.34
2	BECAUSE OF A PROBLEM		3805	7.99
3	SOME OTHER REASON		1710	3.59

UNIVERSE: ADULTS 40 YEARS AND OLDER WHO HAVE HAD COLONOSCOPY

INPUT VAR:

NOTES:

VARNAME: AB87 QNAME09: QA09_B68 QPAGENUM: A-28

QNAME07: QA07_B35 QNAME05: NA

LABEL: EVER HAD A SIGMOIDOSCOPY

VALUE:			FREQ	%
-1	INAPPLICABLE		9109	19.13
1	YES		10948	22.99
2	NO		27557	57.88

UNIVERSE: ADULTS 40 YEARS AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB88 QNAME09: QA09_B69 QPAGENUM: A-28

QNAME07: QA07_B36 QNAME05: NA

LABEL: MOST RECENT SIGMOIDOSCOPY EXAM

VALUE:			FREQ	%
-1	INAPPLICABLE		36666	77.01
1	A YEAR AGO OR LESS		985	2.07
2	MORE THAN 1 UP TO 5 YEARS AGO		3424	7.19
3	MORE THAN 5 UP TO 10 YEARS AGO		3161	6.64
4	MORE THAN 10 YEARS AGO		3378	7.09

UNIVERSE: ADULTS 40 YEARS AND OLDER WHO HAVE HAD SIGMOIDOSCOPY

INPUT VAR:

NOTES:

VARNAME: AB89 QNAME09: QA09_B70 QPAGENUM: A-29

QNAME07: QA07_B37 QNAME05: NA

LABEL: MAIN REASON MOST RECENT SIGMOIDOSCOPY

VALUE:			FREQ	%
-1	INAPPLICABLE		36666	77.01
1	PART OF A ROUTINE EXAM		7999	16.80
2	BECAUSE OF A PROBLEM		2277	4.78
3	SOME OTHER REASON		672	1.41

UNIVERSE: ADULTS 40 YEARS AND OLDER WHO HAVE HAD SIGMOIDOSCOPY

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB90 QNAME09: QA09_B71 QPAGENUM: A-29

QNAME07: QA07_B38 QNAME05: NA

LABEL: PAST 5 YRS DOCTOR RECOMMENDED COLON TESTS

VALUE:		FREQ	%
-1	INAPPLICABLE	9109	19.13
1	YES	17926	37.65
2	NO	20459	42.97
92	DID NOT GO TO A DOCTOR IN PAST 5 YEARS	120	0.25

UNIVERSE: ADULTS 40 YEARS AND OLDER

INPUT VAR:

NOTES:

VARNAME: AF20 QNAME09: QA09_B72 QPAGENUM: A-29

QNAME07: NA QNAME05: QA05_FB5

LABEL: MAIN REASON NO SIGMOID/COLONOSCOPY IN PAST 10 YRS

VALUE:		FREQ	%
-2	PROXY SKIPPED	283	0.59
-1	INAPPLICABLE	32179	67.58
1	NO REASON/NEVER THOUGHT ABOUT IT	3081	6.47
2	DIDN'T KNOW IF NEEDED	1137	2.39
3	DOCTOR DIDN'T TELL ME	3455	7.26
4	HAVEN'T HAD ANY PROBLEMS	2403	5.05
5	PUT IT OFF/LAZINESS	700	1.47
6	TOO EXPENSIVE/NO INSURANCE/COST	989	2.08
7	TOO PAINFUL/UNPLEASANT/EMBARRASSING	517	1.09
8	HAD ANOTHER TYPE OF COLORECTAL EXAM	30	0.06
9	DON'T HAVE A DOCTOR	198	0.42
91	OTHER	2642	5.55

UNIVERSE: NEVER HAD SIGMOIDOSCOPY IN PAST 5 YRS OR COLONOSCOPY IN PAST 10 YRS OR FOBT IN PAST 1 YR

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF30	QNAME09: QA09_B73	QPAGENUM: A-30
	QNAME07: NA	QNAME05: QA05_FB10

LABEL: EVER HEARD OF PSA TEST

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	32134	67.49
	2	NO	11948	25.09
			3532	7.42

UNIVERSE: ADULT MEN 40 YEARS OR OLDER

INPUT VAR:

NOTES:

VARNAME: AF31	QNAME09: QA09_B74	QPAGENUM: A-30
	QNAME07: NA	QNAME05: QA05_FB11

LABEL: EVER HAD A PSA TEST

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	35666	74.91
	2	NO	8935	18.77
			3013	6.33

UNIVERSE: ADULT MEN 40 YEARS OR OLDER WHO HAVE HEARD OF A PSA TEST

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: PSA_SCRN QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: PROSTATE SCREENING PAST YEAR

VALUE:			FREQ	%
-1	SKIP, FEMALE OR MALE AGE<40		32134	67.49
1	1 YEARS OR LESS		6217	13.06
2	MORE THAN 1 YEARS AGO		2718	5.71
3	NEVER		6545	13.75

UNIVERSE: ADULT MEN 40 OR OLDER

INPUT VAR: AF30 AF31 AF33

NOTES:

VARNAME: AF33 QNAME09: QA09_B75 QPAGENUM: A-30

QNAME07: NA QNAME05: QA05_FB12

LABEL: WHEN WAS MOST RECENT PSA TEST

VALUE:			FREQ	%
-1	INAPPLICABLE		38679	81.23
1	A YR AGO OR LESS		6217	13.06
2	MORE THAN 1 YR AGO UP TO 2 YRS AGO		1300	2.73
3	MORE THAN 2 YRS AGO UP TO 3 YRS AGO		548	1.15
4	MORE THAN 3 YRS AGO UP TO 5 YRS AGO		478	1.00
5	MORE THAN 5 YRS AGO		392	0.82

UNIVERSE: ADULT MEN 40 YEARS OR OLDER WHO HAD A PSA TEST

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF34 QNAME09: QA09_B76 QPAGENUM: A-30

QNAME07: NA QNAME05: NA

LABEL: MAIN REASON FOR LAST PSA TEST

VALUE :			FREQ	%
-1	INAPPLICABLE		38679	81.23
1	PART OF ROUTINE PHYSICAL EXAM		7205	15.13
2	BECAUSE OF A PROBLEM		1186	2.49
3	OTHER		544	1.14

UNIVERSE: ADULT MEN 40 YEARS OR OLDER WHO HAD A PSA TEST

INPUT VAR:

NOTES :

VARNAME: AB103 QNAME09: QA09_B77 QPAGENUM: A-31

QNAME07: NA QNAME05: NA

LABEL: DOC EVER TALKED ADVANTAGE/DISADVANTAGE OF PSA TEST

VALUE:			FREQ	%
-1	INAPPLICABLE		35666	74.91
1	YES		5245	11.02
2	NO		6703	14.08

UNIVERSE: ADULT MEN 40 YEARS OR OLDER WHO HAVE HEARD OF A PSA TEST

INPUT VAR:

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB104 QNAME09: QA09_B78 QPAGENUM: A-31

QNAME07: NA QNAME05: NA

LABEL: DOC EVER TOLD DIFFERENT DR'S RECOMMENDATION FOR PSA TEST

VALUE:			FREQ	%
-1	INAPPLICABLE		35666	74.91
1	YES		2879	6.05
2	NO		9069	19.05

UNIVERSE: ADULT MEN 40 YEARS OR OLDER WHO HAVE HEARD OF A PSA TEST

INPUT VAR:

NOTES:

VARNAME: AB105 QNAME09: QA09_B79 QPAGENUM: A-31

QNAME07: NA QNAME05: NA

LABEL: DOC EVER RECOMMENDED PSA TEST

VALUE:			FREQ	%
-1	INAPPLICABLE		35666	74.91
1	YES		6941	14.58
2	NO		5007	10.52

UNIVERSE: ADULT MEN 40 YEARS OR OLDER WHO HAVE HEARD OF A PSA TEST

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section C: Health Behaviors

VARNAME: AD37W QNAME09: QA09_C1 QPAGENUM: A-32

QNAME07: NA QNAME05: NA

LABEL: WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS

VALUE:			FREQ	%
1	YES		20675	43.42
2	NO		26489	55.63
3	UNABLE TO WALK		450	0.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD38W QNAME09: QA09_C2 QPAGENUM: A-32

QNAME07: NA QNAME05: NA

LABEL: # TIMES WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS

MEAN STATISTICS	
N	20675
MIN	1
MAX	99
MEAN	4.27

UNIVERSE: ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN TO GET SOME PLACE
IN PAST 7 DAYS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD39W QNAME09: QA09_C3 QPAGENUM: A-32

QNAME07: NA QNAME05: NA

LABEL: AVERAGE LENGTH OF TIME WALKED FOR TRANSPORTION

MEAN STATISTICS

N	20675
MIN	1
MAX	480
MEAN	28.18

UNIVERSE: ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN TO GET SOME PLACE
IN PAST 7 DAYS

INPUT VAR:

NOTES: PLEASE REFER TO "AD39WUNT" FOR MEASUREMENT UNIT

VARNAME: AD39WUNT QNAME09: QA09_C3 QPAGENUM: A-32

QNAME07: NA QNAME05: NA

LABEL: AVERAGE LENGTH OF TIME WALKED FOR TRANSPORT - UNIT

VALUE:		FREQ	%
-1	INAPPLICABLE	26939	56.58
1	MINUTES	20675	43.42

UNIVERSE: ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN TO GET SOME PLACE
IN PAST 7 DAYS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD40W QNAME09: QA09_C4 QPAGENUM: A-32

QNAME07: NA QNAME05: NA

LABEL: WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

VALUE:			FREQ	%
-1	INAPPLICABLE		450	0.95
1	YES		28414	59.68
2	NO		18750	39.38

UNIVERSE: ADULTS ABLE TO WALK

INPUT VAR:

NOTES:

VARNAME: AD41W QNAME09: QA09_C5 QPAGENUM: A-33

QNAME07: NA QNAME05: NA

LABEL: # TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

MEAN STATISTICS

N	28414
MIN	1
MAX	99
MEAN	4.23

UNIVERSE: ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN PAST
7 DAYS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD42W QNAME09: QA09_C6 QPAGENUM: A-33

QNAME07: NA QNAME05: NA

LABEL: AVERAGE LENGTH OF TIME WALKED FOR LEISURE

MEAN STATISTICS

N	28414
MIN	1
MAX	480
MEAN	35.28

UNIVERSE: ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN PAST
7 DAYS

INPUT VAR:

NOTES: PLEASE REFER TO "AD42WUNT" FOR MEASUREMENT UNIT

VARNAME: AD42WUNT QNAME09: QA09_C6 QPAGENUM: A-33

QNAME07: NA QNAME05: NA

LABEL: AVERAGE LENGTH OF TIME WALKED FOR LEISURE- UNIT

VALUE:		FREQ	%
-1	INAPPLICABLE	19200	40.32
1	MINUTES	28414	59.68

UNIVERSE: ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN PAST
7 DAYS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE26 QNAME09: QA09_C7 QPAGENUM: A-33
QNAME07: QA07_C1 QNAME05: QA05_C7

LABEL: MODERATE PHYSICAL ACTIVITIES IN PAST 7 DAYS

VALUE:			FREQ	%
1	YES		27343	57.43
2	NO		20271	42.57

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE27 QNAME09: QA09_C8 QPAGENUM: A-33
QNAME07: QA07_C2 QNAME05: QA05_C8

LABEL: # DAYS MODERATE PHYSICAL ACTIVITY IN PAST WEEK

MEAN STATISTICS	
N	27343
MIN	1
MAX	7
MEAN	3.23

UNIVERSE: ADULTS WHO DID MOD PHYS ACTIVITY AT LEAST 10 MINS IN LAST 7 DAYS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE27A QNAME09: QA09_C9 QPAGENUM: A-34
QNAME07: QA07_C3 QNAME05: QA05_C9

LABEL: TIME PER DAY OF MODERATE PHYSICAL ACTIVITY

MEAN STATISTICS

N	27343
MIN	0
MAX	720
MEAN	67.01

UNIVERSE: ADULTS WHO DID MOD PHYS ACTIVITY AT LEAST 10 MIN IN LAST 7 DAYS

INPUT VAR:

NOTES: PLEASE REFER TO "AE27AUNT" FOR MEASUREMENT UNIT

VARNAME: AE27AMIN QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: AVG LENGTH OF MODERATE ACTIVITY PER DAY

MEAN STATISTICS

N	27343
MIN	0
MAX	720
MEAN	67.01

UNIVERSE: ADULTS WHO HAVE DONE MODERATE PHYSICAL ACTIVITIES WITHIN ONE WEEK

INPUT VAR: AE27A AE27AUNT

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE27AUNT QNAME09: QA09_C9 QPAGENUM: A-34
QNAME07: QA07_C3 QNAME05: QA05_C9

LABEL: TIME PER DAY OF MODERATE PHYS ACTIVITY - UNIT

VALUE:			FREQ	%
-1	INAPPLICABLE		20271	42.57
1	MINUTES		27343	57.43

UNIVERSE: ADULTS WHO DID MODERATE PHYS ACT IN PAST WEEK AT LEAST 10 MINS

INPUT VAR:

NOTES:

VARNAME: AE24 QNAME09: QA09_C10 QPAGENUM: A-34
QNAME07: QA07_C4 QNAME05: QA05_C10

LABEL: HARD/VIGOROUS EXERCISE IN PAST 7 DAYS

VALUE:			FREQ	%
1	YES		12952	27.20
2	NO		34662	72.80

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE25 QNAME09: QA09_C11 QPAGENUM: A-34
QNAME07: QA07_C5 QNAME05: QA05_C11

LABEL: # DAYS DID VIGOROUS PHYSICAL ACTIVITY IN PAST WEEK

MEAN STATISTICS

N	12952
MIN	1
MAX	7
MEAN	3.00

UNIVERSE: ADULTS WHO DID VIGOROUS PHYSICAL ACTIVITY IN LAST 7 DAYS

INPUT VAR:

NOTES:

VARNAME: AE25A QNAME09: QA09_C12 QPAGENUM: A-35
QNAME07: QA07_C6 QNAME05: QA05_C12

LABEL: TIME PER DAY OF VIGOROUS PHYSICAL ACTIVITY

MEAN STATISTICS

N	12952
MIN	0
MAX	480
MEAN	62.62

UNIVERSE: ADULTS WHO DID VIGOROUS PHYSICAL ACTIVITY IN LAST 7 DAYS

INPUT VAR:

NOTES: PLEASE REFER TO "AE25AUNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE25AMIN QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: AVG LENGTH OF VIGOROUS ACTIVITY PER DAY

MEAN STATISTICS

N	12952
MIN	0
MAX	480
MEAN	62.62

UNIVERSE: ADULTS WHO HAVE DONE VIGOROUS PHYSICAL ACTIVITIES WITHIN ONE WEEK

INPUT VAR: AE25A AE25AUNT

NOTES:

VARNAME: AE25AUNT QNAME09: QA09_C12 QPAGENUM: A-35

QNAME07: QA07_C6 QNAME05: QA05_C12

LABEL: TIME PER DAY OF VIGOROUS PHYS ACTIVITY - UNIT

VALUE:		FREQ	%
-1	INAPPLICABLE	34662	72.80
1	MINUTES	12952	27.20

UNIVERSE: ADULTS WHO DID VIGOROUS PHYSICAL ACTIVITY IN LAST 7 DAYS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MODPA QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY (INCL WALK)

VALUE:			FREQ	%
1	AT LEAST 5 DAYS/WK AND 30 MIN/DAY		12049	25.31
2	LESS THAN 5 DAYS/WK OR 30 MIN/DAY		35565	74.69

UNIVERSE: ALL ADULTS

INPUT VAR: AE27 AE27A AD38W AD39W AD42W AD41W

NOTES: ACTIVITY REPORTED INCLUDES WALKING (# OF TIMES IN PAST WEEK). SIMILAR TO MODACT IN 2007.

VARNAME: MODACTLE QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY (EXCL WALK)

VALUE:			FREQ	%
1	AT LEAST 5 DAYS/WK AND 30 MIN/DAY		4794	10.07
2	LESS THAN 5 DAYS/WK OR 30 MIN/DAY		42820	89.93

UNIVERSE: ALL ADULTS

INPUT VAR: AE27 AE27A AE26

NOTES: ACTIVITY REPORTED EXCLUDES WALKING . SIMILAR TO MODACT IN 2007.

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: REGPA QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: REGULAR, SOME OR NO PHYSICAL ACTIVITY (INCL WALK)

VALUE:			FREQ	%
1	REGULAR PHYSICAL ACTIVITY		15671	32.91
2	SOME PHYSICAL		25583	53.73
3	SEDENTARY(NO PHYSICAL ACTIVITY)		6360	13.36

UNIVERSE: ALL ADULTS

INPUT VAR: MODPA AD37W AD40W AE24 AE26

NOTES: ACTIVITY REPORTED INCLUDES WALKING (# OF TIMES IN PAST WEEK)

VARNAME: VIGACTLE QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: VIGOROUS LEISURE ACTIVITY FOR 3 DAYS/WK AND 20 MIN/DAY

VALUE:			FREQ	%
1	AT LEAST 3 DAYS/WK AND 20 MIN/DAY		6437	13.52
2	LESS THAN 3 DAYS/WK OR 20 MIN/DAY		41177	86.48

UNIVERSE: ALL ADULTS

INPUT VAR: AE24 AE25 AE25A AE25AUNT

NOTES: ACTIVITY REPORTED EXCLUDES WALKING. SIMILAR TO VIGPA IN 2007 & AE_VIGOR IN 2001

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: REGACTLE QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: REGULAR, SOME OR NO PHYSICAL ACTIVITY (EXCL WALK)

VALUE:			FREQ	%
1	REGULAR PHYSICAL ACTIVITY		9572	20.10
2	SOME PHYSICAL		20905	43.91
3	SEDENTARY(NO PHYSICAL ACTIVITY)		17137	35.99

UNIVERSE: ALL ADULTS

INPUT VAR: VIGACTLE MODACTLE AE24 AE26

NOTES: ACTIVITY REPORTED EXCLUDES WALKING

VARNAME: AE2 QNAME09: QA09_C13 QPAGENUM: A-35

QNAME07: QA07_C8 QNAME05: QA05_C18

LABEL: # TIMES ATE FRUIT IN PAST MO

MEAN STATISTICS	
N	47614
MIN	0
MAX	480
MEAN	34.91

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AE2UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE2UNT QNAME09: QA09_C13 QPAGENUM: A-35
QNAME07: QA07_C8 QNAME05: QA05_C18

LABEL: # OF TIMES ATE FRUIT IN PAST MO - UNIT

VALUE:	3	PER MONTH	FREQ	%
			47614	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE3 QNAME09: QA09_C14 QPAGENUM: A-35
QNAME07: QA07_C9 QNAME05: QA05_C18

LABEL: # TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO

MEAN STATISTICS	
N	47614
MIN	0
MAX	180
MEAN	3.60

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AE3UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE3UNT QNAME09: QA09_C14 QPAGENUM: A-35
QNAME07: QA07_C9 QNAME05: QA05_C18

LABEL: # TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO- UNIT

VALUE: 3 PER MONTH

FREQ %
47614 100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE7 QNAME09: QA09_C15 QPAGENUM: A-36
QNAME07: QA07_C10 QNAME05: QA05_C21

LABEL: # OF TIMES ATE VEGETABLES IN PAST MO

MEAN STATISTICS

N	47614
MIN	0
MAX	300
MEAN	32.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AE7UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	AE7UNT	QNAME09:	QA09_C15	QPAGENUM:	A-36
		QNAME07:	QA07_C10	QNAME05:	QA05_C21
LABEL:	# OF TIMES ATE VEGETABLES IN PAST MO - UNIT				
VALUE:	3	PER MONTH		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	AE_FRIES	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	# OF TIME EATING FRIES PER WEEK				

MEAN STATISTICS	
N	47614
MIN	0
MAX	42
MEAN	0.76

UNIVERSE: ALL ADULTS

INPUT VAR: AE3 AE3UNT

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE_FRUIT QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: # OF TIMES EATING FRUIT PER WEEK

MEAN STATISTICS

N	47614
MIN	0
MAX	111
MEAN	8.15

UNIVERSE: ALL ADULTS

INPUT VAR: AE2 AE2UNT

NOTES:

VARNAME: AC11 QNAME09: QA09_C16 QPAGENUM: A-36

QNAME07: QA07_C11 QNAME05: QA05_C22

LABEL: # OF TIMES DRANK SODA LAST MONTH

MEAN STATISTICS

N	47614
MIN	0
MAX	300
MEAN	5.66

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AC11UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC11UNT QNAME09: QA09_C16 QPAGENUM: A-36
 QNAME07: QA07_C11 QNAME05: QA05_C22
 LABEL: # OF TIMES DRANK SODA LAST MONTH - UNIT
 VALUE: 3 PER MONTH FREQ 47614 % 100.00
 UNIVERSE: ALL ADULTS
 INPUT VAR:
 NOTES:

VARNAME: AC12 QNAME09: QA09_C17 QPAGENUM: A-36
 QNAME07: NA QNAME05: QA05_C24
 LABEL: # OF TIMES DRANK FRUIT-FLAV LAST MONTH
 MEAN STATISTICS
 N 47614
 MIN 0
 MAX 300
 MEAN 2.29
 UNIVERSE: ALL ADULTS
 INPUT VAR:
 NOTES: PLEASE REFER TO "AC12UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:    AC12UNT                QNAME09:   QA09_C17                QPAGENUM:  A-36
                                     QNAME07:   NA                  QNAME05:   QA05_C24

LABEL:      # OF TIMES DRANK FRUIT-FLAV LAST MONTH - UNIT

VALUE:      3          PER MONTH                                FREQ      %
                                     47614      100.00

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:
-----
```

```
VARNAME:    AC41                QNAME09:   QA09_C18                QPAGENUM:  A-36
                                     QNAME07:   NA                  QNAME05:   NA

LABEL:      # OF TIMES DRANK SWEETENED FRUIT DRINKS LAST MONTH

                                MEAN STATISTICS
                                N          47614
                                MIN         0
                                MAX        300
                                MEAN       4.25

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:      PLEASE REFER TO "AC41UNT" FOR MEASUREMENT UNIT
-----
```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC41UNT QNAME09: QA09_C18 QPAGENUM: A-36
QNAME07: NA QNAME05: NA

LABEL: # OF TIMES DRANK SWEETENED FRUIT DRINKS LAST MONTH - UNIT

VALUE: 3 PER MONTH

FREQ %
47614 100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC36 QNAME09: QA09_C19 QPAGENUM: A-37
QNAME07: NA QNAME05: NA

LABEL: # OF TIMES DRANK SWEETENED COFFEE/TEA LAST MONTH

MEAN STATISTICS

N	47614
MIN	0
MAX	300
MEAN	12.43

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AC36UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC36UNT QNAME09: QA09_C19 QPAGENUM: A-37

QNAME07: NA QNAME05: NA

LABEL: # OF TIMES DRANK SWEETENED COFFEE/TEA LAST MONTH - UNIT

VALUE:	3	PER MONTH	FREQ	%
			47614	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE_SODA QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: # OF TIMES DRINKING SODA PER WEEK

MEAN STATISTICS

N	47614
MIN	0
MAX	69
MEAN	1.29

UNIVERSE: ALL ADULTS

INPUT VAR: AC11 AC11UNT

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:   AC13                      QNAME09:   QA09_C20          QPAGENUM:  A-37
                                QNAME07:   NA              QNAME05:   QA05_C25

LABEL:     # OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH

              MEAN STATISTICS
              N              47614
              MIN            0
              MAX            300
              MEAN           10.57

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:      PLEASE REFER TO "AC13UNT" FOR MEASUREMENT UNIT
-----

```

```

-----
VARNAME:   AC13UNT                  QNAME09:   QA09_C20          QPAGENUM:  A-37
                                QNAME07:   NA              QNAME05:   QA05_C25

LABEL:     # OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH - UNIT

              VALUE:      3          PER MONTH
                                FREQUENCY      %
                                47614      100.00

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:
-----

```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE_VEGI QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: # OF TIMES EATING VEGETABLES PER WEEK

MEAN STATISTICS

N	47614
MIN	0
MAX	69
MEAN	7.66

UNIVERSE: ALL ADULTS

INPUT VAR: AE7 AE7UNT

NOTES:

VARNAME: AC14 QNAME09: QA09_C21 QPAGENUM: A-37
QNAME07: NA QNAME05: QA05_C26

LABEL: # OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH

MEAN STATISTICS

N	47614
MIN	0
MAX	300
MEAN	4.16

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AC14UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC14UNT QNAME09: QA09_C21 QPAGENUM: A-37
QNAME07: NA QNAME05: QA05_C26

LABEL: # OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH - UNIT

VALUE:	3	PER MONTH	FREQ	%
			47614	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC31 QNAME09: QA09_C22 QPAGENUM: A-37
QNAME07: QA07_C12 QNAME05: NA

LABEL: # TIMES ATE FAST FOOD PAST WEEK

MEAN STATISTICS	
N	47614
MIN	0
MAX	30
MEAN	1.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: SUG_SODA QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN SODA

MEAN STATISTICS

N	47527
MIN	0
MAX	84
MEAN	1.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: <http://appliedresearch.cancer.gov/surveys/chis/dietscreener/2009/>

VARNAME: SUG_ENGD QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN FRUIT/ENERGY DRINKS

MEAN STATISTICS

N	47420
MIN	0
MAX	89
MEAN	1.58

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: <http://appliedresearch.cancer.gov/surveys/chis/dietscreener/2009/>

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: SUG_PAST QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN PASTRIES

MEAN STATISTICS

N	47396
MIN	0
MAX	37
MEAN	1.13

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: <http://appliedresearch.cancer.gov/surveys/chis/dietscreener/2009/>

VARNAME: SUG_ICRM QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN ICE CREAM

MEAN STATISTICS

N	47498
MIN	0
MAX	26
MEAN	0.53

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: <http://appliedresearch.cancer.gov/surveys/chis/dietscreener/2009/>

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: SUG_COFF QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN COFFEE AND TEA

MEAN STATISTICS

N	47506
MIN	0
MAX	25
MEAN	0.75

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: <http://appliedresearch.cancer.gov/surveys/chis/dietscreener/2009/>

VARNAME: SUG_BEV QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: UNADJUSTED DAILY TEASPOONS OF ADDED SUGAR IN ALL BEVERAGES

MEAN STATISTICS

N	47270
MIN	0
MAX	138
MEAN	4.08

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: <http://appliedresearch.cancer.gov/surveys/chis/dietscreener/2009/>

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FRUIT QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: UNADJUSTED DAILY CUP EQUIVALENTS OF FRUITS

MEAN STATISTICS

N	47283
MIN	0
MAX	9
MEAN	0.88

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: <http://appliedresearch.cancer.gov/surveys/chis/dietscreener/2009/>

VARNAME: FRIED_PO QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: UNADJUSTED DAILY CUP EQUIVALENTS OF FRIED POTATOES

MEAN STATISTICS

N	47476
MIN	0
MAX	3
MEAN	0.06

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: <http://appliedresearch.cancer.gov/surveys/chis/dietscreener/2009/>

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: VEG_OTH QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: UNADJUSTED DAILY CUP EQUIVALENTS OF OTHER VEGETABLES

MEAN STATISTICS

N	47336
MIN	0
MAX	5
MEAN	0.52

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: <http://appliedresearch.cancer.gov/surveys/chis/dietscreener/2009/>

VARNAME: FV_NOBNS QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: DAILY CUP EQUIVALENTS OF FRUITS & VEGETABLES EXCLUDING BEANS

MEAN STATISTICS

N	46974
MIN	1
MAX	10
MEAN	2.56

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: <http://appliedresearch.cancer.gov/surveys/chis/dietscreener/2009/>

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FV_NOFBN QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: DAILY CUP EQUIVALENTS OF FRUITS/VEG EXCL FRENCH FRIES & BEANS

MEAN STATISTICS

N	47070
MIN	1
MAX	10
MEAN	2.50

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: <http://appliedresearch.cancer.gov/surveys/chis/dietscreener/2009/>

VARNAME: SUGAR2 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: DAILY TEASPOONS OF ADDED SUGAR

MEAN STATISTICS

N	47033
MIN	3
MAX	104
MEAN	13.50

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: <http://appliedresearch.cancer.gov/surveys/chis/dietscreener/2009/>

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FVNB2ADJ QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: VARIANCE-ADJ DAILY CUP EQUIV OF FRUITS/VEG EXCL BEANS

MEAN STATISTICS

N	46974
MIN	0
MAX	15
MEAN	2.67

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: <http://appliedresearch.cancer.gov/surveys/chis/dietscreener/2009/>

VARNAME: FVNF2AJ QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: VARIANCE-ADJ DAILY CUP EQUIV FRUITS/VEG EXCL FRENCH FRIES & BEANS

MEAN STATISTICS

N	47070
MIN	0
MAX	14
MEAN	2.63

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: <http://appliedresearch.cancer.gov/surveys/chis/dietscreener/2009/>

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SUG2_ADJ QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: VARIANCE-ADJ DAILY TEASPOONS OF ADDED SUGAR

MEAN STATISTICS

N	47033
MIN	1
MAX	145
MEAN	13.69

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: <http://appliedresearch.cancer.gov/surveys/chis/dietscreener/2009/>

VARNAME: AF13 QNAME09: QA09_C23 QPAGENUM: A-38

QNAME07: NA QNAME05: NA

LABEL: TIMES SUNBURNED PAST 12 MOS

MEAN STATISTICS

N	47614
MIN	0
MAX	365
MEAN	0.87

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: NUMTAN12 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: # OF TIMES USED INDOOR TANNING DEVICE PAST 12 MOS

VALUE:			FREQ	%
0	0		46680	98.04
1	1 - 10		605	1.27
2	11-20		140	0.29
3	21-30		80	0.17
4	31 OR MORE		109	0.23

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE15 QNAME09: QA09_C25 QPAGENUM: A-38
QNAME07: QA07_C13 QNAME05: QA05_C30

LABEL: SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME

VALUE:			FREQ	%
1	YES		20168	42.36
2	NO		27446	57.64

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE15A QNAME09: QA09_C26 QPAGENUM: A-38
QNAME07: QA07_C14 QNAME05: QA05_C31

LABEL: SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL

VALUE:		FREQ	%
-1	INAPPLICABLE	27446	57.64
1	EVERY DAY	3936	8.27
2	SOME DAYS	1601	3.36
3	NOT AT ALL	14631	30.73

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

INPUT VAR:

NOTES:

VARNAME: AD32 QNAME09: QA09_C27 QPAGENUM: A-38
QNAME07: QA07_C15 QNAME05: QA05_C32

LABEL: # OF CIGARETTES PER DAY

MEAN STATISTICS	
N	3936
MIN	0
MAX	90
MEAN	13.51

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW
SMOKE EVERY DAY

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC40 QNAME09: QA09_C28 QPAGENUM: A-39

QNAME07: NA QNAME05: NA

LABEL: # OF CIGARETTES USUALLY SMOKE PER DAY

MEAN STATISTICS

N	14631
MIN	0
MAX	99
MEAN	16.40

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW NOT
SMOKE EVERY DAY

INPUT VAR:

NOTES:

VARNAME: AE16 QNAME09: QA09_C29 QPAGENUM: A-39

QNAME07: QA07_C16 QNAME05: QA05_C33

LABEL: # OF CIGARETTES PER DAY

MEAN STATISTICS

N	1601
MIN	0
MAX	100
MEAN	4.20

UNIVERSE: ADULTS WHO CURRENTLY SMOKE SOME IF NOT ALL DAYS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC38YR QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: # YEARS SMOKED CIGARETTES REGULARLY

MEAN STATISTICS

N	19568
MIN	0
MAX	79
MEAN	18.86

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

INPUT VAR:

NOTES:

VARNAME: AC17 QNAME09: QA09_C31 QPAGENUM: A-39
QNAME07: QA07_C17 QNAME05: QA05_C34

LABEL: SMOKING EVER ALLOWED INSIDE HOME

VALUE:		FREQ	%
1	YES	4539	9.53
2	NO	43075	90.47

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: 2003 VARIABLE NAME: AD33

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD34 QNAME09: QA09_C32 QPAGENUM: A-40
QNAME07: QA07_C18 QNAME05: QA05_C17

LABEL: # OF DAYS PER WEEK ANY SMOKING INSIDE HOME

MEAN STATISTICS

N	4539
MIN	0
MAX	7
MEAN	3.35

UNIVERSE: ADULT WHO ALLOW SMOKING INSIDE THE HOME

INPUT VAR:

NOTES:

VARNAME: SMKCUR QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CURRENT SMOKER

VALUE:		FREQ	%
1	CURRENT SMOKER	5537	11.63
2	NOT CURRENT SMOKER	42077	88.37

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SMOKING QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: CURRENT SMOKING HABITS

VALUE:			FREQ	%
1	CURRENTLY SMOKES		5537	11.63
2	QUIT SMOKING		14631	30.73
3	NEVER SMOKED REGULARLY		27446	57.64

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES:

VARNAME: NUMCIG QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: # OF CIGARETTES PER DAY

VALUE:			FREQ	%
1	NONE		42077	88.37
2	<=1 CIGARETTES		442	0.93
3	2-5 CIGARETTES		1562	3.28
4	6-10 CIGARETTES		1582	3.32
5	11-19 CIGARETTES		671	1.41
6	20 OR MORE		1280	2.69

UNIVERSE: ALL ADULTS

INPUT VAR: AE15A AD32 AE16 AE15

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:    HHSMK                      QNAME09:   NA                      QPAGENUM:  NA
                                         QNAME07:   NA                      QNAME05:   NA

LABEL:      HOUSEHOLD SMOKING

VALUE:      1      NONE                      FREQ      %
            2      SOMEDAYS                  43075     90.47
            3      EVERY DAY                  2607      5.48
                                         1932      4.06

UNIVERSE:   ALL ADULTS

INPUT VAR:  AC17 AD34

NOTES:
-----

```

```

-----
VARNAME:    AC32                      QNAME09:  QA09_C33                  QPAGENUM:  A-40
                                         QNAME07:  QA07_C19                  QNAME05:   NA

LABEL:      HAD ALCOHOL PAST 12 MONTHS

VALUE:      1      YES                      FREQ      %
            2      NO                      33609     70.59
                                         14005     29.41

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:
-----

```


2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC34 QNAME09: QA09_C34 QPAGENUM: A-40

QNAME07: QA07_C21 QNAME05: NA

LABEL: # DAYS HAD 5+ DRINKS PAST 12 MONTHS

MEAN STATISTICS

N	14824
MIN	0
MAX	365
MEAN	13.61

UNIVERSE: MALES WHO DRANK ALCOHOL IN LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AC35 QNAME09: QA09_C35 QPAGENUM: A-40

QNAME07: QA07_C22 QNAME05: NA

LABEL: # DAYS HAD 4+ DRINKS PAST 12 MONTHS

MEAN STATISTICS

N	18785
MIN	0
MAX	365
MEAN	5.43

UNIVERSE: FEMALES WHO DRANK ALCOHOL IN LAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: BINGE12 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)

VALUE:		FREQ	%
1	NO BINGE DRINKING PAST YEAR	36554	76.77
2	ONCE A YEAR	1504	3.16
3	LESS THAN MONTHLY, MORE THAN ONCE A YEAR	4929	10.35
4	MONTHLY	1470	3.09
5	LESS THAN WEEKLY BUT MORE THAN MONTHLY	1686	3.54
6	DAILY OR WEEKLY	1471	3.09

UNIVERSE: ALL ADULTS

INPUT VAR: AC32 AC34 AC35

NOTES:

Section D: General Health, Disability, and Sexual Health

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: HGHTI_P	QNAME09: NA	QPAGENUM: NA
	QNAME07: NA	QNAME05: NA

LABEL: HEIGHT: INCHES (PUF RECODE)

MEAN STATISTICS

N	47614
MIN	42
MAX	77
MEAN	66.17

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTI

NOTES: TOPCODE=77; BOTTOMCODE=42

VARNAME: HGHTM_P	QNAME09: NA	QPAGENUM: NA
	QNAME07: NA	QNAME05: NA

LABEL: HEIGHT: METERS (PUF RECODE)

MEAN STATISTICS

N	47614
MIN	1
MAX	2
MEAN	1.68

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTM

NOTES: TOPCODE=1.95; BOTTOMCODE=1.1

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: HEIGHM_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: HEIGHT: METERS - UCLA (PUF RECODE)

MEAN STATISTICS

N	47614
MIN	1
MAX	2
MEAN	1.68

UNIVERSE: ALL ADULTS

INPUT VAR: HEIGHTM

NOTES: TOPCODE=1.95; BOTTOMCODE=1.1

VARNAME: WEIGHK_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: WEIGHT: KG - UCLA (PUF RECODE)

MEAN STATISTICS

N	47614
MIN	41
MAX	150
MEAN	75.74

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHTKG

NOTES: TOPCODE=150; BOTTOMCODE=41

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WGHTK_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: WEIGHT: KG (PUF RECODE)

MEAN STATISTICS

N	47614
MIN	41
MAX	150
MEAN	75.74

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTK

NOTES: TOPCODE=150; BOTTOMCODE=41

VARNAME: WGHTP_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: WEIGHT: LBS (PUF RECODE)

MEAN STATISTICS

N	47614
MIN	90
MAX	330
MEAN	166.99

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTP

NOTES: TOPCODE=330; BOTTOMCODE=90

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WT18K_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: WEIGHT AT 18: KILOS (PUF RECODE)

MEAN STATISTICS

N	47614
MIN	41
MAX	150
MEAN	61.20

UNIVERSE: ADULTS 19 AND OLDER

INPUT VAR: WT18K

NOTES: TOPCODE=150; BOTTOMCODE=41

VARNAME: WT18P_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: WEIGHT AT 18: LBS (PUF RECODE)

MEAN STATISTICS

N	47614
MIN	90
MAX	330
MEAN	134.85

UNIVERSE: ADULTS 19 AND OLDER

INPUT VAR: WT18P

NOTES: TOPCODE=330; BOTTOMCODE=90

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD50 QNAME09: QA09_D4 QPAGENUM: A-41
QNAME07: QA07_D4 QNAME05: QA05_D8

LABEL: BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM

VALUE:	1	YES	FREQ	%
	2	NO	4599	9.66
			43015	90.34

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: BMI_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS	
N	47614
MIN	13
MAX	94
MEAN	26.73

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHK_P HEIGHM_P

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RBMI QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: BMI DESCRIPTIVE

VALUE :			FREQ	%
1	UNDERWEIGHT	0-18.49	1068	2.24
2	NORMAL	18.5-24.99	19831	41.65
3	OVERWEIGHT	25.0-29.99	16152	33.92
4	OBESE	30.0+	10563	22.18

UNIVERSE: ALL ADULTS

```
INPUT VAR: BMI
```

NOTES :

VARNAME: OVRWT QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: OVERWEIGHT OR OBESE

			FREQ	%
VALUE:	1	YES	26715	56.11
	2	NO	20899	43.89

UNIVERSE: ALL ADULTS

INPUT VAR: RBMI

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD57 QNAME09: QA09_D6 QPAGENUM: A-42
QNAME07: QA07_D6 QNAME05: QA05_D10

LABEL: CONDITION LIMITS BASIC PHYS ACTIVITY

VALUE:			FREQ	%
1	YES		10557	22.17
2	NO		37057	77.83

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD51 QNAME09: QA09_D7 QPAGENUM: A-42
QNAME07: QA07_D7 QNAME05: QA05_D11

LABEL: HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING

VALUE:			FREQ	%
1	YES		6524	13.70
2	NO		41090	86.30

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD52 QNAME09: QA09_D8 QPAGENUM: A-42
QNAME07: QA07_D8 QNAME05: QA05_D12

LABEL: HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND

VALUE:			FREQ	%
1	YES		2496	5.24
2	NO		45118	94.76

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD53 QNAME09: QA09_D9 QPAGENUM: A-42
QNAME07: QA07_D9 QNAME05: QA05_D13

LABEL: HAS DIFFICULTY GOING OUTSIDE HOME ALONE

VALUE:			FREQ	%
1	YES		3206	6.73
2	NO		44408	93.27

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD54 QNAME09: QA09_D10 QPAGENUM: A-43
QNAME07: QA07_D10 QNAME05: QA05_D14

LABEL: HAS DIFFICULTY WORKING AT A JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		15565	32.69
1	YES		3346	7.03
2	NO		28703	60.28

UNIVERSE: ADULTS UNDER AGE 65

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	DISABLE	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION				
VALUE:	1	DISABLED		FREQ	%
	2	NOT DISABLED		16766	35.21
				30848	64.79
UNIVERSE:	ALL ADULTS				
INPUT VAR:	SRAGE AD50 AD51 AD52 AD53 AD54 AD57				
NOTES:	ADAPTED FROM AMERICAN COMMUNITY SURVEY FOR 65+, AD54 IS EXCLUDED				

Section E: Women's Health

```

VARNAM:  AD1                                QNAME09:  QA09_E1                                QPAGENUM:  A-46

                                QNAME07:  QA07_E1                                QNAME05:  QA05_E1

LABEL:    AGE WHEN PERIOD STARTED

                                MEAN STATISTICS
                                N                                28045
                                MIN                               6
                                MAX                               22
                                MEAN                             12.84

UNIVERSE:  ALL ADULT WOMEN

INPUT VAR:

NOTES:     EXCLUDED VALUE "96" IN CALCULATING THE MEAN

```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD13 QNAME09: QA09_E3 QPAGENUM: A-46
QNAME07: QA07_E3 QNAME05: QA05_E7

LABEL: CURRENTLY PREGNANT

VALUE:		FREQ	%
-1	INAPPLICABLE	39916	83.83
1	YES	217	0.46
2	NO	7481	15.71

UNIVERSE: WOMEN 45 OR YOUNGER

INPUT VAR:

NOTES:

VARNAME: AE89_P QNAME09: NA QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: STILL HAVE MENSTRUAL CYCLE (PUF RECODE)

VALUE:		FREQ	%
-2	PROXY SKIPPED	283	0.59
-1	INAPPLICABLE	24455	51.36
1	YES	4613	9.69
2	NO	17099	35.91
3	NO, HYSTERECTOMY OR OVARIES REMOVED	1164	2.44

UNIVERSE: WOMEN 40 OR OLDER WHO ARE NOT PREGNANT AND HAVE STARTED MENTRUAL CYCLE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE90 QNAME09: QA09_E5 QPAGENUM: A-47

QNAME07: NA QNAME05: NA

LABEL: TIME SINCE LAST MENSTRUAL CYCLE

VALUE:		FREQ	%
-2	PROXY SKIPPED	283	0.59
-1	INAPPLICABLE	29068	61.05
1	1 YR AGO OR LESS	717	1.51
2	MORE THAN 1 YR AGO TO 2 YRS AGO	846	1.78
3	MORE THAN 2 YRS AGO	16700	35.07

UNIVERSE: WOMEN 40 OR OLDER WHO ARE NOT PREGNANT AND HAVE NO PERIOD NOW

INPUT VAR:

NOTES:

VARNAME: AD2 QNAME09: QA09_E6 QPAGENUM: A-47

QNAME07: NA QNAME05: QA05_E2

LABEL: EVER GIVEN BIRTH TO LIVE INFANT

VALUE:		FREQ	%
-1	INAPPLICABLE	19434	40.82
1	YES	22180	46.58
2	NO	6000	12.60

UNIVERSE: ALL ADULT WOMEN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD3	QNAME09: QA09_E7	QPAGENUM: A-47
	QNAME07: NA	QNAME05: QA05_E3

LABEL: AGE WHEN FIRST CHILD WAS BORN

MEAN STATISTICS

N	22180
MIN	10
MAX	50
MEAN	24.42

UNIVERSE: WOMEN WHO HAVE GIVEN BIRTH

INPUT VAR:

NOTES:

VARNAME: AF37	QNAME09: QA09_E9	QPAGENUM: A-48
	QNAME07: NA	QNAME05: QA05_E20

LABEL: DOCTOR EXAMINED BREASTS FOR LUMPS PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	21582	45.33
1	YES	18851	39.59
2	NO	7181	15.08

UNIVERSE: ADULT WOMEN 30 OR OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD14 QNAME09: QA09_E10 QPAGENUM: A-48
QNAME07: QA07_E24 QNAME05: QA05_E16

LABEL: EVER HAD A MAMMOGRAM

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	21582	45.33
	2	NO	22545	47.35
			3487	7.32

UNIVERSE: WOMEN 30 OR OLDER

INPUT VAR:

NOTES:

VARNAME: MAM_SCRN QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: MAMMOGRAM IN PAST 2 YRS

VALUE:	-1	SKIP, MALE OR FEMALE AGE<30	FREQ	%
	1	WITHIN PAST 2 YRS	21582	45.33
	2	OVER 2 YEARS AGO	19069	40.05
	3	NEVER	3476	7.30
			3487	7.32

UNIVERSE: ADULT WOMEN 30 AND OLDER

INPUT VAR: AD14 AD17 AD16

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD16 QNAME09: QA09_E11 QPAGENUM: A-48
QNAME07: QA07_E25 QNAME05: QA05_E17

LABEL: # OF MAMMOGRAMS IN LAST 6 YRS

MEAN STATISTICS

N	22545
MIN	0
MAX	70
MEAN	4.31

UNIVERSE: WOMEN 30 OR OLDER WHO HAVE HAD A MAMMOGRAM

INPUT VAR:

NOTES:

VARNAME: AD17 QNAME09: QA09_E12 QPAGENUM: A-48
QNAME07: QA07_E26 QNAME05: QA05_E18

LABEL: HOW LONG SINCE MOST RECENT MAMMOGRAM

VALUE:		FREQ	%
-1	INAPPLICABLE	25968	54.54
1	WITHIN THE PAST YEAR	15497	32.55
2	1 TO 2 YRS AGO	3572	7.50
3	2 TO 3 YRS AGO	1108	2.33
4	3 TO 5 YRS AGO	888	1.86
5	MORE THAN 5 YRS AGO	581	1.22

UNIVERSE: WOMEN 30 AND OLDER WHO HAD MAMMOGRAM WITHIN 6 YRS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE50 QNAME09: QA09_E13 QPAGENUM: A-49
QNAME07: NA QNAME05: QA05_E29

LABEL: MOST RECENT MAMMOGRAM RECOMENDED BY DOCT

VALUE:			FREQ	%
-1	INAPPLICABLE		25968	54.54
1	YES		17724	37.22
2	NO		3922	8.24

UNIVERSE: WOMEN AGE 30 AND OVER WHO HAVE HAD A MAMMOGRAM WITHIN LAST 2 YEARS

INPUT VAR:

NOTES:

VARNAME: AD18 QNAME09: QA09_E14 QPAGENUM: A-49
QNAME07: NA QNAME05: QA05_E19

LABEL: MAIN REASON FOR HAVING MAMMOGRAM

VALUE:			FREQ	%
-1	INAPPLICABLE		28545	59.95
1	PART OF ROUTINE PHYSICAL EXAM		15816	33.22
2	DUE TO SPECIFIC BREAST PROBLEM		766	1.61
3	FOLLOW-UP PREV IDENTIFIED BREAST PROBLEM		1386	2.91
4	DUE TO FAMILY HISTORY		1101	2.31

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAVE HAD A MAMMOGRAM

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD19 QNAME09: QA09_E15 QPAGENUM: A-49
QNAME07: NA QNAME05: QA05_E21

LABEL: EVER HAD MAMMOGRAM W/ ABNORMAL RESULTS?

VALUE:			FREQ	%
-1	INAPPLICABLE		25968	54.54
1	YES		6165	12.95
2	NO		15481	32.51

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAVE HAD A MAMMOGRAM

INPUT VAR:

NOTES:

VARNAME: AD20 QNAME09: QA09_E16 QPAGENUM: A-49
QNAME07: NA QNAME05: QA05_E22

LABEL: EVER HAD OPERATION TO REMOVE LUMP FROM BREAST

VALUE:			FREQ	%
-1	INAPPLICABLE		41449	87.05
1	YES		2673	5.61
2	NO		3492	7.33

UNIVERSE: WOMEN AGE 30 AND OLDER W MAMMOGRAM AND HAVE HAD ABNORMAL RESULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD21 QNAME09: QA09_E17 QPAGENUM: A-49
QNAME07: NA QNAME05: QA05_E23

LABEL: DID THE LUMP TURN OUT TO BE CANCER?

VALUE:			FREQ	%
-1	INAPPLICABLE		44941	94.39
1	YES		1118	2.35
2	NO		1555	3.27

UNIVERSE: WOMEN AGE 30 AND OLDER W MAMMOGRAM AND HAVE HAD ABNORMAL RESULTS
AND LUMP REMOVED FROM BREAST

INPUT VAR:

NOTES:

VARNAME: AD22 QNAME09: QA09_E18 QPAGENUM: A-50
QNAME07: NA QNAME05: QA05_E24

LABEL: # OF BREAST OPERATIONS TO REMOVE NONCANCER

MEAN STATISTICS	
N	1555
MIN	0
MAX	14
MEAN	1.44

UNIVERSE: WOMEN AGE 30 AND OLDER W MAMM, HAVE HAD ABNORMAL RESULTS, AND
NONCANCEROUS LUMP REMOVED FROM BREAST

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB60 QNAME09: QA09_E19 QPAGENUM: A-50
QNAME07: NA QNAME05: QA05_F3

LABEL: HOW FIRST FOUND BREAST CANCER

VALUE:			FREQ	%
-1	INAPPLICABLE		46496	97.65
1	FIND BY ACCIDENT		193	0.41
2	FIND DURING SELF BREAST EXAM		175	0.37
3	FIND BY HUSBAND OR PARTNER		18	0.04
4	DOCTOR FIND DURING ROUTINE BREAST EXAM		107	0.22
5	FIND BY MAMMOGRAM		595	1.25
6	SOME OTHER WAY		22	0.05
7	DISCOMFORT		8	0.02

UNIVERSE: WOMEN AGE 30 OR OLDER WHO HAD BREAST CANCER

INPUT VAR:

NOTES:

VARNAME: AD23 QNAME09: QA09_E20 QPAGENUM: A-50
QNAME07: NA QNAME05: QA05_E25

LABEL: TESTS/SURGERY WHEN MAMMOGRAM ABNORMAL

VALUE:			FREQ	%
-1	INAPPLICABLE		41449	87.05
1	YES		3710	7.79
2	NO		2455	5.16

UNIVERSE: WOMEN AGE 30 AND OLDER W MAMM AND HAVE HAD ABNORMAL RESULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD26 QNAME09: QA09_E22 QPAGENUM: A-51
QNAME07: QA07_E27 QNAME05: QA05_E28

LABEL: DOCTOR RECOMMENDED MAMMOGRAM IN PAST TWO YRS

VALUE:		FREQ	%
-1	INAPPLICABLE	40691	85.46
1	YES	1500	3.15
2	NO	5423	11.39

UNIVERSE: WOMEN 30 AND OLDER

INPUT VAR:

NOTES:

VARNAME: AD25 QNAME09: QA09_E23 QPAGENUM: A-51
QNAME07: NA QNAME05: QA05_E27

LABEL: MAIN REASON FOR HAVING NO MAMMOGRAM

VALUE:		FREQ	%
-2	PROXY SKIPPED	283	0.59
-1	INAPPLICABLE	45850	96.30
1	NO REASON/NEVER THOUGHT ABOUT IT	117	0.25
2	DIDN'T KNOW IF NEEDED	26	0.05
3	DOCTOR DIDN'T TELL ME	55	0.12
4	HAVEN'T HAD ANY PROBLEMS	107	0.22
5	PUT IT OFF/LAZINESS	253	0.53
6	TOO EXPENSIVE/NO INSURANCE/COST	174	0.37
7	TOO PAINFUL/UNPLEASANT/EMBARRASSING	142	0.30
8	TOO YOUNG	25	0.05
9	DON'T HAVE A DOCTOR	8	0.02
91	OTHER	574	1.21

UNIVERSE: WOMEN AGE 30 AND OVER WHOSE DOCTOR RECOMMENDED MAMMOG IN PAST 12 MOS, AND DID NOT HAVE MAMMOG W/IN 2 YRS (OR NEVER HAD ONE)

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF47 QNAME09: QA09_E24 QPAGENUM: A-51

QNAME07: NA QNAME05: NA

LABEL: EVER TAKEN HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE

VALUE:			FREQ	%
-1	INAPPLICABLE		24600	51.67
1	YES		8628	18.12
2	NO		14386	30.21

UNIVERSE: ADULT WOMEN 40 OR OLDER WHO IS NOT PREGNANT AND CURRENTLY NOT
TAKING HRT FOR MENOPAUSE

INPUT VAR:

NOTES:

VARNAME: AD28 QNAME09: QA09_E25 QPAGENUM: A-52

QNAME07: QA07_E28 QNAME05: QA05_E30

LABEL: CURRENTLY TAKING HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE

VALUE:			FREQ	%
-1	INAPPLICABLE		38986	81.88
1	YES		2252	4.73
2	NO		6376	13.39

UNIVERSE: WOMEN 40 OR OLDER WHO ARE NOT PREGNANT AND EVER TAKEN HRT FOR
MENOPAUSE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF48 QNAME09: QA09_E26 QPAGENUM: A-52

QNAME07: NA QNAME05: NA

LABEL: HOW LONG AGO STOPPED USING HORMONE REPLACEMENT SUPPLEMENTS

VALUE:		FREQ	%
-1	INAPPLICABLE	41238	86.61
1	2 YRS AGO OR LESS	623	1.31
2	MORE THAN 2 YRS UP TO 5 YRS AGO	1100	2.31
3	MORE THAN 5 YRS AGO	4653	9.77

UNIVERSE: ADULT WOMEN 40 OR OLDER WHO IS NOT PREGNANT AND CURRENTLY NOT
TAKING HRT FOR MENOPAUSE BUT HAVE TAKEN IN THE PAST

INPUT VAR:

NOTES:

VARNAME: AE84 QNAME09: QA09_E27 QPAGENUM: A-52

QNAME07: QA07_E29 QNAME05: NA

LABEL: # YRS TAKEN HRT

VALUE:		FREQ	%
-1	INAPPLICABLE	38986	81.88
1	A YEAR OR LESS	1354	2.84
2	MORE THAN 1 UP TO 2 YEARS	722	1.52
3	MORE THAN 2 UP TO 4 YEARS	907	1.90
4	MORE THAN 4 UP TO 8 YEARS	1498	3.15
5	MORE THAN 8 YEARS	4147	8.71

UNIVERSE: WOMEN 40 OR OLDER WHO ARE NOT PREGNANT AND TAKING HRT

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE51 QNAME09: QA09_E28 QPAGENUM: A-52
QNAME07: NA QNAME05: QA05_E31

LABEL: CURRENTLY TAKING TAMOXIFEN OR MALVADEX

VALUE:			FREQ	%
-1	INAPPLICABLE		26660	55.99
1	YES		144	0.30
2	NO		20810	43.71

UNIVERSE: WOMEN AGE 45 AND OLDER

INPUT VAR:

NOTES:

VARNAME: AE52 QNAME09: QA09_E29 QPAGENUM: A-52
QNAME07: NA QNAME05: QA05_E32

LABEL: CURRENTLY TAKING RALOXIFEN OR EVISTA

VALUE:			FREQ	%
-1	INAPPLICABLE		26660	55.99
1	YES		245	0.51
2	NO		20709	43.49

UNIVERSE: WOMEN AGE 45 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section F: Mental Health

VARNAME: AJ29 QNAME09: QA09_F1 QPAGENUM: A-54
QNAME07: QA07_F1 QNAME05: QA05_J10

LABEL: FEEL NERVOUS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
1	ALL OF THE TIME		641	1.35
2	MOST OF THE TIME		1572	3.30
3	SOME OF THE TIME		6903	14.50
4	A LITTLE OF THE TIME		16002	33.61
5	NOT AT ALL		22213	46.65

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ30 QNAME09: QA09_F2 QPAGENUM: A-54
QNAME07: QA07_F2 QNAME05: QA05_J11

LABEL: FEEL HOPELESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
1	ALL OF THE TIME		279	0.59
2	MOST OF THE TIME		657	1.38
3	SOME OF THE TIME		2727	5.73
4	A LITTLE OF THE TIME		6482	13.61
5	NOT AT ALL		37186	78.10

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ31 QNAME09: QA09_F3 QPAGENUM: A-54
QNAME07: QA07_F3 QNAME05: QA05_J12

LABEL: FEEL RESTLESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
1	ALL OF THE TIME		858	1.80
2	MOST OF THE TIME		1357	2.85
3	SOME OF THE TIME		6857	14.40
4	A LITTLE OF THE TIME		12517	26.29
5	NOT AT ALL		25742	54.06

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ32 QNAME09: QA09_F4 QPAGENUM: A-54
QNAME07: QA07_F4 QNAME05: QA05_J13

LABEL: FEEL DEPRESSED PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
1	ALL OF THE TIME		254	0.53
2	MOST OF THE TIME		569	1.20
3	SOME OF THE TIME		2308	4.85
4	A LITTLE OF THE TIME		4349	9.13
5	NOT AT ALL		39851	83.70

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ33 QNAME09: QA09_F5 QPAGENUM: A-55
QNAME07: QA07_F5 QNAME05: QA05_J14

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
1	ALL OF THE TIME		1426	2.99
2	MOST OF THE TIME		1752	3.68
3	SOME OF THE TIME		5277	11.08
4	A LITTLE OF THE TIME		8840	18.57
5	NOT AT ALL		30036	63.08

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ34	QNAME09: QA09_F6	QPAGENUM: A-55
	QNAME07: QA07_F6	QNAME05: QA05_J15

LABEL: FEEL WORTHLESS PAST 30 DAYS

VALUE:		FREQ	%
-2	PROXY SKIPPED	283	0.59
1	ALL OF THE TIME	360	0.76
2	MOST OF THE TIME	503	1.06
3	SOME OF THE TIME	1906	4.00
4	A LITTLE OF THE TIME	3500	7.35
5	NOT AT ALL	41062	86.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF62	QNAME09: QA09_F7	QPAGENUM: A-55
	QNAME07: QA07_F7	QNAME05: NA

LABEL: ANY MONTH PAST 12 MONTHS FELT WORSE

VALUE:		FREQ	%
-2	PROXY SKIPPED	283	0.59
1	YES	8427	17.70
2	NO	38904	81.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF63 QNAME09: QA09_F8 QPAGENUM: A-56

QNAME07: QA07_F8 QNAME05: NA

LABEL: FEEL NERVOUS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		38904	81.71
1	ALL OF THE TIME		940	1.97
2	MOST OF THE TIME		1749	3.67
3	SOME OF THE TIME		2670	5.61
4	A LITTLE OF THE TIME		1900	3.99
5	NOT AT ALL		1168	2.45

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF64 QNAME09: QA09_F9 QPAGENUM: A-56

QNAME07: QA07_F9 QNAME05: NA

LABEL: FEEL HOPELESS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		38904	81.71
1	ALL OF THE TIME		534	1.12
2	MOST OF THE TIME		1150	2.42
3	SOME OF THE TIME		2241	4.71
4	A LITTLE OF THE TIME		2036	4.28
5	NOT AT ALL		2466	5.18

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF65 QNAME09: QA09_F10 QPAGENUM: A-56

QNAME07: QA07_F10 QNAME05: NA

LABEL: FEEL RESTLESS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		38904	81.71
1	ALL OF THE TIME		704	1.48
2	MOST OF THE TIME		1283	2.69
3	SOME OF THE TIME		2761	5.80
4	A LITTLE OF THE TIME		1944	4.08
5	NOT AT ALL		1735	3.64

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF66 QNAME09: QA09_F11 QPAGENUM: A-57

QNAME07: QA07_F11 QNAME05: NA

LABEL: FEEL DEPRESSED WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		38904	81.71
1	ALL OF THE TIME		487	1.02
2	MOST OF THE TIME		1040	2.18
3	SOME OF THE TIME		1868	3.92
4	A LITTLE OF THE TIME		1852	3.89
5	NOT AT ALL		3180	6.68

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF67 QNAME09: QA09_F12 QPAGENUM: A-57

QNAME07: QA07_F12 QNAME05: NA

LABEL: FEEL EVERYTHING AN EFFORT WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		38904	81.71
1	ALL OF THE TIME		934	1.96
2	MOST OF THE TIME		1615	3.39
3	SOME OF THE TIME		2477	5.20
4	A LITTLE OF THE TIME		1868	3.92
5	NOT AT ALL		1533	3.22

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF68 QNAME09: QA09_F13 QPAGENUM: A-57

QNAME07: QA07_F13 QNAME05: NA

LABEL: FEEL WORTHLESS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		38904	81.71
1	ALL OF THE TIME		442	0.93
2	MOST OF THE TIME		709	1.49
3	SOME OF THE TIME		1533	3.22
4	A LITTLE OF THE TIME		1455	3.06
5	NOT AT ALL		4288	9.01

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF69 QNAME09: QA09_F14 QPAGENUM: A-58

QNAME07: QA07_F14 QNAME05: NA

LABEL: EMOTIONS INTERFERE W/WORK WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		38036	79.88
1	A LOT		1328	2.79
2	SOME		2990	6.28
3	NOT AT ALL		2264	4.75
4	DOES NOT WORK		2713	5.70

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE PSYCHOLOGICAL
DISTRESS IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: AF70 QNAME09: QA09_F15 QPAGENUM: A-58

QNAME07: QA07_F15 QNAME05: NA

LABEL: EMOTIONS INTERFERE W/CHORES WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		36688	77.05
1	A LOT		2762	5.80
2	SOME		4814	10.11
3	NOT AT ALL		3067	6.44

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF71 QNAME09: QA09_F16 QPAGENUM: A-58

QNAME07: QA07_F16 QNAME05: NA

LABEL: EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		36688	77.05
1	A LOT		3052	6.41
2	SOME		4675	9.82
3	NOT AT ALL		2916	6.12

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR:

NOTES:

VARNAME: AF72 QNAME09: QA09_F17 QPAGENUM: A-58

QNAME07: QA07_F17 QNAME05: NA

LABEL: EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		36688	77.05
1	A LOT		2317	4.87
2	SOME		5298	11.13
3	NOT AT ALL		3028	6.36

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ1 QNAME09: QA09_F20 QPAGENUM: A-59
QNAME07: NA QNAME05: QA05_J18

LABEL: INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS

VALUE:		FREQ	%
-2	PROXY SKIPPED	283	0.59
-1	INAPPLICABLE	41028	86.17
1	YES	4521	9.50
2	NO	1184	2.49
3	NO INSURANCE	598	1.26

UNIVERSE: ADULTS WHO HAVE FELT NEED FOR HELP FOR EMOTIONAL/MENTAL PROBLEMS
OR HAVE SEEN SOMEONE FOR EMOTIONAL/MENTAL HEALTH PROBLEMS WITHIN
PAST YEAR AND HAVE HEALTH INSURANCE

INPUT VAR:

NOTES:

VARNAME: DISTRESS QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS

MEAN STATISTICS	
N	47331
MIN	0
MAX	24
MEAN	2.92

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS12 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR

VALUE:			FREQ	%
-2	PROXY	SKIPPED	283	0.59
1	YES		2835	5.95
2	NO		44496	93.45

UNIVERSE: ALL ADULTS

INPUT VAR: DSTRSYR

NOTES: BASED ON DSTRSYR>=13

VARNAME: DSTRS30 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH

VALUE:			FREQ	%
-2	PROXY	SKIPPED	283	0.59
1	YES		1327	2.79
2	NO		46004	96.62

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS

NOTES: BASED on DISTRESS>=13

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRSYR QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA
 LABEL: SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)

MEAN STATISTICS

N	47331
MIN	0
MAX	24
MEAN	3.60

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS AF63 AF64 AF65 AF66 AF67 AF68

NOTES:

VARNAME: CHORES QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CHORE IMPAIRMENT PAST 12 MONTHS

VALUE:		FREQ	%
-2	PROXY SKIPPED	283	0.59
-1	INAPPLICABLE	36688	77.05
0	NONE	3067	6.44
1	MODERATE	4814	10.11
2	SEVERE	2762	5.80

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR: AF70

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: IMPAIR QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: FUNCTIONAL ROLE IMPAIRMENT DUE TO EMOTIONS PAST 12 MONTHS

MEAN STATISTICS

N	10643
MIN	0
MAX	2
MEAN	0.95

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
 12 MONTHS

INPUT VAR: AF69 AF70 AF71 AF72

NOTES:

VARNAME: SOCIAL QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:		FREQ	%
-2	PROXY SKIPPED	283	0.59
-1	INAPPLICABLE	36688	77.05
0	NONE	2916	6.12
1	MODERATE	4675	9.82
2	SEVERE	3052	6.41

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
 12 MONTHS

INPUT VAR: AF71

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section G: Demographic Information, Part II

VARNAME: AH33NEW QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: BORN IN U.S.

VALUE:			FREQ	%
1	BORN IN U.S.		36133	75.89
2	BORN OUTSIDE U.S.		11481	24.11

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

VARNAME: AH34NEW QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: MOTHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		11556	24.27
1	BORN IN U.S.		31397	65.94
2	BORN OUTSIDE U.S.		4661	9.79

UNIVERSE: ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH34

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH35NEW QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: FATHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		11556	24.27
1	BORN IN U.S.		30837	64.76
2	BORN OUTSIDE U.S.		5221	10.97

UNIVERSE: ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH35

NOTES:

VARNAME: CNTRYF QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: COUNTRY FATHER BORN

VALUE:			FREQ	%
-1	INAPPLICABLE		11556	24.27
1	UNITED STATES		30837	64.76
2	MEXICO		1433	3.01
3	CENTRAL AMERICA		115	0.24
4	OTHER LATIN AMERICA		132	0.28
5	ASIA & PACIFIC ISLANDS		1123	2.36
6	EUROPE		2050	4.31
7	OTHER		368	0.77

UNIVERSE: ADULTS WHO WERE BORN IN US

INPUT VAR: AH35

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CNTRYM QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: COUNTRY MOTHER BORN

VALUE:			FREQ	%
-1	INAPPLICABLE		11556	24.27
1	UNITED STATES		31397	65.94
2	MEXICO		1295	2.72
3	CENTRAL AMERICA		136	0.29
4	OTHER LATIN AMERICA		125	0.26
5	ASIA & PACIFIC ISLANDS		970	2.04
6	EUROPE		1721	3.61
7	OTHER		414	0.87

UNIVERSE: ADULTS WHO WERE BORN IN US

INPUT VAR: AH34

NOTES:

VARNAME: CNTRY5 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: COUNTRY BORN

VALUE:			FREQ	%
1	UNITED STATES		36133	75.89
2	MEXICO		3803	7.99
3	CENTRAL AMERICA		700	1.47
4	OTHER LATIN AMERICA		378	0.79
5	ASIA & PACIFIC ISLANDS		4557	9.57
6	EUROPE		1394	2.93
7	OTHER		649	1.36

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: LANGHOME QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: LANGUAGE SPOKEN AT HOME

			FREQ	%
VALUE :	1	ENGLISH	34207	71.84
	2	SPANISH	2287	4.80
	3	CHINESE	328	0.69
	4	VIETNAMESE	791	1.66
	5	KOREAN	502	1.05
	6	OTHER ASIAN LANGUAGE (1 ONLY)	75	0.16
	7	OTHER NON-ASIAN LANGUAGE (1 ONLY)	102	0.21
	8	ENGLISH & SPANISH	4881	10.25
	9	ENGLISH & CHINESE	413	0.87
	10	ENGLISH & EUROPEAN LANGUAGE	1086	2.28
	11	ENGLISH & ANOTHER ASIAN LANGUAGE	1503	3.16
	12	ENGLISH & ONE OTHER LANGUAGE	499	1.05
	13	OTHER LANGUAGES (2+)	940	1.97

UNIVERSE: ALL ADULTS

INPUT VAR: AH36_1-AH36_23

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG20 QNAME09: QA09_G5 QPAGENUM: A-66

QNAME07: QA07_G5A QNAME05: NA

LABEL: LANGUAGE SPEAK WITH FRIENDS

VALUE:			FREQ	%
-1	INAPPLICABLE		34207	71.84
1	ONLY ENGLISH		3763	7.90
2	BOTH ENGLISH AND OTHER LANGUAGE(S)		4877	10.24
3	ONLY OTHER LANGUAGE(S)		4767	10.01

UNIVERSE: ADULTS WHO WERE NOT INTERVIEWD IN ENGLISH OR SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR:

NOTES:

VARNAME: AG21 QNAME09: QA09_G6 QPAGENUM: A-66

QNAME07: QA07_G5B QNAME05: NA

LABEL: LANGUAGE OF TV, RADIO, NEWSPAPERS

VALUE:			FREQ	%
-1	INAPPLICABLE		34207	71.84
1	ONLY ENGLISH		5547	11.65
2	BOTH ENGLISH AND OTHER LANGUAGE(S)		4607	9.68
3	ONLY OTHER LANGUAGE(S)		3253	6.83

UNIVERSE: ADULTS WHO WERE NOT INTERVIEWD IN ENGLISH OR SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH37 QNAME09: QA09_G7 QPAGENUM: A-67
QNAME07: QA07_G6 QNAME05: QA05_G6

LABEL: HOW WELL YOU SPEAK ENGLISH

VALUE:			FREQ	%
-1	INAPPLICABLE		34207	71.84
1	VERY WELL		4961	10.42
2	WELL		3531	7.42
3	NOT WELL		3396	7.13
4	NOT AT ALL		1519	3.19

UNIVERSE: ADULTS WHO SPEAK LANGUAGE OTHER THAN ENGLISH AT HOME AND/OR WERE
INTERVIEWED IN LANGUAGE OTHER THAN ENGLISH

INPUT VAR:

NOTES:

VARNAME: SPK_ENG QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: ENGLISH USE AND PROFICIENCY

VALUE:			FREQ	%
1	SPEAK ONLY ENGLISH		34207	71.84
2	VERY WELL/WELL		8492	17.84
3	NOT WELL/NOT AT ALL		4915	10.32

UNIVERSE: ALL ADULTS

INPUT VAR: AH36_1-AH36_23, AH37

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CITIZEN2 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: CITIZENSHIP STATUS - 3 LEVELS

VALUE:			FREQ	%
1	US-BORN CITIZEN		36133	75.89
2	NATURALIZED CITIZEN		7224	15.17
3	NON-CITIZEN		4257	8.94

UNIVERSE: ALL ADULTS

INPUT VAR: AH39 AH33 AH40

NOTES:

VARNAME: YRUS QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: YEARS LIVED IN THE U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		36133	75.89
1	<=1 YEAR		120	0.25
2	2-4 YEARS		478	1.00
3	5-9 YEARS		1016	2.13
4	10-14 YEARS		1344	2.82
5	15+ YEARS		8523	17.90

UNIVERSE: ADULTS BORN IN A COUNTRY OTHER THAN US SAMOA GUAM PUERTO RICO OR VIRGIN ISLANDS

INPUT VAR: AADATE AH41FMT AH41YR AH41

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: PCTLF_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: PERCENT LIFE IN US (PUF RECODE)

VALUE:			FREQ	%
1	0-20		1331	2.80
2	21-40		2819	5.92
3	41-60		3633	7.63
4	61-80		2362	4.96
5	81+		37469	78.69

UNIVERSE: ALL ADULTS

INPUT VAR: PCTLF

NOTES:

VARNAME: AH44 QNAME09: QA09_G11 QPAGENUM: A-68

QNAME07: QA07_G11 QNAME05: QA05_G11

LABEL: SPOUSE LIVING IN SAME HOUSEHOLD

VALUE:			FREQ	%
-1	INAPPLICABLE		22678	47.63
1	YES		24504	51.46
2	NO		432	0.91

UNIVERSE: ADULTS WHO ARE CURRENLTY MARRIED

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH43A QNAME09: QA09_G13 QPAGENUM: A-68
QNAME07: QA07_G13 QNAME05: QA05_G13

LABEL: LIVING WITH A PARENT

VALUE:			FREQ	%
-1	INAPPLICABLE		44680	93.84
1	YES		2113	4.44
2	NO		821	1.72

UNIVERSE: ADULTS UNDER 30 WHO ARE [(MARRIED AND LIVING W/ SPOUSE) OR (LIVING W/ PARTNER AND AT LEAST 3 ADULTS) OR (NOT MARRIED AND LIVING W/ AT LEAST 2 ADULTS)]

INPUT VAR:

NOTES:

VARNAME: AH44A QNAME09: QA09_G19 QPAGENUM: A-70
QNAME07: QA07_G19 QNAME05: QA05_G19

LABEL: USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		36731	77.14
1	YES		2527	5.31
2	NO		8356	17.55

UNIVERSE: ALL ADULTS LIVING WITH CHILDREN UNDER AGE 14

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AHCHLDC QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK

VALUE:			FREQ	%
-1	INAPPLICABLE		45087	94.69
1	\$0-9/WEEK		207	0.43
2	\$10-24/WEEK		231	0.49
3	\$25-49/WEEK		332	0.70
4	\$50-99/WEEK		564	1.18
5	\$100-199/WEEK		637	1.34
6	\$200+/WEEK		556	1.17

UNIVERSE: ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE IN THE PAST MONTH.

INPUT VAR: AH44B AH44BUNT

NOTES:

VARNAME: AG22 QNAME09: QA09_G23 QPAGENUM: A-71

QNAME07: NA QNAME05: NA

LABEL: EVER SERVE IN U.S. ARMED FORCES

VALUE:			FREQ	%
1	YES		6058	12.72
2	NO		41556	87.28

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SERVED QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: LENGTH OF TIME SERVED IN ACTIVE DUTY

MEAN STATISTICS

N	6034
MIN	1
MAX	5
MEAN	3.12

UNIVERSE: ADULTS WHO HAVE SERVED IN ACTIVE DUTY

INPUT VAR: AG22 AG23 AG24

NOTES:

VARNAME: AK1 QNAME09: QA09_G22 QPAGENUM: A-71

QNAME07: QA07_G22 QNAME05: QA05_G22

LABEL: WORK STATUS LAST WEEK

VALUE:		FREQ	%
1	WORKING AT A JOB/BUSINESS	21868	45.93
2	WITH A JOB/BUSINESS BUT NOT AT WORK	967	2.03
3	LOOKING FOR WORK	2779	5.84
4	NOT WORKING JOB/BUSINESS (UNEMP)	22000	46.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK2	QNAME09: QA09_G23	QPAGENUM: A-71
	QNAME07: QA07_G23	QNAME05: QA05_G23

LABEL: MAIN REASON FOR NOT WORKING LAST WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	21868	45.93
1	TAKING CARE OF HOUSE OR FAMILY	2316	4.86
2	ON PLANNED VACATION	713	1.50
3	COULDN'T FIND A JOB	2219	4.66
4	GOING TO SCHOOL/STUDENT	835	1.75
5	RETIRED	13748	28.87
6	PHYSICAL DISABILITY	2530	5.31
7	UNABLE TO WORK TEMPORARILY	369	0.77
8	ON LAYOFF OR STRIKE	790	1.66
9	ON FAMILY OR MATERNITY LEAVE	125	0.26
10	OFF SEASON	186	0.39
91	OTHER	1915	4.02

UNIVERSE: ADULTS WITH A JOB BUT NOT AT WORK LAST WEEK, LOOKING FOR WORK, OR
NOT WORKING AT A JOB LAST WEEK

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG10 QNAME09: QA09_G25 QPAGENUM: A-72
QNAME07: QA07_G24 QNAME05: QA05_G24

LABEL: RESPONDENT USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		38146	80.12
1	YES		3267	6.86
2	NO		4759	9.99
3	LOOKING FOR WORK		1442	3.03

UNIVERSE: ADULTS (W/ A JOB OR BUSINESS BUT NOT AT WORK) OR (NOT WORKING AT A JOB OR BUSINESS) OR LOOKING FOR WORK (NOT INCL ADULTS WHO ARE RETIRED OR DISABLED)

INPUT VAR:

NOTES:

VARNAME: WORK QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: WORK IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		40749	85.58
0	NONE		2264	4.75
1	MODERATE		2990	6.28
2	SEVERE		1328	2.79

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR: AF69

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WRKST QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: WORKING STATUS

VALUE:			FREQ	%
1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)		20252	42.53
2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)		4010	8.42
3	EMPLOYED, NOT AT WORK		240	0.50
4	UNEMPLOYED, LOOKING FOR WORK		2521	5.29
5	UNEMPLOYED, NOT LOOKING FOR WORK		20591	43.25

UNIVERSE: ALL ADULTS

INPUT VAR: AK3 AK1 AK2 AG10

NOTES: CANNOT BE TRENDED WITH WRKST 2003

VARNAME: WRKST_S QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: SPOUSE WORKING STATUS

VALUE:			FREQ	%
-1	INAPPLICABLE - NO SPOUSE		22678	47.63
1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)		12596	26.45
2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)		1748	3.67
3	EMPLOYED, NOT AT WORK		134	0.28
4	UNEMPLOYED, LOOKING FOR WORK		793	1.67
5	UNEMPLOYED, NOT LOOKING FOR WORK		9665	20.30

UNIVERSE: ADULTS LIVING WITH SPOUSE

INPUT VAR: AH43 AK20 AG8 AG11

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL22 QNAME09: QA09_G26 QPAGENUM: A-72

 QNAME07: QA07_G25 QNAME05: QA05_G25

LABEL: RECEIVING SOCIAL SECURITY DISABILITY INS

VALUE: -1 INAPPLICABLE FREQ %

 1 YES 39339 82.62

 2 NO 1846 3.88

 6429 13.50

UNIVERSE: ADULTS UNDER 65 WHO ARE RETIRED, DISABLED, OR DO NOT USUALLY WORK

INPUT VAR:

NOTES:

VARNAME: AK4 QNAME09: QA09_G27 QPAGENUM: A-73

 QNAME07: QA07_G26 QNAME05: QA05_G26

LABEL: TYPE OF EMPLOYER AT MAIN JOB

VALUE: -1 INAPPLICABLE FREQ %

 1 PRIVATE COMPANY, NON-PROFIT ORG 22449 47.15

 2 GOVERNMENT 14205 29.83

 3 SELF-EMPLOYED 5224 10.97

 4 FAMILY BUSINESS OR FARM 5303 11.14

 433 0.91

UNIVERSE: ADULTS WITH A JOB OR WHO USUALLY WORK (EXCLUDING THOSE WHO ARE
LESS THAN 65 AND DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG8 QNAME09: QA09_G28 QPAGENUM: A-73
QNAME07: QA07_G27 QNAME05: QA05_G29

LABEL: WORK STATUS OF SPOUSE LAST WEEK

VALUE:			FREQ	%
-1	INAPPLICABLE		22678	47.63
1	WORKING AT A JOB OR BUSINESS		13262	27.85
2	WITH A JOB/BUSINESS, BUT NOT AT WORK		470	0.99
3	LOOKING FOR WORK		889	1.87
4	NOT WORKING AT A JOB OR BUSINESS		10315	21.66

UNIVERSE: ADULTS WHO ARE MARRIED

INPUT VAR:

NOTES:

VARNAME: AG11 QNAME09: QA09_G29 QPAGENUM: A-73
QNAME07: QA07_G28 QNAME05: QA05_G30

LABEL: SPOUSE USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		36410	76.47
1	YES		1162	2.44
2	NO		9547	20.05
3	LOOKING FOR WORK		495	1.04

UNIVERSE: MARRIED ADULTS WITH SPOUSE WHO IS LOOKING FOR WORK, NOT WORKING,
OR REFUSED/DIDN'T KNOW ANSWER TO QUESTION

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG9 QNAME09: QA09_G30 QPAGENUM: A-74
QNAME07: QA07_G29 QNAME05: QA05_G31

LABEL: TYPE OF EMPLOYER OF SPOUSE'S MAIN JOB

VALUE:		FREQ	%
-1	INAPPLICABLE	32720	68.72
1	PRIVATE COMPANY/NON-PROFIT ORG	8612	18.09
2	GOVERNMENT	2988	6.28
3	SELF-EMPLOYED	3093	6.50
4	FAMILY BUSINESS/FARM	201	0.42

UNIVERSE: ADULTS WITH SPOUSE THAT HAS JOB OR USUALLY WORKS

INPUT VAR:

NOTES:

VARNAME: AHEDUC QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: EDUCATIONAL ATTAINMENT

VALUE:		FREQ	%
1	GRADE 1-8	2408	5.06
2	GRADE 9-11	2196	4.61
3	GRADE 12/H.S. DIPLOMA	10458	21.96
4	SOME COLLEGE	8041	16.89
5	VOCATIONAL SCHOOL	1374	2.89
6	AA OR AS DEGREE	3507	7.37
7	BA OR BS DEGREE	10842	22.77
8	SOME GRAD. SCHOOL	742	1.56
9	MA OR MS DEGREE	5579	11.72
10	PH.D. OR EQUIVALENT	2237	4.70
91	NO FORMAL EDUCATION	230	0.48

UNIVERSE: ALL ADULTS

INPUT VAR: AH47

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AKWKLNG QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: TIME AT MAIN JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		22395	47.03
0	<1 YEAR		1613	3.39
1	1 YEAR		2110	4.43
2	2 YEARS		2150	4.52
3	3 YEARS		1945	4.08
4	4 YEARS		1333	2.80
5	5 YEARS		1609	3.38
6	6-9 YEARS		3294	6.92
7	10-14 YEARS		3568	7.49
8	15-19 YEARS		2144	4.50
9	20-29 YEARS		3247	6.82
10	30+ YEARS		2206	4.63

UNIVERSE: ALL ADULTS EXCEPT FOR (THOSE WHO ARE LOOKING FOR WORK OR NOT
WORKING LAST WEEK) OR (THOSE WHO USUALLY WORK ZERO HOURS)

INPUT VAR: AK7 AK7UNT

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FAM_TYPE QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: FAMILY TYPE

VALUE:			FREQ	%
1	SINGLE ADULT, 21+		18868	39.63
2	SINGLE YOUNG ADULT, 19-20		722	1.52
3	MARRIED, NO KIDS		15555	32.67
4	MARRIED WITH KIDS		9586	20.13
5	SINGLE WITH KIDS		2433	5.11
6	SINGLE, 18 YEARS OLD		450	0.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED R NOT LIVING WITH SPOUSE.

VARNAME: FAMILY QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: FAMILY LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		36688	77.05
0	NONE		3028	6.36
1	MODERATE		5298	11.13
2	SEVERE		2317	4.87

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR: AF72

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FAMT4 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: FAMILY TYPE - 4 LVLS

VALUE:			FREQ	%
1	SINGLE, NO KIDS		20040	42.09
2	MARRIED, NO KIDS		15555	32.67
3	MARRIED WITH KIDS		9586	20.13
4	SINGLE WITH KIDS		2433	5.11

UNIVERSE: ALL ADULTS

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED R NOT LIVING WITH SPOUSE.

Section H: Health Insurance

VARNAME: AH1 QNAME09: QA09_H1 QPAGENUM: A-75

QNAME07: QA07_H1 QNAME05: QA05_H1

LABEL: HAVE USUAL SOURCE OF HEALTH CARE

VALUE:			FREQ	%
1	YES		31420	65.99
2	NO		4906	10.30
3	DOCTOR / MY DOCTOR		9231	19.39
4	KAISER		1931	4.06
5	MORE THAN ONE PLACE		126	0.26

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH3 QNAME09: QA09_H2 QPAGENUM: A-75
QNAME07: QA07_H2 QNAME05: QA05_H3

LABEL: KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		4906	10.30
1	DOCTOR'S OFFICE/KAISER/HMO		32396	68.04
2	CLINIC/HEALTH CENTER/HOSPITAL CLINIC		9534	20.02
3	EMERGENCY ROOM		357	0.75
4	COMPLEMENTARY AND ALTERNATIVE MEDICINE		201	0.42
5	FAMILY/FRIEND IS HEALTH PROVIDER		76	0.16
6	INTERNET/LIBRARY		48	0.10
91	SOME OTHER PLACE		15	0.03
94	NO ONE PLACE		81	0.17

UNIVERSE: ADULTS WHO HAVE USUAL SOURCE OF HEALTH CARE

INPUT VAR:

NOTES:

VARNAME: USOC QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

VALUE:			FREQ	%
1	YES		42370	88.99
2	NO		5244	11.01

UNIVERSE: ALL ADULTS

INPUT VAR: USUAL_TP

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: USUAL QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

VALUE:			FREQ	%
1	YES		42708	89.70
2	NO		4906	10.30

UNIVERSE: ALL ADULTS

INPUT VAR: AH1

NOTES:

VARNAME: USUAL_TP QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: USUAL SOURCE OF CARE - 7 LVLS

VALUE:			FREQ	%
1	DOC OFFICE/HMO/KAISER		33971	71.35
2	COMMUN/GOV CLIN, COMMUN HOSP		7998	16.80
3	EMERGENCY ROOM		338	0.71
5	SOME OTHER PLACE		332	0.70
6	NO ONE PARTICULAR PLACE		69	0.14
7	NO USUAL SOURCE OF CARE		4906	10.30

UNIVERSE: ALL ADULTS

INPUT VAR: AH1 AH3

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: USUAL5TP QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: USUAL SOURCE OF CARE - 5 LVLS

VALUE:			FREQ	%
1	DOC OFFICE/HMO/KAISER		33971	71.35
2	COMMUN/GOV CLIN, COMMUN HOSP		7998	16.80
3	EMERGENCY ROOM		338	0.71
4	OTHER PLACE/NO ONE PLACE		401	0.84
5	NO USUAL SOURCE OF CARE		4906	10.30

UNIVERSE: ALL ADULTS

INPUT VAR: USUAL_TP

NOTES:

VARNAME: AH12 QNAME09: QA09_H3 QPAGENUM: A-75

QNAME07: QA07_H3 QNAME05: QA05_J9

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		1227	2.58
1	YES		7881	16.55
2	NO		38506	80.87

UNIVERSE: ADULTS WHO DID NOT VISIT ER FOR ASTHMA LAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH49 QNAME09: QA09_H7 QPAGENUM: A-77
QNAME07: QA07_H7 QNAME05: QA05_H8

LABEL: MEDICARE COVERAGE PROVIDED THROUGH HMO

VALUE:			FREQ	%
-8	DON'T KNOW		4	0.01
-1	INAPPLICABLE		30934	64.97
1	YES		7265	15.26
2	NO		9411	19.77

UNIVERSE: ADULTS WITH MEDICARE

INPUT VAR:

NOTES:

VARNAME: AH50_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: QA05_H9

LABEL: NAME OF MEDICARE HMO PLAN (PUF RECODE)

VALUE:			FREQ	%
-9	NOT ASCERTAINED		318	0.67
-8	DON'T KNOW		721	1.51
-7	REFUSED		45	0.09
-1	INAPPLICABLE		40340	84.72
1	KAISER		2834	5.95
2	BLUE CROSS		428	0.90
3	PACIFICARE		1284	2.70
4	BLUE SHIELD		247	0.52
5	HEALTH NET		531	1.12
6	AETNA		121	0.25
8	OTHER		745	1.56

UNIVERSE: ADULTS WITH MEDICARE PROVIDED THROUGH HMO

INPUT VAR: AH50

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI4 QNAME09: QA09_H9 QPAGENUM: A-78
QNAME07: QA07_H9 QNAME05: QA05_H10

LABEL: COVERED BY MEDICARE SUPPL POLICY

VALUE:			FREQ	%
-1	INAPPLICABLE		38190	80.21
1	YES		5776	12.13
2	NO		3648	7.66

UNIVERSE: ADULTS WITH MEDICARE NOT PROVIDED THROUGH HMO

INPUT VAR:

NOTES:

VARNAME: AH52 QNAME09: QA09_H10 QPAGENUM: A-79
QNAME07: QA07_H10 QNAME05: QA05_H11

LABEL: SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE

VALUE:			FREQ	%
-1	INAPPLICABLE		34560	72.58
1	DIRECTLY		5650	11.87
2	CURRENT EMPLOYER		275	0.58
3	FORMER EMPLOYER		3640	7.64
4	UNION		293	0.62
5	FAMILY BUSINESS		95	0.20
6	AARP		1204	2.53
7	SPOUSE'S EMPLOYER		748	1.57
8	SPOUSE'S UNION		36	0.08
9	PROFESSIONAL/FRATERNAL ORGANIZATION		34	0.07
91	OTHER		1079	2.27

UNIVERSE: ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE SUPPLEMENT

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI15 QNAME09: QA09_H25 QPAGENUM: A-85
QNAME07: QA07_H25 QNAME05: QA05_H25

LABEL: MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	45124	94.77
1	COVERED BY ANOTHER PLAN	1564	3.28
2	TOO EXPENSIVE	686	1.44
3	DIDNT LIKE PLAN OFFERED	162	0.34
4	DONT NEED OR BELIEVE IN HEALTH INSURANC	50	0.11
5	IN PROCESS	11	0.02
6	DIDNT TAKE UP - OTHER	16	0.03
7	RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL	1	0.00

UNIVERSE: ADULTS WHO WORKED IN PAST WK OR USUALLY WORK, ARE NOT
SELF-EMPLOYED, AND DO NOT HAVE EMPLOYER-BASED COVERAGE THOUGH
ELIGIBLE

INPUT VAR:

NOTES:

VARNAME: AI15A QNAME09: QA09_H26 QPAGENUM: A-85
QNAME07: QA07_H26 QNAME05: QA05_H26

LABEL: MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	45755	96.10
1	HAVENT WORKED HERE LONG ENOUGH	308	0.65
2	CONTRACT OR TEMP EMPLOYEE	375	0.79
3	DONT WORK ENOUGH HOURS PER WEEK	1132	2.38
4	DOES NOT MEET AGE REQUIREMENTS	1	0.00
5	ONLY MANAGEMENT CAN GET HEALTH INSURANCE	3	0.01
6	NOT ELIGIBLE - OTHER	27	0.06
7	HAS LEFT POSITION/RETIRED/LAID OFF	13	0.03

UNIVERSE: ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT
SELF-EMPLOYED, AND ARE NOT ELIGIBLE FOR THEIR EMPLOYER'S HEALTH
PLAN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI37A QNAME09: QA09_H38 QPAGENUM: A-91
QNAME07: QA07_H37 QNAME05: QA05_H34B

LABEL: SPOUSE COVERED BY MEDICARE SUPPL POLICY

VALUE:		FREQ	%
-1	INAPPLICABLE	43827	92.05
1	YES	2876	6.04
2	NO	911	1.91

UNIVERSE: ADULTS LIVING WITH SPOUSE AGE 65 OR OVER WITH MEDICARE NOT COVERED BY HMO

INPUT VAR:

NOTES:

VARNAME: AI45 QNAME09: QA09_H54 QPAGENUM: A-98
QNAME07: QA07_H53 QNAME05: QA05_H48

LABEL: MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	45838	96.27
1	COVERED BY ANOTHER PLAN	1123	2.36
2	TOO EXPENSIVE	489	1.03
3	DIDNT LIKE PLAN OFFERED	80	0.17
4	DONT NEED OR BELIEVE IN HEALTH INSURANC	14	0.03
5	IN PROCESS	7	0.01
6	DIDNT TAKE UP - OTHER	43	0.09
7	RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL	20	0.04

UNIVERSE: ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO EMPLOYER-BASED HEALTH INSURANCE IN OWN NAME EVEN THOUGH OFFERED AND ELIGIBLE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI45A QNAME09: QA09_H55 QPAGENUM: A-98
QNAME07: QA07_H54 QNAME05: QA05_H49

LABEL: MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	46942	98.59
1	HAVENT WORKED HERE LONG ENOUGH	73	0.15
2	CONTRACT OR TEMP EMPLOYEE	101	0.21
3	DONT WORK ENOUGH HOURS PER WEEK	398	0.84
4	DOES NOT MEET AGE REQUIREMENTS	4	0.01
5	ONLY MANAGEMENT CAN GET HEALTH INSURANCE	8	0.02
6	NOT ELIGIBLE - OTHER	36	0.08
7	HAS LEFT POSITION/RETIRED/LAID OFF	52	0.11

UNIVERSE: ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WHO IS NOT ELIGIBLE TO HAVE EMPLOYER-BASED HLTH INS COVERAGE WITH OWN NAME EVEN THOUGH OFFERED

INPUT VAR:

NOTES:

VARNAME: AI22C QNAME09: QA09_H56 QPAGENUM: A-98
QNAME07: QA07_H55 QNAME05: QA05_H51

LABEL: MAIN HEALTH PLAN IS HMO

VALUE:		FREQ	%
-9	NOT ASCERTAINED	3	0.01
-1	INAPPLICABLE	12496	26.24
1	YES	14476	30.40
2	NO	20639	43.35

UNIVERSE: ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE HMO

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI22A_P	QNAME09: NA	QPAGENUM: NA
	QNAME07: NA	QNAME05: QA05_H50

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

VALUE:		FREQ	%
-9	NOT ASCERTAINED	25	0.05
-8	DON'T KNOW	6376	13.39
-7	REFUSED	336	0.71
-1	INAPPLICABLE	12451	26.15
1	KAISER	5352	11.24
2	BLUE CROSS	8634	18.13
3	PACIFICARE	2886	6.06
4	BLUE SHIELD	3260	6.85
5	HEALTH NET	1622	3.41
6	AETNA	1724	3.62
7	CIGNA HEALTH CARE	744	1.56
8	OTHER	4204	8.83

UNIVERSE: ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE HMO

INPUT VAR: AI22A

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI25 QNAME09: QA09_H58 QPAGENUM: A-100
QNAME07: QA07_H57 QNAME05: QA05_H53

LABEL: COVERED FOR PRESCRIPTION DRUGS

VALUE:			FREQ	%
-1	INAPPLICABLE		4975	10.45
1	YES		39624	83.22
2	NO		3015	6.33

UNIVERSE: ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

VARNAME: AI25NEW QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: RX COVERAGE EDITED FOR MEDICAL/HF

VALUE:			FREQ	%
-1	INAPPLICABLE		4818	10.12
1	YES		40388	84.82
2	NO		2408	5.06

UNIVERSE: ALL ADULTS

INPUT VAR: INSMD INSHF AI25

NOTES: ADJUSTED FOR RX COVERAGE UNDER MEDI-CAL AND HEALTHY FAMILIES

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH71 QNAME09: QA09_H59 QPAGENUM: A-100

QNAME07: QA07_H58 QNAME05: NA

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000

VALUE:			FREQ	%
-1	INAPPLICABLE		22702	47.68
1	YES		6069	12.75
2	NO		18800	39.48
3	YES, BUT ONLY WHEN I GO OUT OF NETWORK		43	0.09

UNIVERSE: ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH INS

INPUT VAR:

NOTES:

VARNAME: AH72 QNAME09: QA09_H60 QPAGENUM: A-101

QNAME07: QA07_H59 QNAME05: NA

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000

VALUE:			FREQ	%
-1	INAPPLICABLE		22702	47.68
1	YES		4808	10.10
2	NO		20083	42.18
3	YES, BUT ONLY WHEN I GO OUT OF NETWORK		21	0.04

UNIVERSE: ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH INS
WITH DEDUCTIBLE GREATER THAN \$1,000

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH73 QNAME09: QA09_H61 QPAGENUM: A-101

QNAME07: QA07_H60 QNAME05: NA

LABEL: SPECIAL FUND TO PAY MEDICAL EXPENSES

VALUE:			FREQ	%
-1	INAPPLICABLE		40193	84.41
1	YES		2185	4.59
2	NO		5236	11.00

UNIVERSE: ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH INS
WITH DEDUCTIBLE GREATER THAN \$1,000

INPUT VAR:

NOTES:

VARNAME: AH74 QNAME09: QA09_H68 QPAGENUM: A-103

QNAME07: QA07_H67 QNAME05: NA

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE:			FREQ	%
-1	INAPPLICABLE		46347	97.34
1	YES		472	0.99
2	NO		795	1.67

UNIVERSE: ADULTS WHO WERE NOT INSURED AT SOME POINT IN THE LAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH75 QNAME09: QA09_H70 QPAGENUM: A-103

QNAME07: QA07_H69 QNAME05: NA

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE:			FREQ	%
-1	INAPPLICABLE		42639	89.55
1	YES		2060	4.33
2	NO		2915	6.12

UNIVERSE: ADULTS WHO WERE NOT INSURED IN THE LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AI28 QNAME09: QA09_H72 QPAGENUM: A-103

QNAME07: QA07_H71 QNAME05: QA05_H62

LABEL: HOW LONG SINCE LAST HAD HEALTH INS

VALUE:			FREQ	%
-1	INAPPLICABLE		43795	91.98
1	1 TO 3 YRS AGO		1200	2.52
2	MORE THAN 3 YRS AGO		1771	3.72
3	NEVER HAD HEALTH INSURANCE COVERAGE		848	1.78

UNIVERSE: ADULTS WHO WERE NOT COVERED BY HEALTH INSURANCE AT ANY TIME DURING
THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH14 QNAME09: QA09_H75 QPAGENUM: A-104

QNAME07: QA07_H74 QNAME05: NA

LABEL: PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		41372	86.89
1	YES		395	0.83
2	NO		5847	12.28

UNIVERSE: ADULTS WHO HAD NO INS FOR AT LEAST 1 MON OUT OF PAST 12 MONS

INPUT VAR:

NOTES:

VARNAME: AH77 QNAME09: QA09_H77 QPAGENUM: A-105

QNAME07: QA07_H76 QNAME05: NA

LABEL: FREE PRENATAL CARE DURING PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		47434	99.62
1	YES		94	0.20
2	NO		86	0.18

UNIVERSE: WOMEN WHO DID NOT HAVE HLTH INSURANCE AT SOME POINT IN THE PAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ER QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: ER VISIT WITHIN THE PAST YEAR

VALUE:			FREQ	%
1	YES		9108	19.13
2	NO		38506	80.87

UNIVERSE: ADULTS WHO VISITED ER FOR OWN HEALTH OR VISITED DUE TO ASTHMA

INPUT VAR: AH12 AH13A AB67 AB109 AB115

NOTES:

VARNAME: IHS QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: COVERED BY INDIAN HEALTH SERVICES

VALUE:			FREQ	%
1	YES		157	0.33
2	NO		47457	99.67

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:    IHS_S                                QNAME09:    NA                                QPAGENUM:    NA
                                                    QNAME07:    NA                                QNAME05:    NA

LABEL:      SPOUSE COVERED BY INDIAN HEALTH SERVICES

VALUE:      -1      INAPPLICABLE                                FREQ      %
              1      YES                                23110     48.54
              2      NO                                18        0.04
              24486     51.43

UNIVERSE:    ADULTS WITH SPOUSE

INPUT VAR:

NOTES:
-----
```

```
VARNAME:    INS                                QNAME09:    NA                                QPAGENUM:    NA
                                                    QNAME07:    NA                                QNAME05:    NA

LABEL:      CURRENTLY INSURED

VALUE:      1      YES                                FREQ      %
              2      NO                                42468     89.19
              5146     10.81

UNIVERSE:    ALL ADULTS

INPUT VAR:

NOTES:
-----
```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:    INS_S                      QNAME09:  NA                      QPAGENUM:  NA
                                         QNAME07:  NA                      QNAME05:  NA

LABEL:      SPOUSE CURRENTLY INSURED

VALUE:      -1      INAPPLICABLE
            1       YES
            2       NO
                                         FREQ      %
            23110    48.54
            22621    47.51
            1883     3.95

UNIVERSE:   ADULTS WITH SPOUSE

INPUT VAR:

NOTES:
-----

```

```

-----
VARNAME:    INS12M                      QNAME09:  NA                      QPAGENUM:  NA
                                         QNAME07:  NA                      QNAME05:  NA

LABEL:      MOS COVERED BY HEALTH PLANS LAST 12 MOS

              MEAN STATISTICS
              N      47614
              MIN      0
              MAX     12
              MEAN    10.69

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:
-----

```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS64_P QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)

VALUE:			FREQ	%
-1	SKIPPED - AGE >= 65		15565	32.69
1	UNINSURED		5060	10.63
2	MEDI-CAL (MEDICAID)		3697	7.76
3	MEDICARE		567	1.19
4	EMPLOYMENT-BASED		18982	39.87
5	PRIVATELY PURCHASED		2691	5.65
6	CHIP/OTHER PUBLIC PRGM		1052	2.21

UNIVERSE: ADULTS UNDER 65

INPUT VAR: INS64

NOTES:

VARNAME: INS64S_P QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)

VALUE:			FREQ	%
-1	SKIPPED - AGE >= 65		29799	62.58
1	UNINSURED		1847	3.88
2	MEDI-CAL (MEDICAID)		926	1.94
3	MEDICARE		498	1.05
4	EMPLOYMENT-BASED		12995	27.29
5	PRIVATELY PURCHASED		1286	2.70
6	CHIP/OTHER PUBLIC PRGM		263	0.55

UNIVERSE: ADULTS WITH SPOUSE UNDER 65

INPUT VAR: INS64_S

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS65 QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+

VALUE:			FREQ	%
-1	SKIPPED - AGE < 65		32049	67.31
1	MEDICARE + MEDI-CAL (MEDICAID)		2230	4.68
2	MEDICARE + OTHER		11891	24.97
3	MEDICARE ONLY		779	1.64
4	OTHER ONLY		579	1.22
5	UNINSURED		86	0.18

UNIVERSE: ADULTS 65 YEARS AND OVER

INPUT VAR:

NOTES:

VARNAME: INS65_S QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+

VALUE:			FREQ	%
-1	NO SPOUSE IN HH OR AGE < 65		40925	85.95
1	MEDICARE + MEDICAID		453	0.95
2	MEDICARE + OTHER		1569	3.30
3	MEDICARE ONLY		4202	8.83
4	OTHER ONLY		429	0.90
5	UNINSURED		36	0.08

UNIVERSE: ADULTS WITH SPOUSE 65 YEARS AND OVER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSANY QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: ANY INS IN LAST 12 MOS

VALUE: 1 CURRENTLY UNINSURED FREQ %

 2 UNINS. ANY PAST 12 MO 5146 10.81

 3 INSURED ALL PAST 12 MO 1377 2.89

 41091 86.30

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSEM QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: COVERED BY EMPLOYER-BASED PLANS

VALUE: 1 YES FREQ %

 2 NO 21950 46.10

 25664 53.90

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSEM_S QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: SPOUSE COVERED BY EMPLOYER-BASED PLANS

VALUE:			FREQ	%
-1	INAPPLICABLE		23110	48.54
1	YES		14790	31.06
2	NO		9714	20.40

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSMC QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: COVERED BY MEDICARE

VALUE:			FREQ	%
1	YES		16197	34.02
2	NO		31417	65.98

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSMC_S QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SPOUSE COVERED BY MEDICARE

VALUE:			FREQ	%
-1	INAPPLICABLE		23110	48.54
1	YES		6834	14.35
2	NO		17670	37.11

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSMD QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: COVERED BY MEDI-CAL

VALUE:			FREQ	%
1	YES		5997	12.60
2	NO		41617	87.40

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSMD_S QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SPOUSE COVERED BY MEDI-CAL

VALUE: -1 INAPPLICABLE FREQ %

 1 YES 23110 48.54

 2 NO 1410 2.96

 23094 48.50

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSOG QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: COVERED BY OTHER GOVT PLANS

VALUE: 1 YES FREQ %

 2 NO 354 0.74

 47260 99.26

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSOG_S QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SPOUSE COVERED BY OTHER GOVT PLANS

VALUE: -1 INAPPLICABLE FREQ %

 1 YES 23110 48.54

 2 NO 266 0.56

 24238 50.91

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSPR QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: COVERED BY PLANS PURCHASED ON OWN

VALUE: 1 YES FREQ %

 2 NO 2743 5.76

 44871 94.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	INSPR_S	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	SPOUSE COVERED BY PLANS PURCHASED ON OWN				
VALUE:	-1	INAPPLICABLE		FREQ	%
	1	YES		23110	48.54
	2	NO		1564	3.28
				22940	48.18
UNIVERSE:	ADULTS WITH SPOUSE				
INPUT VAR:					
NOTES:					

VARNAME:	INSPS	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	PRIMARY OR SECONDARY COVERAGE				
				FREQ	%
VALUE:	-1	INAPPLICABLE		22801	47.89
	1	PRIMARY		18036	37.88
	2	SECONDARY		6777	14.23
UNIVERSE:	ADULTS COVERED BY EMPLOYMENT-BASED INSURANCE PLANS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSPS_S QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: SPOUSE PRIMARY OR SECONDARY COVERAGE

VALUE:		FREQ	%
-1	INAPPLICABLE	32824	68.94
1	PRIMARY	8928	18.75
2	SECONDARY	5862	12.31

UNIVERSE: ADULTS WITH SPOUSE COVERED BY HIS/HER OWN EMPLOYMENT-BASED INSURANCE PLANS

INPUT VAR:

NOTES:

VARNAME: INST_12 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS

VALUE:		FREQ	%
-1	INAPPLICABLE-AGE>=65	15565	32.69
1	MEDI-CAL (MEDICAID) ONLY	3097	6.50
2	EMPLOYER-BASED COVERAGE ONLY (EBI)	18117	38.05
3	PRIVATE COVERAGE ONLY	2454	5.15
4	OTHER COVERAGE ONLY	1466	3.08
5	ANY 2 OR MORE TYPES (NEVER UNINSURED)	595	1.25
6	UNINSURED ONLY	3950	8.30
7	UNINSURED + EMPLOYER-BASED ONLY	880	1.85
8	ANY 1 OR MORE TYPES + UNINSURED	1490	3.13

UNIVERSE: ADULTS UNDER 65

INPUT VAR: INSLT12

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAM: INSTYP_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES(PUF RECODE)

VALUE:			FREQ	%
1	UNINSURED		5146	10.81
2	MEDICARE & MEDICAID		2960	6.22
3	MEDICARE & OTHERS		11788	24.76
4	MEDICARE ONLY		1449	3.04
5	MEDICAID		3014	6.33
6	EMPLOYMENT-BASED		19413	40.77
7	PRIVATELY PURCHASED		2733	5.74
8	HEALTHY FAM/OTHER PUBLIC		1111	2.33

UNIVERSE: ALL ADULTS

INPUT VAR: INSTYPE

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:   RSN_UNI2                QNAME09:   NA                QPAGENUM:  NA
                                         QNAME07:   NA                QNAME05:   NA
```

LABEL: REASON FOR UNINSURED STATUS ANYTIME PAST 12 MONTHS

VALUE:		FREQ	%
-1	INAPPLICABLE- INSURED ALL YEAR	41091	86.30
1	CAN'T AFFORD/TOO EXPENSIVE	3378	7.09
2	NOT ELIGIBLE DUE TO WORKING STATUS	1061	2.23
3	NOT ELIGIBLE DUE TO HEALTH OR OTHER PROB	120	0.25
4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	212	0.45
5	FAMILY SITUATION CHANGED	106	0.22
6	DON'T BELIEVE IN INSURANCE	123	0.26
7	SWITCHED INSURANCE COMPANIES, DELAY	100	0.21
8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	88	0.18
9	CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE	305	0.64
10	PROCRASTINATION/HASNT TAKEN STEPS TO GET	292	0.61
11	DONT KNOW WHERE OR HOW TO GET INSURANCE/	55	0.12
12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	58	0.12
13	NOT OFFERED AT JOB	27	0.06
14	NO NEED - GENERAL	40	0.08
15	IN PROCESS OF LOOKING FOR/GETTING INSURA	66	0.14
16	OTHER	208	0.44
92	R THOUGHT WAS INSURED	284	0.60

UNIVERSE: ADULTS WHO ARE UNINSURED ANYTIME PAST 12 MONTHS

INPUT VAR: AI24 AI36 INSANY

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RSN_UNIN QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: REASON FOR CURRENTLY UNINSURED STATUS

VALUE:			FREQ	%
-1	INAPPLICABLE- CURRENTLY INSURED		42468	89.19
1	CAN'T AFFORD/TOO EXPENSIVE		2900	6.09
2	NOT ELIGIBLE DUE TO WORKING STATUS		659	1.38
3	NOT ELIGIBLE DUE TO HEALTH OR OTHER PROB		104	0.22
4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT		176	0.37
5	FAMILY SITUATION CHANGED		58	0.12
6	DON'T BELIEVE IN INSURANCE		113	0.24
7	SWITCHED INSURANCE COMPANIES, DELAY		30	0.06
8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN		72	0.15
9	CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE		259	0.54
10	PROCRASTINATION/HASNT TAKEN STEPS TO GET		215	0.45
11	DONT KNOW WHERE OR HOW TO GET INSURANCE/		39	0.08
12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP		29	0.06
13	NOT OFFERED AT JOB		8	0.02
14	NO NEED - GENERAL		9	0.02
15	IN PROCESS OF LOOKING FOR/GETTING INSURA		48	0.10
16	OTHER		143	0.30
92	R THOUGHT WAS INSURED		284	0.60

UNIVERSE: ADULTS WHO ARE UNINSURED

INPUT VAR: AI24 AI36 INS

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UNINSANY QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: UNINSURED IN PAST 12 MOS

VALUE:			FREQ	%
-1	SKIPPED - AGES>=65		15565	32.69
1	UNINSURED ALL YEAR		3950	8.30
2	UNINSURED PART YEAR		2370	4.98
3	INSURED ALL YEAR		25729	54.04

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: OFFTK QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS

VALUE:			FREQ	%
-1	UNEMPLOYED OR SELF-EMPLOYED		23841	50.07
1	ACCEPTED EBI		15890	33.37
2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE		2474	5.20
3	WAS OFFERED EBI, NOT ELIGIBLE		1853	3.89
4	WAS NOT OFFERED EBI		3556	7.47

UNIVERSE: ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM INSPS AK1 AG10 AK4 AI13 AI14

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OFFTK_S QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE

VALUE:		FREQ	%
-1	UNEMPLOYED OR SELF-EMPLOYED	34315	72.07
1	ACCEPTED EBI	8928	18.75
2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE	1746	3.67
3	WAS OFFERED EBI, NOT ELIGIBLE	670	1.41
4	WAS NOT OFFERED EBI	1955	4.11

UNIVERSE: ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM_S INSPS_S AG8 AG11 AG9 AI43 AI44

NOTES:

Section J: Health Care Utilization and Access, Violence

VARNAME: AH5 QNAME09: QA09_J1 QPAGENUM: A-139

QNAME07: QA07_J1 QNAME05: QA05_J1

LABEL: # TIMES SAW MD IN PAST 12 MOS

MEAN STATISTICS	
N	47614
MIN	0
MAX	365
MEAN	5.01

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH6 QNAME09: QA09_J2 QPAGENUM: A-139
QNAME07: QA07_J2 QNAME05: QA05_J2

LABEL: HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH

VALUE:		FREQ	%
-1	INAPPLICABLE	40953	86.01
0	WITHIN THE PAST YR	951	2.00
1	1 TO 2 YRS AGO	2935	6.16
2	2 TO 5 YRS AGO	1767	3.71
3	MORE THAN 5 YRS AGO	850	1.79
4	NEVER	158	0.33

UNIVERSE: ADULTS WHO HAVE NOT SEEN DR IN LAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: ACMDNUM QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: # OF DOCTOR VISITS PAST YEAR

VALUE:		FREQ	%
0	0 TIME	6661	13.99
1	1 TIME	7900	16.59
2	2 TIMES	7601	15.96
3	3 TIMES	5589	11.74
4	4 TIMES	4982	10.46
5	5 TIMES	2789	5.86
6	6 TIMES	3126	6.57
7	7-8 TIMES	1992	4.18
8	9-12 TIMES	3824	8.03
9	13-24 TIMES	2024	4.25
10	25+ TIMES	1126	2.36

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:   DOCT_YR                      QNAME09:   NA                      QPAGENUM: NA
                                                QNAME07:   NA                      QNAME05:  NA

LABEL:     VISITED DOCTOR IN PAST 12 MOS

VALUE:      1          YES                      FREQ      %
              2          NO                      40953    86.01
                                                6661     13.99

UNIVERSE:   ALL ADULTS

INPUT VAR:  AH5

NOTES:
-----

```

```

-----
VARNAME:   AJ77                      QNAME09:   QA09_J3                  QPAGENUM: A-139
                                                QNAME07:   NA                      QNAME05:  NA

LABEL:     HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER

VALUE:      -1          INAPPLICABLE          FREQ      %
              1          YES                      36624    76.92
              2          NO                      10328    21.69
                                                662      1.39

UNIVERSE:   ADULTS WHO HAVE USUAL SOURCE OF HEALTH CARE AND HAVE ASTHMA OR
              DIABETES OR HEART DISEASE

INPUT VAR:

NOTES:
-----

```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ78 QNAME09: QA09_J4 QPAGENUM: A-140

QNAME07: NA QNAME05: NA

LABEL: CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	36393	76.43
1	YES	4446	9.34
2	NO	6775	14.23

UNIVERSE: ADULTS WHO HAVE ASTHMA OR DIABETES OR HEART DISEASE AND HAD DR VISIT WITHIN 1 YEAR

INPUT VAR:

NOTES:

VARNAME: AJ79 QNAME09: QA09_J5 QPAGENUM: A-140

QNAME07: NA QNAME05: NA

LABEL: HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE

VALUE:		FREQ	%
-1	INAPPLICABLE	43168	90.66
1	NEVER	119	0.25
2	SOMETIMES	384	0.81
3	USUALLY	928	1.95
4	ALWAYS	3015	6.33

UNIVERSE: ADULTS WHO HAVE ASTHMA OR DIABETES OR HEART DISEASE AND HAD DR VISIT WITHIN 1 YEAR AND CONTACTED DR OFFICE IN PAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ80 QNAME09: QA09_J6 QPAGENUM: A-140

QNAME07: NA QNAME05: NA

LABEL: DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS

VALUE:			FREQ	%
-1	INAPPLICABLE		37286	78.31
1	YES		7269	15.27
2	NO		3059	6.42

UNIVERSE: ADULTS WHO HAVE USUAL SOURCE OF CARE AND HAS PERSONAL DR AND HAVE
ASTHMA OR DIABETES OR HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AJ8 QNAME09: QA09_J7 QPAGENUM: A-140

QNAME07: QA07_J3 QNAME05: QA05_J3

LABEL: HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		2772	5.82
1	YES		1311	2.75
2	NO		43248	90.83

UNIVERSE: ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ50_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		35939	75.48
1	ENGLISH		7419	15.58
2	SPANISH		2507	5.27
3	VIETNAMESE		797	1.67
4	KOREAN		481	1.01
5	CANTONESE		133	0.28
6	MANDARIN		208	0.44
7	OTHER		130	0.27

UNIVERSE: ADULTS WHO DID NOT HAVE HAD HARD TIME UNDERSTANDING MD AT LAST
APPT AND SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR: AJ50

NOTES:

VARNAME: AJ9 QNAME09: QA09_J9 QPAGENUM: A-141

QNAME07: QA07_J5 QNAME05: QA05_J4

LABEL: MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		46020	96.65
1	YES		797	1.67
2	NO		514	1.08

UNIVERSE: ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS, WERE NOT
INTERVIEWED IN ENGLISH, OR SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ10 QNAME09: QA09_J10 QPAGENUM: A-141
QNAME07: QA07_J6 QNAME05: QA05_J5

LABEL: NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR

VALUE:		FREQ	%
-2	PROXY SKIPPED	283	0.59
-1	INAPPLICABLE	38601	81.07
1	YES	1128	2.37
2	NO	7602	15.97

UNIVERSE: ADULTS WHO HAD A HARD TIME UNDERSTANDING THE DOCTOR AT LAST VISIT

INPUT VAR:

NOTES:

VARNAME: AJ11 QNAME09: QA09_J11 QPAGENUM: A-142
QNAME07: QA07_J7 QNAME05: QA05_J6

LABEL: WHO HELPED YOU UNDERSTAND DOCTOR

VALUE:		FREQ	%
-2	PROXY SKIPPED	283	0.59
-1	INAPPLICABLE	46203	97.04
1	MINOR CHILD (UNDER AGE 18)	14	0.03
2	ADULT FAMILY MEMBER OF FRIEND OF MINE	319	0.67
3	NON-MEDICAL OFFICE STAFF	45	0.09
4	MEDICAL STAFF INCLUDING NURSES / DOCS	534	1.12
5	PROF INTERPRETER (PERSON/PHONE)	122	0.26
6	OTHER (PATIENTS, SOMEONE ELSE)	30	0.06
7	DID NOT HAVE SOMEONE TO HELP	64	0.13

UNIVERSE: ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A HARD TIME UNDERSTANDING THE DOCTOR ON LAST VISIT AND NEEDED SOMEONE ELSE'S HELP TO UNDERSTAND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH16 QNAME09: QA09_J12 QPAGENUM: A-142
QNAME07: QA07_J14 QNAME05: NA

LABEL: DELAY GETTING PRESCRIPTION IN PAST 12 MO

VALUE:			FREQ	%
1	YES		4650	9.77
2	NO		42964	90.23

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ19 QNAME09: QA09_J13 QPAGENUM: A-142
QNAME07: QA07_J15 QNAME05: NA

LABEL: COST/NO INSUR DELAYED GETTING PRESCRIPTION

VALUE:			FREQ	%
-1	INAPPLICABLE		42964	90.23
1	YES		2426	5.10
2	NO		2224	4.67

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ81 QNAME09: QA09_J14 QPAGENUM: A-142

QNAME07: NA QNAME05: NA

LABEL: DELAYED PRESCRIPTION FOR ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		47118	98.96
1	YES		194	0.41
2	NO		302	0.63

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST 12
MOS AND HAD ASTHMA

INPUT VAR:

NOTES:

VARNAME: AJ82 QNAME09: QA09_J15 QPAGENUM: A-143

QNAME07: NA QNAME05: NA

LABEL: DELAYED PRESCRIPTION FOR DIABETES

VALUE:			FREQ	%
-1	INAPPLICABLE		47215	99.16
1	YES		180	0.38
2	NO		219	0.46

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST 12
MOS AND HAD DIABETES

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ83 QNAME09: QA09_J16 QPAGENUM: A-143

QNAME07: NA QNAME05: NA

LABEL: DELAYED PRESCRIPTION FOR HEART DISEASE

VALUE:			FREQ	%
-1	INAPPLICABLE		47274	99.29
1	YES		138	0.29
2	NO		202	0.42

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST 12
MOS AND HAD HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AH22 QNAME09: QA09_J17 QPAGENUM: A-143

QNAME07: QA07_J16 QNAME05: NA

LABEL: DELAY OTHER MEDICAL CARE IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		6639	13.94
2	NO		40975	86.06

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ20 QNAME09: QA09_J18 QPAGENUM: A-143

QNAME07: QA07_J17 QNAME05: NA

LABEL: COST/NO INSR DELAYED GETTING NEEDED CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		40975	86.06
1	YES		4037	8.48
2	NO		2602	5.46

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ84 QNAME09: QA09_J19 QPAGENUM: A-144

QNAME07: NA QNAME05: NA

LABEL: DELAYED MEDICAL CARE FOR ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		47093	98.91
1	YES		106	0.22
2	NO		415	0.87

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS
DUE TO COST AND HAD ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ85 QNAME09: QA09_J20 QPAGENUM: A-144

QNAME07: NA QNAME05: NA

LABEL: DELAYED MEDICAL CARE FOR DIABETES

VALUE:			FREQ	%
-1	INAPPLICABLE		47281	99.30
1	YES		132	0.28
2	NO		201	0.42

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS
DUE TO COST AND HAD DIABETES

INPUT VAR:

NOTES:

VARNAME: AJ86 QNAME09: QA09_J21 QPAGENUM: A-144

QNAME07: NA QNAME05: NA

LABEL: DELAYED MEDICAL CARE FOR HEART DISEASE

VALUE:			FREQ	%
-1	INAPPLICABLE		47315	99.37
1	YES		100	0.21
2	NO		199	0.42

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS
DUE TO COST AND HAD HEART DISEASE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ87 QNAME09: QA09_J34 QPAGENUM: A-149

QNAME07: NA QNAME05: NA

LABEL: PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
1	YES		11321	23.78
2	NO		36010	75.63

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ88 QNAME09: QA09_J35 QPAGENUM: A-150

QNAME07: NA QNAME05: NA

LABEL: # OF PEOPLE PROVIDED CARE TO

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		36010	75.63
1	1 PERSON		7599	15.96
2	2 PERSONS		2506	5.26
3	3 OR MORE PERSONS		1216	2.55

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ89 QNAME09: QA09_J36 QPAGENUM: A-150

QNAME07: NA QNAME05: NA

LABEL: PERSON NEEDED HELP FOR MORE THAN 3 MOS

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		36010	75.63
1	YES		8100	17.01
2	NO		3221	6.76

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY
MEMBER OR FRIEND

INPUT VAR:

NOTES:

VARNAME: AJ90_P QNAME09: QPAGENUM:

QNAME07: NA QNAME05: NA

LABEL: RELATIONSHIP WITH PERSON YOU PROVIDE MOST HELP TO (PUF RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		36010	75.63
1	HUSBAND/WIFE/SPOUSE/PARTNER		1361	2.86
2	FATHER/FATHER-IN-LAW		1338	2.81
3	MOTHER/MOTHER-IN-LAW		3401	7.14
4	BROTHER/BROTHER-IN-LAW		288	0.60
5	SISTER/SISTER-IN-LAW		403	0.85
6	GRANDPARENT		644	1.35
7	CHILD/CHILD-IN-LAW		677	1.42
8	UNCLE/AUNT		311	0.65
9	OTHER RELATIVE		340	0.71
10	FRIEND/NEIGHBOR		2293	4.82
11	OTHER NON-RELATIVE		265	0.56

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY
MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ101	QNAME09: QA09_J37	QPAGENUM: A-150
----------------	-------------------	-----------------

QNAME07: NA	QNAME05: NA
-------------	-------------

LABEL: CURRENTLY PROVIDE CARE

VALUE:		FREQ	%
-2	PROXY SKIPPED	283	0.59
-1	INAPPLICABLE	36010	75.63
1	YES	5827	12.24
2	NO	5494	11.54

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

VARNAME: AJ91	QNAME09: QA09_J38	QPAGENUM: A-151
---------------	-------------------	-----------------

QNAME07: NA	QNAME05: NA
-------------	-------------

LABEL: CARE RECIPIENT LIVES W/RESP

VALUE:		FREQ	%
-2	PROXY SKIPPED	283	0.59
-1	INAPPLICABLE	36010	75.63
1	YES	3615	7.59
2	NO	7706	16.18

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ92 QNAME09: QA09_J39 QPAGENUM: A-151

QNAME07: NA QNAME05: NA

LABEL: CARE RECIPIENT LIVES IN NURSING HOME

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		39625	83.22
1	NURSING HOME		468	0.98
2	ASSISTED LIVING		999	2.10
3	NEITHER		6239	13.10

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND AND NOT LIVE WITH HIM/HER

INPUT VAR:

NOTES:

VARNAME: AJ93 QNAME09: QA09_J40 QPAGENUM: A-151

QNAME07: NA QNAME05: NA

LABEL: # HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WEEK

MEAN STATISTICS	
N	11321
MIN	0
MAX	168
MEAN	23.69

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ93UNT QNAME09: QA09_J40 QPAGENUM: A-151

QNAME07: NA QNAME05: NA

LABEL: # HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WK - UNIT

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		36010	75.63
1	HOURS		11321	23.78

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

VARNAME: AJ94 QNAME09: QA09_J41 QPAGENUM: A-151

QNAME07: NA QNAME05: NA

LABEL: PAID FOR HELPING CARE RECIPIENT

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		36010	75.63
1	YES		821	1.72
2	NO		10500	22.05

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ95 QNAME09: QA09_J42 QPAGENUM: A-152

QNAME07: NA QNAME05: NA

LABEL: LENGTH OF TIME HELP CARE FOR RECIPIENT

MEAN STATISTICS

N	11321
MIN	0
MAX	780
MEAN	41.23

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY
MEMBER OR FRIEND

INPUT VAR:

NOTES:

VARNAME: AJ95UNT QNAME09: QA09_J42 QPAGENUM: A-152

QNAME07: NA QNAME05: NA

LABEL: LENGTH OF TIME HELP CARE FOR RECIPIENT - UNIT

VALUE:		FREQ	%
-2	PROXY SKIPPED	283	0.59
-1	INAPPLICABLE	36010	75.63
1	MONTHS	9902	20.80
3	WEEKS	1419	2.98

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY
MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ96 QNAME09: QA09_J43 QPAGENUM: A-152

QNAME07: NA QNAME05: NA

LABEL: EVER USED RESPITE CARE SERVICE

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		36010	75.63
1	YES		1501	3.15
2	NO		9820	20.62

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

VARNAME: AJ97 QNAME09: QA09_J44 QPAGENUM: A-152

QNAME07: NA QNAME05: NA

LABEL: SOMEONE TO CARE FOR RECIPIENT IF RESP UNABLE

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		36010	75.63
1	YES		8946	18.79
2	NO		2375	4.99

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ98 QNAME09: QA09_J45 QPAGENUM: A-152

QNAME07: NA QNAME05: NA

LABEL: CARE RECIPIENT RECEIVED MEDI-CAL

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		36010	75.63
1	YES		3675	7.72
2	NO		7646	16.06

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

VARNAME: AJ99 QNAME09: QA09_J46 QPAGENUM: A-153

QNAME07: NA QNAME05: NA

LABEL: ATTENDED MEDI-CAL TRAINING FOR LONG-TERM CAREGIVERS

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		36010	75.63
1	YES		366	0.77
2	NO		10955	23.01

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ100 QNAME09: QA09_J47 QPAGENUM: A-153

QNAME07: NA QNAME05: NA

LABEL: AMOUNT OF OWN MONEY SPENT ON CAREGIVING PAST MO

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		36010	75.63
1	NONE		6246	13.12
2	\$1-\$250		3058	6.42
3	\$251-\$500		1006	2.11
4	\$501-\$1000		498	1.05
5	\$1001-\$3000		304	0.64
6	OVER \$3000		209	0.44

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY
MEMBER OR FRIEND

INPUT VAR:

NOTES:

Section K: Employment, Income, Poverty Status, Food Security

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK3 QNAME09: QA09_K1 QPAGENUM: A-154
QNAME07: QA07_K1 QNAME05: QA05_K1

LABEL: # OF USUAL HRS WORKED PER WEEK

MEAN STATISTICS

N	25219
MIN	0
MAX	95
MEAN	36.52

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

VARNAME: AK7 QNAME09: QA09_K2 QPAGENUM: A-154
QNAME07: QA07_K2 QNAME05: QA05_K4

LABEL: LENGTH OF TIME WORKING AT MAIN JOB

MEAN STATISTICS

N	25219
MIN	0
MAX	888
MEAN	132.91

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES: PLEASE REFER TO "AK7UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK7UNT QNAME09: QA09_K2 QPAGENUM: A-154
QNAME07: QA07_K2 QNAME05: QA05_K4

LABEL: TIME AT MAIN JOB: UNIT OF TIME

VALUE:			FREQ	%
-1	INAPPLICABLE		22395	47.03
1	MONTHS		25219	52.97

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

VARNAME: AK8 QNAME09: QA09_K3 QPAGENUM: A-154
QNAME07: QA07_K3 QNAME05: QA05_K5

LABEL: HOW MANY PEOPLE WORK FOR EMPLOYER/YOU

VALUE:			FREQ	%
-1	INAPPLICABLE		22395	47.03
1	FEWER THAN 10		7607	15.98
2	10-50		3461	7.27
3	51-99		756	1.59
4	100-999		3046	6.40
5	1,000 OR MORE		10349	21.74

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK10_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: QA05_K7

LABEL: RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

N	25219
MIN	0
MAX	30000
MEAN	4604.93

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK10

NOTES: TOPCODE=30,000

VARNAME: AK20 QNAME09: QA09_K5 QPAGENUM: A-155
QNAME07: QA07_K5 QNAME05: QA05_K9

LABEL: # OF HRS PER WEEK SPOUSE USUALLY WORKS

MEAN STATISTICS

N	14894
MIN	0
MAX	95
MEAN	38.41

UNIVERSE: ADULTS WHOSE SPOUSE IS CURRENTLY WORKING/USUALLY WORKING OR HAS
JOB/BUSINESS BUT NOT AT WORK

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK10A_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: QA05_K11

LABEL: SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

N	14344
MIN	0
MAX	30000
MEAN	5060.49

UNIVERSE: ADULTS WHOSE SPOUSE WORKS MORE THAN 0 HOURS PER WEEK

INPUT VAR: AK10A

NOTES: TOPCODE=30,000

VARNAME: AK22_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: QA05_K12

LABEL: HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)

MEAN STATISTICS

N	47614
MIN	0
MAX	300000
MEAN	71367.53

UNIVERSE: ALL ADULTS

INPUT VAR: AK22

NOTES: TOPCODE=300,000

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM1 QNAME09: QA09_K21 QPAGENUM: A-160
QNAME07: QA07_K21 QNAME05: QA05_N1

LABEL: HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	30668	64.41
1	OFTEN TRUE	1242	2.61
2	SOMETIMES TRUE	3737	7.85
3	NEVER TRUE	11967	25.13

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS,
NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM2 QNAME09: QA09_K22 QPAGENUM: A-160
QNAME07: QA07_K22 QNAME05: QA05_N2

LABEL: HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS

VALUE:		FREQ	%
-1	INAPPLICABLE	30668	64.41
1	OFTEN TRUE	1258	2.64
2	SOMETIMES TRUE	3748	7.87
3	NEVER TRUE	11940	25.08

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS,
NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM3 QNAME09: QA09_K23 QPAGENUM: A-160
QNAME07: QA07_K23 QNAME05: QA05_N3

LABEL: ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:		FREQ	%
-1	INAPPLICABLE	30668	64.41
1	YES	2904	6.10
2	NO	14042	29.49

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS,
NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM3A QNAME09: QA09_K24 QPAGENUM: A-160
QNAME07: QA07_K24 QNAME05: QA05_N4

LABEL: HOW OFTEN ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:		FREQ	%
-1	INAPPLICABLE	44710	93.90
1	ALMOST EVERY MONTH	989	2.08
2	SOME MONTHS BUT NOT EVERY MONTH	1107	2.32
3	ONLY IN 1 OR 2 MONTHS	808	1.70

UNIVERSE: ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME 200% FPL OR LESS OR NOT
KNOWN AND SKIPPED MEALS IN PAST 12 MOS

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM4 QNAME09: QA09_K25 QPAGENUM: A-161
QNAME07: QA07_K25 QNAME05: QA05_N5

LABEL: ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		30503	64.06
1	YES		3071	6.45
2	NO		13757	28.89

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS,
NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM5 QNAME09: QA09_K26 QPAGENUM: A-161
QNAME07: QA07_K26 QNAME05: QA05_N6

LABEL: HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		30503	64.06
1	YES		1819	3.82
2	NO		15009	31.52

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS,
NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: POVGWD_P QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL(PUF RECODE)

MEAN STATISTICS

N	47614
MIN	0
MAX	24
MEAN	4.50

UNIVERSE: ALL ADULTS

INPUT VAR: POVGWD

NOTES: TOPCODE=24

VARNAME: POVLL QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: POVERTY LEVEL

VALUE:		FREQ	%
1	0-99% FPL	5764	12.11
2	100-199% FPL	8026	16.86
3	200-299% FPL	6532	13.72
4	300% FPL AND ABOVE	27292	57.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: POVLL2_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: POVERTY LEVEL - 100% FPL (PUF RECODE)

MEAN STATISTICS

N	47614
MIN	0
MAX	24
MEAN	4.83

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL2

NOTES: TOPCODE=24. VALUES ROUNDED TO THE NEAREST 100th.

VARNAME: ELIGPRG3 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED

VALUE:		FREQ	%
-5	INSURED	26989	56.68
-1	INAPPLICABLE-AGES>=65	15565	32.69
1	MEDI-CAL (MEDICAID) ELIG.	343	0.72
2	HEALTHY FAM ELIG.	25	0.05
3	NOT ELIG.	4692	9.85

UNIVERSE: ADULTS UNDER AGE 65

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FSLEV QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: FOOD SECURITY STATUS LEVEL

VALUE:			FREQ	%
-1	INAPPLICABLE -	>=200% FPL	33917	71.23
1	FOOD SECURITY		9097	19.11
2	FOOD INSECURITY W/O HUNGER		2901	6.09
3	FOOD INSECURITY W/ HUNGER		1699	3.57

UNIVERSE: ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR: POVLL AM1 AM2 AM3 AM3A AM4 AM5 PROXY

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

VARNAME: FSLEVCB QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: FOOD SECURITY STATUS - 2 LVLS

VALUE:			FREQ	%
-1	INAPPLICABLE -	>=200% FPL	33917	71.23
1	FOOD SECURITY		9097	19.11
2	FOOD INSECURITY WITH/ WITHOUT HUNGER		4600	9.66

UNIVERSE: ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR: FSLEV

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section L: Public Program Participation

VARNAME: AL2 QNAME09: QA09_L1 QPAGENUM: A-162
QNAME07: QA07_L1 QNAME05: QA05_L1

LABEL: CURRENTLY ON TANF OR CALWORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		24931	52.36
1	YES		692	1.45
2	NO		21991	46.19

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL5 QNAME09: QA09_L3 QPAGENUM: A-162
QNAME07: QA07_L3 QNAME05: QA05_L3

LABEL: RECEIVING FOOD STAMP BENEFITS

VALUE:			FREQ	%
-1	INAPPLICABLE		24931	52.36
1	YES		1706	3.58
2	NO		20977	44.06

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL6 QNAME09: QA09_L5 QPAGENUM: A-163
QNAME07: QA07_L5 QNAME05: QA05_L5

LABEL: RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)

VALUE:			FREQ	%
-1	INAPPLICABLE		24931	52.36
1	YES		2250	4.73
2	NO		20433	42.91

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL7 QNAME09: QA09_L6 QPAGENUM: A-163
QNAME07: QA07_L6 QNAME05: QA05_L6

LABEL: CURRENTLY ON WIC

VALUE:			FREQ	%
-1	INAPPLICABLE		45661	95.90
1	YES		866	1.82
2	NO		1087	2.28

UNIVERSE: ADULT WOMEN WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL AND HAS A CHILD UNDER AGE 7 OR IS PREGNANT

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL15 QNAME09: QA09_L8 QPAGENUM: A-164
QNAME07: QA07_L8 QNAME05: QA05_L8

LABEL: RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH

VALUE:			FREQ	%
-1	INAPPLICABLE		24931	52.36
1	YES		2255	4.74
2	NO		20428	42.90

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL16_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: TOTAL RECVD FROM ALIMONY/CHILD SUPPORT/GOVT (PUF RECODE)

MEAN STATISTICS	
N	2255
MIN	1
MAX	4000
MEAN	1076.14

UNIVERSE: ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME EQUAL TO OR LESS THAN 300% FPL AND SPOUSE AND/OR SELF RECEIVED MONEY LAST MONTH FOR ALIMONEY CHILD SUPPORT OR MONEY FROM GOVERNMENT

INPUT VAR: AL16

NOTES: TOPCODE=4,000

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL17 QNAME09: QA09_L10 QPAGENUM: A-165
QNAME07: QA07_L10 QNAME05: QA05_L10

LABEL: PAID ALIMONY OR CHILD SUPPORT LAST MONTH

VALUE:		FREQ	%
-1	INAPPLICABLE	24931	52.36
1	YES, RESPONDENT PAID	320	0.67
2	YES, SPOUSE/PARTNER PAID	107	0.22
3	YES, BOTH PAID	16	0.03
4	NO	22240	46.71

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL18_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: TOTAL ALIMONY/CHILD SUPPORT PAID LAST MONTH (PUF RECODE)

MEAN STATISTICS	
N	443
MIN	1
MAX	2000
MEAN	426.80

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 300% FPL AND SPOUSE AND/OR SELF PAID ALIMONY/CHILD SUPPORT
LAST MONTH

INPUT VAR: AL18

NOTES: TOPCODE=2,000

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL18A QNAME09: QA09_L12 QPAGENUM: A-166
QNAME07: QA07_L12 QNAME05: QA05_L12

LABEL: RECVD SOCIAL SECURITY OR PENSION LAST MONTH

VALUE:			FREQ	%
-1	INAPPLICABLE		37065	77.84
1	YES		8066	16.94
2	NO		2483	5.21

UNIVERSE: (ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING WITH PARTNER OR OVER 50 WHO ARE MARRIED AND LIVING WITH SPOUSE) AND TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL18B_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: TOTAL SOCIAL SECURITY/PENSION RECVD LAST MONTH (PUF RECODE)

MEAN STATISTICS

N	8066
MIN	1
MAX	3500
MEAN	1468.77

UNIVERSE: (ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING W PARTNER OR OVER 50 WHO ARE MARRIED AND LIVING W SPOUSE) AND ANNUAL HH INCOME IS 300% FPL OR LESS AND RECEIVED SOCIAL SECURITY OR PENSION PYMT

INPUT VAR: AL18B

NOTES: TOPCODE=3,500

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL23 QNAME09: QA09_L15 QPAGENUM: A-167

QNAME07: NA QNAME05: NA

LABEL: APPLIED FOR MEDI-CAL FOR SELF OR CHILD IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		45546	95.66
1	YES		441	0.93
2	NO		1627	3.42

UNIVERSE: ADULTS WHOSE INCOME EQUAL OF LESS THAN 300% AND HAS NO
TANF/SSI/INSURANCE

INPUT VAR:

NOTES:

Section M: Housing and Social Cohesion

VARNAME: AK23 QNAME09: QA09_M1 QPAGENUM: A-171

QNAME07: QA07_M1 QNAME05: QA05_K26

LABEL: LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME

VALUE:			FREQ	%
1	HOUSE		34456	72.37
2	DUPLEX		1864	3.91
3	BUILDING WITH 3 OR MORE UNITS		8832	18.55
4	MOBILE HOME		2462	5.17

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK25 QNAME09: QA09_M2 QPAGENUM: A-171
QNAME07: QA07_M2 QNAME05: QA05_K27

LABEL: OWN OR RENT HOME

VALUE:	1	OWN	FREQ	%
	2	RENT	33070	69.45
	3	OTHER ARRANGEMENT	13022	27.35
			1522	3.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: TIMEAD QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: LENGTH OF TIME LIVED AT CURRENT ADDRESS (IN MONTHS)

MEAN STATISTICS	
N	47614
MIN	1
MAX	1068
MEAN	170.74

UNIVERSE: ALL ADULTS

INPUT VAR: AM14UNT, AM14

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM19 QNAME09: QA09_M4 QPAGENUM: A-172

QNAME07: NA QNAME05: NA

LABEL: PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		33353	70.05
1	STRONGLY AGREE		3150	6.62
2	AGREE		8517	17.89
3	DISAGREE		1938	4.07
4	STRONGLY DISAGREE		373	0.78

UNIVERSE: ALL ADULTS WITH CHILD UNDER 18 IN HH

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM20 QNAME09: QA09_M5 QPAGENUM: A-172

QNAME07: NA QNAME05: NA

LABEL: PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG WITH EACH OTHER

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		33353	70.05
1	STRONGLY AGREE		215	0.45
2	AGREE		1670	3.51
3	DISAGREE		9088	19.09
4	STRONGLY DISAGREE		3005	6.31

UNIVERSE: ALL ADULTS WITH CHILD UNDER 18 IN HH

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM21 QNAME09: QA09_M6 QPAGENUM: A-172

QNAME07: NA QNAME05: NA

LABEL: PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		33353	70.05
1	STRONGLY AGREE		2569	5.40
2	AGREE		9170	19.26
3	DISAGREE		1888	3.97
4	STRONGLY DISAGREE		351	0.74

UNIVERSE: ALL ADULTS WITH CHILD UNDER 18 IN HH

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM35 QNAME09: QA09_M7 QPAGENUM: A-173

QNAME07: NA QNAME05: NA

LABEL: NEIGHBORHOOD WATCH OUT CHILDREN FOR SAFE

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
-1	INAPPLICABLE		33353	70.05
1	STRONGLY AGREE		3007	6.32
2	AGREE		8751	18.38
3	DISAGREE		1762	3.70
4	STRONGLY DISAGREE		286	0.60
5	NOT APPLICABLE		172	0.36

UNIVERSE: ALL ADULTS WITH CHILD UNDER 18 IN HH

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK28 QNAME09: QA09_M8 QPAGENUM: A-173
QNAME07: QA07_M4 QNAME05: QA05_K31

LABEL: HOW OFTEN FEEL SAFE IN NEIGHBORHOOD

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
1	ALL OF THE TIME		29553	62.07
2	MOST OF THE TIME		14790	31.06
3	SOME OF THE TIME		2548	5.35
4	NONE OF THE TIME		440	0.92

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM36 QNAME09: QA09_M9 QPAGENUM: A-173
QNAME07: NA QNAME05: NA

LABEL: DID VOLUNTEER WORK OR COMMUNITY SERVICES

VALUE:			FREQ	%
-1	INAPPLICABLE		33635	70.64
1	YES		7028	14.76
2	NO		6951	14.60

UNIVERSE: ALL ADULTS WITH TEEN (12-17) IN HH

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section EM: Emergency Preparedness Module

VARNAME: EM1 QNAME09: QA09_EM1 QPAGENUM: A-174

QNAME07: NA QNAME05: NA

LABEL: TAKE PRESCRIBED MEDICINE DAILY

			FREQ	%
VALUE:	1	YES	28167	59.16
	2	NO	19447	40.84

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: EM2 QNAME09: QA09_EM2 QPAGENUM: A-174

QNAME07: NA QNAME05: NA

LABEL: HAVE AT LEAST 2 WEEK SUPPLY OF ALL PRESCRIPTION DRUGS

			FREQ	%
VALUE:	-1	INAPPLICABLE	19447	40.84
	1	YES	22021	46.25
	2	NO	6146	12.91

UNIVERSE: ADULTS WHO TAKE DAILY PRESCRIBED MEDICINE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: EM3 QNAME09: QA09_EM3 QPAGENUM: A-174

QNAME07: NA QNAME05: NA

LABEL: ABLE TO GET 2 WEEK SUPPLY OF ALL PRESCRIPTION DRUGS

VALUE:		FREQ	%
-1	INAPPLICABLE	41468	87.09
1	YES	3675	7.72
2	NO	2471	5.19

UNIVERSE: ADULTS WHO TAKE DAILY PRESCRIBED MEDICINE

INPUT VAR:

NOTES:

VARNAME: EM4CODE QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: REASON UNABLE GET 2-WK SUPPLY DRUGS

VALUE:		FREQ	%
-8	DON'T KNOW	60	0.13
-7	REFUSED	3	0.01
-1	INAPPLICABLE	45487	95.53
1	TOO EXPENSIVE	206	0.43
2	INSURANCE WON'T COVER/ALLOW	1222	2.57
3	NO INSURANCE	28	0.06
4	DR WON'T PRESCRIBE MORE THAN 30 DAYS	290	0.61
5	CONTROLLED SUBSTANCE	118	0.25
6	DID NOT ASK FOR EXTRA SUPPLY	53	0.11
91	OTHER SPECIFY	147	0.31

UNIVERSE: ADULTS WHO TAKE DAILY PRESCRIBED MEDICINE AND NOT ABLE TO GET 2-WK
EXTRA DRUG SUPPLY

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: EM5 QNAME09: QA09_EM5 QPAGENUM: A-174

QNAME07: NA QNAME05: NA

LABEL: # DAYS ABLE TO STAY AT HOME WITHOUT SHOPPING FOR ADD'L SUPPLIES

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
1	1-3 DAYS		8154	17.13
2	4-6 DAYS		11438	24.02
3	7-9 DAYS		10544	22.14
4	10 OR MORE DAYS		17195	36.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: EM6 QNAME09: QA09_EM6 QPAGENUM: A-175

QNAME07: NA QNAME05: NA

LABEL: HOW CONFIDENT COUNTY'S PUB HLTH SYS CAN RESPOND

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
1	VERY CONFIDENT		9358	19.65
2	SOMEWHAT CONFIDENT		24395	51.23
3	NOT TOO CONFIDENT		10231	21.49
4	NOT AT ALL CONFIDENT		3347	7.03

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: EM7 QNAME09: QA09_EM7 QPAGENUM: A-175

QNAME07: NA QNAME05: NA

LABEL: HOW CONFIDENT COUNTY'S PUB HLTH SYS FAIRLY RESPOND

VALUE:			FREQ	%
-2	PROXY SKIPPED		283	0.59
1	VERY CONFIDENT		15859	33.31
2	SOMEWHAT CONFIDENT		22112	46.44
3	NOT TOO CONFIDENT		6923	14.54
4	NOT AT ALL CONFIDENT		2437	5.12

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:
-----**Section N: Demographic Information III**

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM34	QNAME09: QA09_N8	QPAGENUM: A-180
	QNAME07: QA07_N6B	QNAME05: NA

LABEL: TELEPHONE CALLS RECEIVED

VALUE:		FREQ	%
-9	NOT ASCERTAINED	2	0.00
-8	DON'T KNOW	67	0.14
-7	REFUSED	33	0.07
-1	INAPPLICABLE	13458	28.26
1	ALL OR ALMOST ALL CALLS ON CELL PHONES	7460	15.67
2	SOME CALLS ON CELL, SOME REGULAR PHONES	13420	28.18
3	VERY FEW OR NO CALLS ON CELL PHONES	13174	27.67

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: UR_BG	QNAME09: NA	QPAGENUM: NA
	QNAME07: NA	QNAME05: NA

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)

VALUE:		FREQ	%
1	URBAN	13270	27.87
2	2ND CITY	10958	23.01
3	SUBURBAN	12254	25.74
4	TOWN AND RURAL	11132	23.38

UNIVERSE: ALL ADULTS

INPUT VAR: CBLK

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UR_CLRT QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)

VALUE :			FREQ	%
1	URBAN		14925	31.35
2	2ND CITY		14082	29.58
3	SUBURBAN		9627	20.22
4	TOWN AND RURAL		8980	18.86

UNIVERSE: ALL ADULTS

```
INPUT VAR: BESTZIP
```

NOTES :

VARNAME: UR_CLRT2 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

			FREQ	%
VALUE:	1	URBAN	38634	81.14
	2	RURAL	8980	18.86

UNIVERSE: ALL ADULTS

```
INPUT  VAR:  UR_CLRT
```

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UR_IHS QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - IHS

VALUE:			FREQ	%
1	URBAN		29548	62.06
2	RURAL		18066	37.94

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY BESTZIP

NOTES:

VARNAME: UR_OMB QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - OMB

VALUE:			FREQ	%
1	METROPOLITAN		43720	91.82
2	NON-METROPOLITAN		3894	8.18

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY

NOTES:

VARNAME: UR_RHP QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - RHP

VALUE:			FREQ	%
1	URBAN		39280	82.50
2	RURAL		8334	17.50

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY CBLK

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UR_TRCT QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)

VALUE :			FREQ	%
1	URBAN		13660	28.69
2	2ND CITY		11634	24.43
3	SUBURBAN		11496	24.14
4	TOWN AND RURAL		10824	22.73

UNIVERSE: ALL ADULTS

```
INPUT VAR: CBLK
```

NOTES :

Section O: Full Design and Replicate Weight Series 0-80

VARNAME: RAKEDW0 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - FULL SAMPLE

			FREQ	%
VALUE:	0-HIGH	CONTINUOUS	47614	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW1	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 1				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW2	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 2				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW3	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 3				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW4	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 4				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW5	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 5				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW6	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 6				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW7	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 7				
VALUE:	0-HIGH CONTINUOUS	FREQ	%		
		47614	100.00		
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW8	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 8				
VALUE:	0-HIGH CONTINUOUS	FREQ	%		
		47614	100.00		
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW9	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 9				
VALUE:	0-HIGH CONTINUOUS	FREQ	%		
		47614	100.00		
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW10	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 10				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW11	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 11				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW12	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 12				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW13	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 13				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW14	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 14				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW15	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 15				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW16	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 16				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW17	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 17				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW18	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 18				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW19	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 19				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW20	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 20				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW21	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 21				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW22	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 22				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW23	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 23				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW24	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 24				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW25 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 25
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW26 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 26
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW27 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 27
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW28	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 28				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW29	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 29				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW30	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 30				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW31	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 31				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW32	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 32				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW33	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 33				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW34	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 34				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW35	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 35				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW36	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 36				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW37	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 37				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW38	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 38				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW39	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 39				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW40	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 40				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW41	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 41				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW42	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 42				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW43	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 43				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW44	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 44				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW45	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 45				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW46	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 46				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW47	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 47				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW48	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 48				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW49 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 49
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW50 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 50
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW51 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 51
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW52	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 52				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW53	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 53				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW54	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 54				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW55	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 55				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW56	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 56				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW57	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 57				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW58	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 58				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW59	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 59				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW60	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 60				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW61	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 61				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW62	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 62				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW63	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 63				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW64	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 64				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW65	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 65				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW66	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 66				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW67	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 67				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW68	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 68				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW69	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 69				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW70	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 70				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW71	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 71				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW72	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 72				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW73	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 73				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW74	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 74				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW75	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 75				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW76	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 76				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW77	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 77				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW78	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 78				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW79	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 79				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW80	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA
LABEL:	CHIS2009 RAKED WEIGHT - REPLICATE 80				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				47614	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					