

React

Windows – cmd - vscode

Primera aplicación

```
[kralos]
[D:\03_Code\React]
> node -v
v26.0.0
[kralos]
[D:\03_Code\React]
> npm -v
11.12.1
[kralos]
[D:\03_Code\React]
> npm create vite@latest mi-primer-react
Need to install the following packages:
create-vite@9.0.6
Ok to proceed? (y)

> npx
> create-vite mi-primer-react

◇ Select a framework:
  React

◇ Select a variant:
  JavaScript

◇ Install with npm and start now?
  Yes

◇ Scaffolding project in D:\03_Code\React\mi-primer-react...

◇ Installing dependencies with npm...

added 136 packages, and audited 137 packages in 32s

31 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
```


Primera aplicación

```
found 0 vulnerabilities
|
◇ Starting dev server...
> mi-primer-react@0.0.0 dev
> vite

VITE v8.0.11 ready in 2745 ms

→ Local:   http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help
6:54:01 PM [vite] (client) [optimizer] bundling dependencies...
|
```

Primera aplicación




Primera aplicación

This PC > kloud (D:) > 03_Code > React

Name

mi-primer-react



The screenshot shows the Visual Studio Code interface with a project named 'MI-PRIMER-REACT'. The Explorer sidebar on the left lists the project structure, including 'node_modules', 'public', 'src', 'assets', and various configuration files. The main editor area displays two files: 'main.jsx' and 'App.jsx'.

main.jsx

```
1 import { StrictMode } from 'react'
2 import { createRoot } from 'react-dom/client'
3 import './index.css'
4 import App from './App.jsx'
5
6 createRoot(document.getElementById('root')).render(
7   <StrictMode>
8     <App />
9   </StrictMode>,
10 )
```

App.jsx

```
1 import { useState } from 'react'
2 import reactLogo from './assets/react.svg'
3 import viteLogo from './assets/vite.svg'
4 import heroImg from './assets/hero.png'
5 import './App.css'
6
7 function App() {
8   const [count, setCount] = useState(0)
9
10   return (
11     <>
12       <section id="center">
13         <div className="hero">
14           <img src={heroImg} className="base" width="170" height="179" alt="" />
15           <img src={reactLogo} className="framework" alt="React logo" />
16           <img src={viteLogo} className="vite" alt="Vite logo" />
17         </div>
18         <div>
19           <h1>Get started</h1>
20           <p>
21             Edit <code>src/App.jsx</code> and save to test <code>HMR</code>
22           </p>
23         </div>
24         <button
25           type="button"
26           className="counter"
27           onClick={() => setCount((count) => count + 1)}
28         >
29           Count is {count}
30         </button>
31       </section>
32     </>
33   )
34 }
```

Primera aplicación

Archivos importantes:

main.jsx

Es el punto de entrada. Aquí React se monta en el DOM.

App.jsx

Es tu primer componente.

Primera aplicación

