





Code::Blocks

The open source, cross-platform IDE


25.03




Size of Data Types in C - {1/7}




Size of Data Types in C - {2/7}



Size of Data Types in C - {3/7}




Size of Data Types in C - {4/7}



The screenshot shows the Code::Blocks IDE interface. The title bar reads "main.c [sizeofdata] - Code::Blocks 25.03". The menu bar includes File, Edit, View, Search, Project, Build, Debug, Fortran, wxSmith, Tools, Tools+, Plugins, and DoxyBlocks. The toolbar contains various icons for file operations, editing, and debugging. The left sidebar shows a "Management" pane with tabs for Projects, Symbols, and Files. Under the "Files" tab, a tree view shows the project structure: "Workspace" containing a folder "sizeofdata", which contains a subfolder "Sources" with the file "main.c" selected. The main editor window, titled "main.c", displays the following C code:

```
1  #include <stdio.h>
2  #include <stdlib.h>
3
4  int main()
5  {
6      printf("Hello world!\n");
7      return 0;
8  }
9
```


Size of Data Types in C - {5/7}



The screenshot shows the Code::Blocks IDE interface. The title bar reads "main.c [sizeofdata] - Code::Blocks 25.03". The menu bar includes File, Edit, View, Search, Project, Build, Debug, Fortran, wxSmith, Tools, Tools+, Plugins, DoxyBlocks, Settings, and Help. The toolbar contains various icons for file operations, editing, and debugging. The left sidebar shows a project tree with "Workspace", "sizeofdata", and "Sources" containing "main.c". The main editor window displays the following C code:

```
1  /*
2  *   code\unidad_1\sec1\08_sizeof.c
3  */
4  #include <stdio.h>
5  #include <stdlib.h>
6
7  int main()
8  {
9      printf("bytes de char:   %zu\n", sizeof(char));
10     printf("bytes de int:    %zu\n", sizeof(int));
11     printf("bytes de float:  %zu\n", sizeof(float));
12     printf("bytes de double: %zu\n", sizeof(double));
13     return 0;
14 }
15
```

Size of Data Types in C - {6/7}



Size of Data Types in C - {7/7}

The screenshot shows a Windows environment with a terminal window and an IDE interface.

Terminal Window:

```

D:\03_Code\C\Data_Structures\sizeofdata\bin\Debug\sizeofdata.exe
bytes de char: 1
bytes de int: 4
bytes de float: 4
bytes de double: 8

Process returned 0 (0x0)   execution time : 0.020 s
Press any key to continue.

```

IDE Interface (Visual Studio Code):

- Taskbar:** Shows icons for Code::Blocks, Search results, Cccc, Build log (highlighted with an orange arrow), Build messages, and CppCheck/Vera++.
- Output Window:** Displays the following text:


```

----- Run: Debug in sizeofdata (compiler: GNU GCC Compiler)-----
Checking for existence: D:\03_Code\C\Data_Structures\sizeofdata\bin\Debug\sizeofdata.exe
Set variable: PATH=.;C:\Program Files\CodeBlocks\MinGW\bin;C:\Program Files\CodeBlocks\MinGW\
\Python312\Scripts;C:\Python312;C:\Program Files\Common Files\Oracle\Java\javapath;C:\Program
\System32\wbem;C:\Windows\System32\WindowsPowerShell\v1.0;C:\Windows\System32\OpenSSH;C:\Prog
\Tools\Binn;C:\Program Files\Microsoft SQL Server\Client SDK\ODBC\170\Tools\Binn;C:\tools\php
\Program Files\dotnet;C:\tools\php85;C:\Users\kralos\Bin;C:\ProgramData\chocolatey\lib\maven\
\bin;C:\Program Files\Git\cmd;C:\Users\kralos\AppData\Local\Microsoft\Windows
\Composer\vendor\bin;C:\Users\kralos\.dotnet\tools;C:\Users\kralos\AppData\Roaming\npm
Executing: "C:\Program Files\CodeBlocks\cb_console_runner.exe" "D:\03_Code\C\Data_Structures\

```