




Code::Blocks

The open source, cross-platform IDE


25.03


Start here - Code::Blocks 25.03
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
Management
Projects Symbols Files
Workspace
Start here
Code::Blocks
The open source, cross-platform IDE
Release 25.03 rev 13644 (2025-03-29 05:36:19) gcc 14.2.0 Windows/unicode - 64 bit
Create a new project
Open an existing project
Tip of the Day
Visit the Code::Blocks forums
Report a bug or request a new feature
Recent projects
D:\03_Code\C\Data_Structures\unidad_1\unidad_1.cbp
Recent files
No recent files
© 2004 - 2025, The Code::Blocks Team.
Logs & others
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck/Vera++
CppCheck/Vera++ messages
Cscope
Debugger
DoxyBlocks
Fortran info
Closed files list
Thread search
Command:
Start here
default


Size of Data Types in C - {1/7}




Size of Data Types in C - {2/7}




Size of Data Types in C - {3/7}




Size of Data Types in C - {4/7}




Size of Data Types in C - {5/7}




Size of Data Types in C - {6/7}



Size of Data Types in C - {7/7}




Suggested Folder Structure





```
Data_Structures/
|
├── sizeofdata/
|   ├── main.c
|   └── ...
|
├── arrays/
|
├── pointers/
|
├── linkedlists/
|
├── stacks/
|
├── queues/
|
├── trees/
|
└── graphs/
```


TDA Example – { 1 / 12 }




TDA Example – { 2 / 12 }




TDA Example – { 3 / 12 }







TDA Example – { 4 / 12 }




TDA Example – { 5 / 12 }




TDA Example – { 6 / 12 }




TDA Example – { 7 / 12 }



TDA Example – { 8 / 12 }



TDA Example – { 9 / 12 }





TDA Example – { 10 / 12 }




```
1  #ifndef CONTADOR_H
2  #define CONTADOR_H
3
4  typedef struct Contador Contador;
5
6  Contador* contador_crear(int valor_inicial);
7  void contador_incrementar(Contador* c);
8  int contador_obtener_valor(const Contador* c);
9  void contador_destruir(Contador* c);
10
11 #endif
12
```

TDA Example – { 11 / 12 }





TDA Example – { 12 / 12 }

