CountryList.tsx

```
CountryList
  __generated__
    CountryList.ts                                                    U
  CountryList.tsx
```

```
→  graphql-example-app git:(main) ✗ yarn run graphql:generate
yarn run v1.22.10
$ graphql codegen
  ✔ Parse configuration
  ✔ Generate outputs
✦ Done in 2.34s.
```

Terminal

```
→  graphql-example-app git:(main) x yarn run graphql:generate
yarn run v1.22.10
$ graphql codegen
  ✔ Parse configuration
  ✔ Generate outputs
✨  Done in 2.34s.
```

📁 CountryList   ●
  📁 __generated__   ●
    🇹🇸 CountryList.ts   U
  ⚛️ CountryList.tsx

```ts
CountryList.ts          X

1    import * as Types from '../../../__generated__/types';
2
3    export type CountryListVariables = Types.Exact<{ [key: string]: never }>;
4
5    export type CountryList = {
6      __typename: 'Query';
7      countries?: Types.Maybe<
8        Array<
9          Types.Maybe<{
10           __typename: 'Country';
11           _id?: Types.Maybe<string>;
12           name: string;
13           subregion?: Types.Maybe<{
14             __typename: 'Subregion';
15             _id?: Types.Maybe<string>;
16             name: string;
17           }>;
18         }>
19       >
20     >;
21   };
```