CountryList.ts X

```
* const { data, loading, error } = useCountryListQuery({
96 * variables: {
98 | * });
     export function useCountryListQuery(
       baseOptions?: Apollo.QueryHookOptions<</pre>
101
         CountryListQuery,
102
         CountryListQueryVariables
103
104
       >,
     ) {
105
        const options = { ...defaultOptions, ...baseOptions };
106
        return Apollo.useQuery<CountryListQuery, CountryListQueryVariables>(
107
         CountryListDocument,
108
109
         options,
110
       );
111
       baseOptions?: Apollo.LazyQueryHookOptions<</pre>
         CountryListQuery,
          CountryListQueryVariables
        return Apollo.useLazyQuery<CountryListQuery, CountryListQueryVariables>(
```

CountryList.tsx X

```
import { Loader, ErrorScreen, CountryCard } from '../components';
import { useCountryListQuery } from './_generated_/CountryList.query';
const CountriesPage: React.FC = () \Rightarrow {
 const { data, loading, error } = useCountryListQuery();
 if (loading) {
   return <Loader />;
 if (error) {
   return <ErrorScreen message={error.message} />;
    <div>
      {data?.countries?.map(
       country ⇒
          country && (
            <CountryCard
             key={country._id}
             name={country.name}
             region={country.subregion?.name}
            />
      )}
    </div>
```