



countrylist.tsx

Blais

 CountryList 

 __generated__ 

 CountryList.ts 

 CountryList.tsx

→ graphql-example-app git:(main) ✕ yarn run graphql:generate

yarn run v1.22.10

\$ graphql codegen

✓ Parse configuration

✓ Generate outputs

✨ Done in 2.34s.



Terminai

Terminal

```
→ graphql-example-app git:(main) ✕ yarn run graphql:generate
yarn run v1.22.10
$ graphql codegen
  ✓ Parse configuration
  ✓ Generate outputs
✨ Done in 2.34s.
```

```
📁 CountryList ●
📁 __generated__ ●
📄 CountryList.ts U
📄 CountryList.tsx
```

CountryList.ts X

```
1  import * as Types from '../../_generated_/types';
2
3  export type CountryListVariables = Types.Exact<{ [key: string]: never }>;
4
5  export type CountryList = {
6    __typename: 'Query';
7    countries?: Types.Maybe<
8      Array<
9        Types.Maybe<{
10          __typename: 'Country';
11          _id?: Types.Maybe<string>;
12          name: string;
13          subregion?: Types.Maybe<{
14            __typename: 'Subregion';
15            _id?: Types.Maybe<string>;
16            name: string;
17          }>;
18        }>
19      >
20    >;
21  };
```