

Rosli Ahmad

Subject: Kamaya 11am
Location: Kamaya Ipoh
Start: 2015/07/02 (木) 11:00
End: 2015/07/02 (木) 12:30
Recurrence: (none)
Organizer: Rosli Ahmad

Agenda

1. KA0201 sample result
2. Order forecast
3. Kamaya incoming crack status
4. 3080M rank division ABCD

KA0201 (200K/month)

Sample submitted had improved on warp and foreign material. But final result before laser, found un-consistent resistor value. Sample result was NG. Sample taken back given to Mr. Izumo together with customer data for analysis. Therefore new sample need to re-submit again.

Order Forecast

Kamaya produce at 4-4.5B/month. Kamaya had new employment from Vietnam and Myanmar female to balance up with Indonesia operator. Kamaya production will be running on Hari Raya as normal. I believe Kamaya production will maintain at maximum production as substrate material stock level only 0.5 month.

Product Name	Jul-15	Aug-15	Sep-15
KA0201	0	0	0
3080M	100,000	100,000	100,000
1598M	50,000	50,000	50,000
874M	200,000	200,000	200,000 → 874M Aug & Sep might change
YA2512	30,000	30,000	40,000
YA2010	80,000	50,000	50,000
YA1210	40,000	30,000	40,000
594BS			
360K			
198B			
112B			
Total	500,000	460,000	480,000

3080M (Division ABCD)

Kamaya production not realize that 0603 type 60*70 3080M have division rank ABCD. Small type/Kamaya design 0603 1608MRW did not have division ABCD. After explanation production agreed that was their/mistake. But they request current rank 22 24 42 44 (ABCD) min quantity 2Kpcs /division to increase to 4Kpcs/division. I had checked current stock and Kamaya request 100Kpc/month should not be a problem. This will help Kamaya to maintain back cost of printing mask.

New Carton

We agreed to start new carton (Test liner Paper change to Kraft Paper) from shipment 23-Jul.

Return Goods

Ms. Emily arranging all quality claim to be return on 24-Jul.
MFR-1504 874M 74Kpcs crack

360K Crack 8D Report

Kamaya QA not agree Maruwa reply detect crack by product drop sound. They request to show any procedure for that.