

Customer: Haemonetics Penang		Date: 03-10-2024 Time: 9:00
Participant From Maruwa	Participant From Organizer	Report To
1. Mr Siva Tooling Manager 2. Adibah Yasmin QA Engineer 3. Mr Kenta Araya QA Manager 4. 5.	1. Mr Allan Plant Director 2. Mr Chew Lai Kim QA Manager 3. Ms Wen Chee Purchaser 4. Ms Sim Material Planner 5.	1. Datuk Anthony & Mr Sasaki 2. Mr Justin, Mr Prasan & Mr Igarashi 3. Mr Naga 4. Mr Sathia & Ms Pang 5. Mr Mori & Mr Lai

Agenda

Meeting started of with quality Discussion
Quality Discussion

HAE highlighted their incoming findings

- Chipping
- Crack
- Stain

Maruwa reviewed the process and highlighted a few action items which have been highlighted below

Category	Topic	MM Action	MM PIC	HAE PIC	MM Next Action
Quality	Chipping & crack	Packaging improvement - Reduce product handling and movement (See attachment) 	Adibah Araya	Chew Wen Chee	Shipment 1 pallet product with new plastic bag to MLX (32k) Shipment schedule: 04-Oct 2024 Full shipment pallet product with new plastic bag to Clinton (416k) Shipment schedule : 11-Oct 2024
	Stain	Improvement on the cardboard used in inspection area- see attachment	Araya	Chew	Will monitor and start implemented the new method
	Crack	Expecting a single digit below of 10 CDPM	Adibah Araya	Chew	Will review back in 3 months' time
	New Machine Qualification	New press machine evaluation on 5 machines (10tonne) & DP21	Adibah Igarashi Siva	Zoey Wen Chee	

Auditted HAE incoming process and below is the findings

- Working surface – directly on s/steel table → Requested to cover the table with rubber mat
- Product transportation in plastics bags – Recommended to use the pink box to transfer

Mr Chew – SQE : Will carry out the action items

General Discussion

- HAE target to eliminate 100% incoming check & convert to IQC only. To achieve, Maruwa & HAE Penang need to work hand on hand & decided to meet up every 2 month at HAE Penang to review the result and action item from Maruwa.
- HAE agreed to control the defect by DPPM. The first target will 10dppm and review the target base from the incoming check result
- HAE will be expanding Maruwa's product to Japan Market (JRC) → product need to undergo sterilization process from GAMMA => EO (Ethylene Oxide)
- Maruwa ceramic will be introduce to their contract manufacture in Fukuoka Japan once thir evaluation pass – Jan'25
- Requested to increase shipment from 384kpcs → 416kpcs
 Maruwa's feedback : Quantity can only be increase once special approval for SCN given to increase Press machine & Grinding machine → SCN issued & pending approval. Once approved → requires 2 weeks to ramp up
 HAE will work on to get the approval
- Discussion with microbiologist – Required to confirm on the washing process water quality. This is a request from TUV audit to understanding the control of the washing water flow

Meeting adjourned at 02:30pm

Conclusion & Opinion

Comment from Mr Allan

Generally, HAE is very happy Maruwa's product performance. There is about 10mil product in market & so far there isn't any complaint from customers. HAE top management have decided to raise Maruwa as a 2nd source from 3rd source. This decision was made from the feedback of US SQE & QA VP base from the corrective action crack where it shows a drastic improvement on the CDPM.

There will be a discussion on pricing near future which time will be confirm later. Quantity will be 27mil/year