

Enter password: *****
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 41
Server version: 8.0.43 MySQL Community Server - GPL

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> show databases;
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| nit |
| performance_schema |
| sakila |
| student_profile |
| sys |
| table1 |
| world |
+-----+
9 rows in set (0.98 sec)
```

```
mysql> use nit ;
```

Database changed

```
mysql> show table
```

```
-> show table;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'show table;' at line 1

```
mysql> show table;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'show table;' at line 1

```
mysql> ^C
```

```
mysql> show databases;
```

```
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| nit |
| performance_schema |
| sakila |
| student_profile |
| sys |
| table1 |
| world |
+-----+
9 rows in set (0.00 sec)
```

```
mysql> use nit;
```

Database changed

```
mysql> show table;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'show table;' at line 1

```
mysql> show tables;
```

```
+-----+
| Tables_in_nit |
+-----+
| student |
+-----+
1 row in set (1.40 sec)
```

```
mysql> select * from student;
```

```
+-----+-----+-----+-----+
| name | id | address | marks |
+-----+-----+-----+-----+
| prakash | 12 | hyd | 78 |
+-----+-----+-----+-----+
1 row in set (0.12 sec)
```

```
mysql> insert into student (marks,id,name,address) values(79,45,'alex','hyd'),(90,17,'cathy','delhi'),(67,48,'chemay','mumbai');
```

Query OK, 3 rows affected (1.40 sec)

Records: 3 Duplicates: 0 Warnings: 0

```
mysql> select * from student;
```

name	id	address	marks
prakash	12	hyd	78
cathy	17	delhi	90
alex	45	hyd	79
chemay	48	mumbai	67

```
4 rows in set (0.00 sec)
```

```
mysql> select name from student
```

```
-> select name from student;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'select name from student;' at line 1

```
mysql> select name from student;
```

name
prakash
cathy
alex
chemay

```
4 rows in set (0.00 sec)
```

```
mysql> select name id from student;
```

id
prakash
cathy
alex
chemay

```
4 rows in set (0.00 sec)
```

```
mysql> select name , id from student;
```

name	id
prakash	12
cathy	17
alex	45
chemay	48

```
4 rows in set (0.00 sec)
```

```
mysql> select * from student where id = 2
```

```
-> select * from student where id = 2;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'select * from student where id = 2;' at line 1

```
mysql> select * from student where id = 2;
```

```
Empty set (0.01 sec)
```

```
mysql> select * from student where id = 12;
```

name	id	address	marks
prakash	12	hyd	78

```
1 row in set (0.00 sec)
```

```
mysql> insert into student values('sam',12,'hyd',56;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'insert into student values('sam',12,'hyd',56);' at line 1

```
mysql> insert into student values('sam',12,'hyd',56);
```

ERROR 1062 (23000): Duplicate entry '12' for key 'student.PRIMARY'

```
mysql> update student set address = 'chennai' where id = 45;
```

```
Query OK, 1 row affected (0.30 sec)
```

```
Rows matched: 1 Changed: 1 Warnings: 0
```

```
mysql> alter table student add phone_no int;
```

```
Query OK, 0 rows affected (4.12 sec)
```

```
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> update student set phone_no = 123;
```

```
Query OK, 4 rows affected (0.17 sec)
```

```
Rows matched: 4 Changed: 4 Warnings: 0
```

```
mysql> update student set phone_no = 125 where id = 12;
Query OK, 1 row affected (0.18 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
mysql> update student set phone_no = 117 where id =17;
Query OK, 1 row affected (0.21 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
mysql> update student set phone_no = 456 where id = 48;
Query OK, 1 row affected (0.20 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
mysql> desc student;
```

Field	Type	Null	Key	Default	Extra
name	varchar(50)	YES		NULL	
id	int	NO	PRI	NULL	
address	varchar(60)	YES		NULL	
marks	int	YES		NULL	
phone_no	int	YES		NULL	

5 rows in set (0.31 sec)

```
mysql> alter table student modify column name varchar(70);
Query OK, 4 rows affected (2.87 sec)
Records: 4  Duplicates: 0  Warnings: 0
```

```
mysql> alter table student drop column phone_no ;
Query OK, 0 rows affected (0.67 sec)
Records: 0  Duplicates: 0  Warnings: 0
```

```
mysql> select * from student;
```

name	id	address	marks
prakash	12	hyd	78
cathy	17	delhi	90
alex	45	chennai	79
chemay	48	mumbai	67

4 rows in set (0.00 sec)

```
mysql> show table;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the ri

```
mysql> insert into student values('kodi','Myamar',21,34);
```

ERROR 1366 (HY000): Incorrect integer value: 'Myamar' for column 'id' at row 1

```
mysql> insert into student values('kodi',34,'Myamar',77);
```

Query OK, 1 row affected (0.16 sec)

```
mysql> select * from student;
```

name	id	address	marks
prakash	12	hyd	78
cathy	17	delhi	90
kodi	34	Myamar	77
alex	45	chennai	79
chemay	48	mumbai	67

5 rows in set (0.00 sec)

```
mysql> delete from student where name ='kodi';
Query OK, 1 row affected (0.21 sec)
```

```
mysql> select * from student;
```

name	id	address	marks
prakash	12	hyd	78
cathy	17	delhi	90
alex	45	chennai	79
chemay	48	mumbai	67

4 rows in set (0.00 sec)

```
mysql> select sum (marks) from student;
```

ERROR 1630 (42000): FUNCTION nit.sum does not exist. Check the 'Function Name Parsing and Resolution' section in the Reference Manu

mysql> select sum(marks) from student;

```
+-----+
| sum(marks) |
+-----+
|          314 |
+-----+
1 row in set (0.04 sec)
```

mysql> select avg(marks) from student;

```
+-----+
| avg(marks) |
+-----+
|      78.5000 |
+-----+
1 row in set (0.00 sec)
```

mysql> select count from student;

ERROR 1054 (42S22): Unknown column 'count' in 'field list'

mysql> select count(marks) from student;

```
+-----+
| count(marks) |
+-----+
|              4 |
+-----+
1 row in set (0.00 sec)
```

mysql> select max(marks) from student;

```
+-----+
| max(marks) |
+-----+
|           90 |
+-----+
1 row in set (0.00 sec)
```

mysql> select min(marks) from students;

ERROR 1146 (42S02): Table 'nit.students' doesn't exist

mysql> select min(marks) from student;

```
+-----+
| min(marks) |
+-----+
|           67 |
+-----+
1 row in set (0.00 sec)
```

mysql> select * from student order by marks;

```
+-----+-----+-----+-----+
| name  | id | address | marks |
+-----+-----+-----+-----+
| chemay | 48 | mumbai  | 67    |
| prakash | 12 | hyd     | 78    |
| alex   | 45 | chennai | 79    |
| cathy  | 17 | delhi   | 90    |
+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

mysql> select * from student order by marks desc;

```
+-----+-----+-----+-----+
| name  | id | address | marks |
+-----+-----+-----+-----+
| cathy  | 17 | delhi   | 90    |
| alex   | 45 | chennai | 79    |
| prakash | 12 | hyd     | 78    |
| chemay | 48 | mumbai  | 67    |
+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

mysql> select * from student where name like 'a%';

```
+-----+-----+-----+-----+
| name | id | address | marks |
+-----+-----+-----+-----+
| alex | 45 | chennai | 79    |
+-----+-----+-----+-----+
1 row in set (0.20 sec)
```

mysql> select * from student where name like '%y';

```
+-----+-----+-----+-----+
| name | id | address | marks |
+-----+-----+-----+-----+
```

```

| name | id | address | marks |
+-----+-----+-----+-----+
| cathy | 17 | delhi | 90 |
| chemay | 48 | mumbai | 67 |
+-----+-----+-----+-----+
2 rows in set (0.00 sec)

```

```
mysql> select * from student where name like '_r%';
```

```

+-----+-----+-----+-----+
| name | id | address | marks |
+-----+-----+-----+-----+
| prakash | 12 | hyd | 78 |
+-----+-----+-----+-----+
1 row in set (0.00 sec)

```

```
mysql> select * from student where name like '%e_';
```

```

+-----+-----+-----+-----+
| name | id | address | marks |
+-----+-----+-----+-----+
| alex | 45 | chennai | 79 |
+-----+-----+-----+-----+
1 row in set (0.00 sec)

```

```
mysql> create table emp (id int not null primary key,Salary int , empcode int,name varchar(50));
Query OK, 0 rows affected (0.56 sec)
```

```
mysql> insert into emp values(12,20000,102,'aman'),(23,60000,104,'anup'),(80,25000,103,'ram'),(34,90000,106,'sam');
Query OK, 4 rows affected (0.21 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

```
mysql> select * from emp;
```

```

+-----+-----+-----+-----+
| id | Salary | empcode | name |
+-----+-----+-----+-----+
| 12 | 20000 | 102 | aman |
| 23 | 60000 | 104 | anup |
| 34 | 90000 | 106 | sam |
| 80 | 25000 | 103 | ram |
+-----+-----+-----+-----+
4 rows in set (0.00 sec)

```

```
mysql> select * from student inner join emp on student.id = emp.id;
```

```

+-----+-----+-----+-----+-----+-----+-----+
| name | id | address | marks | id | Salary | empcode | name |
+-----+-----+-----+-----+-----+-----+-----+
| prakash | 12 | hyd | 78 | 12 | 20000 | 102 | aman |
+-----+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)

```

```
mysql> select * from emp inner join student on emp.id = student.id;
```

```

+-----+-----+-----+-----+-----+-----+-----+
| id | Salary | empcode | name | name | id | address | marks |
+-----+-----+-----+-----+-----+-----+-----+
| 12 | 20000 | 102 | aman | prakash | 12 | hyd | 78 |
+-----+-----+-----+-----+-----+-----+-----+
1 row in set (0.03 sec)

```

```
mysql> select * from emp inner join student student.id = emp.id;
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'student student.id = emp.id' at line 1
```

```
mysql> select * from student left join emp on student.id = emp.id;
```

```

+-----+-----+-----+-----+-----+-----+-----+
| name | id | address | marks | id | Salary | empcode | name |
+-----+-----+-----+-----+-----+-----+-----+
| prakash | 12 | hyd | 78 | 12 | 20000 | 102 | aman |
| cathy | 17 | delhi | 90 | NULL | NULL | NULL | NULL |
| alex | 45 | chennai | 79 | NULL | NULL | NULL | NULL |
| chemay | 48 | mumbai | 67 | NULL | NULL | NULL | NULL |
+-----+-----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)

```

```
mysql> select * from student right join emp on student.id = emp.id;
```

```

+-----+-----+-----+-----+-----+-----+-----+
| name | id | address | marks | id | Salary | empcode | name |
+-----+-----+-----+-----+-----+-----+-----+
| prakash | 12 | hyd | 78 | 12 | 20000 | 102 | aman |
| NULL | NULL | NULL | NULL | 23 | 60000 | 104 | anup |
| NULL | NULL | NULL | NULL | 34 | 90000 | 106 | sam |
| NULL | NULL | NULL | NULL | 80 | 25000 | 103 | ram |
+-----+-----+-----+-----+-----+-----+-----+

```

```
4 rows in set (0.00 sec)
```

```
mysql> select * from student cross join emp;
```

name	id	address	marks	id	Salary	empcode	name
chemay	48	mumbai	67	12	20000	102	aman
alex	45	chennai	79	12	20000	102	aman
cathy	17	delhi	90	12	20000	102	aman
prakash	12	hyd	78	12	20000	102	aman
chemay	48	mumbai	67	23	60000	104	anup
alex	45	chennai	79	23	60000	104	anup
cathy	17	delhi	90	23	60000	104	anup
prakash	12	hyd	78	23	60000	104	anup
chemay	48	mumbai	67	34	90000	106	sam
alex	45	chennai	79	34	90000	106	sam
cathy	17	delhi	90	34	90000	106	sam
prakash	12	hyd	78	34	90000	106	sam
chemay	48	mumbai	67	80	25000	103	ram
alex	45	chennai	79	80	25000	103	ram
cathy	17	delhi	90	80	25000	103	ram
prakash	12	hyd	78	80	25000	103	ram

```
16 rows in set (0.00 sec)
```

```
mysql>
```