

### Project Report

### On

### **EVENT SHOWCASE WEBSITE**

**SUBMITTED BY:-**

**SUBMITTED BY:-**

Nikhil Chaudhary

Ms. Madhu

Kratika Rathore

(Technical Trainer)

Nitesh Sharma

Manya Jain

### **BONAFIDE CERTICATE**

1.	Certified that this project report "EVENT SHOWCASE WEBSITE" is the									
	bonafide work of "Manya Jain, Nitesh Kumar Sharma, Kratika Rathore, an									ore, and
	Nikhil	Chaudhary"	who	carried	out	the	project	work	under	my/our
	supervi	sion.								

### **CONTENT**

- 1- Introduction
- 2- Benefit of Event management website.
- 3- Project Description
- 4- Technologies used
- 5- References
- 6- Github repository link
- 7- Conclusion

### **INTRODUCTION**

• Events create opportunities for people to connect with an area, spend time together, celebrate and experience the diversity of cultures and foster creativity and innovation. They allow a community to come alive and provide an opportunity for a destination to showcase its tourism experience and increase economic activity.

Events contribute significantly to community building, lifestyle and leisure enhancement, cultural development, tourism promotion and increased visitation, volunteer participation, fundraising and economic development. Most importantly, events create a sense of fun and vibrancy, resulting in a strong sense of community connectivity, pride and a sense of place.

### Benefits of using Event showcase website

### 1.ALL-IN-ONE EVENT MANAGEMENT SOFTWARE-:

It'll offer you many ways to delight your attendees but also your event management team and exhibitors. From importing attendees' databases, sending bulk invitation emails, or customized event page branding, you'll have every tool to boost your event participation rate. Grant your team access to track key performance indicators in real-time and adjust your event accordingly. Perform every single task in one place without having to opt for multiple different solutions.

#### 2.TIME-SAVING-:

Event management software saves you time by having all of your tasks centralized in a single platform. This saves time for the event organizer, the team of professionals involved, and even attendees or exhibitors, making the whole experience more enjoyable.

Also, if you want to focus more on the attendee experience, and less on the technical details, don't forget your event should have onsite hardware support. That's the only way your on-site event technology becomes one less thing to worry about.

#### 3.EVENT AUTOMATION-:

Event planners have a lot to think about to organize remarkable events. It usually takes an entire team of professionals to do the job. When you can automate tasks that are necessary but in reality don't differentiate yourself from the competition, you'll have the possibility to focus on what really matters, by releasing your team into more creative tasks so you can highlight your uniqueness.

#### **INCREASE ENGAGEMENT RATE AT EVENTS-:**

- The right event management software includes all the tools to engage with your audience. Before the event, you can send registration confirmation emails or more details about the event sessions to keep your attendees excited.
- At in-person events, you can use contactless technology with realtime data input to boost interactions and analyze your performance in the event management software. At a virtual event or hybrid event, you can ask for feedback via live chat tools or even use a virtual product showcasing feature that attendees can interact with.

#### ACCESS TO VALUABLE REAL-TIME DATA-:

When choosing an event management platform, you should make sure that valuable data about the event can be backed up and displayed in dashboards in a user-friendly way. Real-time data enables real-time action. Gather conclusions

throughout the life-cycle of your event and make strategic decisions in every phase to reach your desired goals.

# PERSONALIZED REPORTS FOR CONTINUOUS IMPROVEMENT-:

When the event is over, you can access personalized reports with lots of valuable information. This can be useful to follow up with a potential lead, understanding which sessions had the most engagement, or even which products have the most potential based on interactions by the audience.

## PROJECT DESCRIPTION:-

- Our university is a hub of activity, with a diverse range of events happening throughout the year. From guest lectures to cultural festivals to sports competitions, there is always something happening on campus. This project aims to showcase the variety of events that take place at our university, highlighting their impact on the university community and encouraging others to participate in future events.
- Content: Our project will include descriptions and photos/videos of various events that have taken place at our university. We will cover events such as:

Guest lectures by renowned academics and industry experts

- Cultural festivals celebrating the diversity of our student body
- Sports competitions and tournaments, featuring our varsity teams and club sports
- Academic conferences and symposia, showcasing the cuttingedge research happening on our campus
- For each event, we will provide details such as the date, time, location, purpose, organizers, sponsors, and attendees. We will also interview

- attendees to get their perspective on the event and include quotes in our project.
- In addition, we will describe the impact of each event on the university community. Did it raise awareness about a particular issue or inspire students to take action? Did it foster a sense of community among students and staff? We will also provide information on upcoming events at our university to encourage readers to attend and participate in them.
- Finally, we will reflect on what we learned from documenting the events at our university. We will share our insights on the diversity of our campus community, the richness of university life, and the importance of fostering a sense of belonging and connection among students and staff.

- TECHNOLOGIES USED:-
- HTML
- CSS
- JavaScript
- Github

### **REFERENCES**

#### BOOKS

- HTML & CSS:Design and build website
- Learning Web Design

#### Websites

- www.google.com
- www.coursera.org
- www.geegsforgeeks.org

### **REPOSITORY LINK:-**

https://github.com/nitesh1503/mini\_project2

https://github.com/ManyaJain08/miniproject2

https://github.com/kratika2140/miniproject2

https://github.com/Nikhilkumar908/mini\_project2

## Source code:-

### **HTML**

### **Home.html**

```
<h2 ><a href="https://glauniversity.in:8085/Main/Index" class="logo"> GLA
UNIVERSITY</a></h2>
  <nav class="navigation">
    <a href="about.html">ABOUT</a>
    <a href="services.html">SERVICES</a>
    <a href="contact.html">CONTACT</a>
    <a href="registration.html"><button class="btnlogin">REGISTER</button></a>
    <a href="login.html"><button class="btnlogin">LOGIN</button></a>
    </nav>
  </header>
  <div class="text">
 <strong> Life has no <br> remote.... <br> get up and <br>>
    CHANGE IT <br/>br> yourself..... </strong>
    </div>
</body>
</html>
```

### **Home.css**

```
margin:0;
padding: 0;
box-sizing: border-box;
font-family:'Times New Roman', Times, serif;
}
header{
position:fixed;
```

```
top: 0;
  left: 0;
  width: 100%;
  padding:20px 100px;
  display: flex;
  justify-content: space-between;
  background:rgba(122, 98, 154, 0.57);
  align-items: center;
  z-index: 99;
}
.logo{
  font-size:1.5em;
  color:white;
  user-select: none;
  text-decoration: none;
}
.navigation a {
  position: relative;
  font-size: 1.1 em;
  color:#fff;
  text-decoration: none;
  font-weight: 500;
  margin-left: 40px;
}
.navigation .btnlogin{
```

```
width: 130px;
  height: 50px;
  background: transparent;
  border: 2px solid white;
  outline: none;
  border-radius: 6px;
  cursor: pointer;
  font-size: 1.1em;
  color: #fff;
  font-weight: 500;
  margin-left: 40px;
  transition: .5s;
}
body{
  display: flex;
  justify-content: center;
  align-items: center;
  min-height: 100vh;
  background-image: url("imagess/WhatsApp\ Image\ 2023-04-25\ at\ 8.47.13\ PM.jpeg");
  background-size: cover;
  background-position: center;
}
.navigation .btnlogin:hover{
  background-color: white;
  color: darkgrey;
}
```

```
.text{
   text-align: right;
   margin-left:1000px;
   font-size:40px;
   color: rgb(63, 9, 9);
   font-family: Bradley Hand;
}
```

### **About.html**

```
<a href="services.html">SERVICES</a>
<a href="contact.html">CONTACT</a>
<a href="home.html">HOME</a>
<a href="registration.html"><button class="btnlogin">REGISTER</button></a>
</nav>
</nav>
</header>
```

An event management website is an online platform designed to help event organizers plan, promote, and manage events of all types and sizes. The website provides a range of tools and features to simplify the event planning process and streamline communication with attendees.

Here are the key features and functions of an event management website:

. Event registration and ticketing - The website allows event organizers to create custom registration forms and sell tickets online. Attendees can register and purchase tickets directly from the website, and organizers can track registrations and ticket sales in real-time.

Event promotion and marketing - The website provides tools to promote events through social media, email marketing, and other channels. Organizers can create customized event pages, send out promotional emails, and track the effectiveness of their marketing campaigns.

Event management and planning - The website provides tools to

help organizers manage all aspects of the event, from scheduling and logistics to vendor management and budgeting. It can also provide a centralized platform for communication with vendors, sponsors, and attendees.

Attendee engagement and communication - The website allows attendees to interact with each other and with event organizers through features such as discussion forums, chat rooms, and feedback forms. This can help organizers get valuable feedback and insights from attendees, as well as build engagement and loyalty.

Analytics and reporting - The website provides detailed analytics and reporting features to help organizers track attendance, revenue, and other key metrics. This can help them measure the success of their events and identify areas for improvement in future events.

Overall, an event management website is an essential tool for organizers looking to plan and execute successful events. By providing a range of features and functions to simplify event planning and management, it can help organizers save time, reduce costs, and deliver a seamless and engaging experience for attendees.

It may seem quite challenging to organise a successful event if we take into account all the variables that are part of its setup. However, event management software has the power to aggregate every feature in one place and therefore makes life easier for event organisers.

```
</body>
</html>
```

### about.css

```
margin:0;
  padding: 0;
  box-sizing: border-box;
  font-family: 'Times New Roman', Times, serif;
}
header{
  position:fixed;
  top: 0;
  left: 0;
  width: 100%;
  padding:20px 100px;
  display: flex;
  justify-content: space-between;
  background:rgba(122, 98, 154, 0.57);
  align-items: center;
  z-index: 99;
}
.logo{
  font-size:1.5em;
  color:white;
  user-select: none;
```

```
text-decoration: none;
}
.navigation a {
  position: relative;
  font-size: 1.1 em;
  color:#fff;
  text-decoration: none;
  font-weight: 500;
  margin-left: 40px;
}
. navigation \ . btnlogin \{
  width: 130px;
  height: 50px;
  background: transparent;
  border: 2px solid white;
  outline: none;
  border-radius: 6px;
  cursor: pointer;
  font-size: 1.1em;
  color: #fff;
  font-weight: 500;
  margin-left: 40px;
  transition: .5s;
.navigation .btnlogin:hover{
  background-color: white;
```

```
color: darkgrey;
}
body{
  background-image: url("imagess/pngtree-corporate-company-promotion-ppt-background-
poster-picture-image_1020963.jpg");
  background-size: cover;
}
.para{
  text-align: center;
  margin-top:250px;
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  color: rgb(121, 1, 105);
Services.html
<!DOCTYPE html>
```

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="services.css">
</head>
<body>
  <header>
    <h2><a href="https://glauniversity.in:8085/Main/Index" class="logo"> GLA
UNIVERSITY</a></h2>
```

```
<nav class="navigation">
    <a href="about.html">ABOUT</a>
    <a href="services.html">SERVICES</a>
    <a href="home.html">HOME</a>
    <a href="contact.html">CONTACT</a>
    <a href="registration.html"><button class="btnlogin">REGISTER</button></a>
    <a href="login.html"><button class="btnlogin">LOGIN</button></a>
  </nav>
  </header>
 </body>
</html>
Services.css
  margin:0;
  padding: 0;
  box-sizing: border-box;
  font-family: 'Times New Roman', Times, serif;
header{
  position:fixed;
  top: 0;
  left: 0;
```

width: 100%;

display: flex;

padding:20px 100px;

```
justify-content: space-between;
  background:rgba(122, 98, 154, 0.57);
  align-items: center;
  z-index: 99;
}
.logo{
  font-size:1.5em;
  color:white;
  user-select: none;
  text-decoration: none;
.navigation a {
  position: relative;
  font-size: 1.1 em;
  color:#fff;
  text-decoration: none;
  font-weight: 500;
  margin-left: 40px;
}
.navigation .btnlogin{
  width: 130px;
  height: 50px;
  background: transparent;
  border: 2px solid white;
  outline: none;
```

```
border-radius: 6px;
cursor: pointer;
font-size: 1.1em;
color: #fff;
font-weight: 500;
margin-left: 40px;
transition: .5s;
}
.navigation .btnlogin:hover{
background-color: white;
color: darkgrey;
}
```

### contact.html

```
<a href="about.html">ABOUT</a>
   <a href="services.html">SERVICES</a>
   <a href="contact.html">CONTACT</a>
   <a href="home.html">HOME</a>
   <a href="registration.html"><button class="btnlogin">REGISTER</button></a>
  </nav>
  </header>
  <div class="main">
  <h2 class="head">CALL US</h2>
 <P class="par"> KRATIKA RATHORE:-9872340134</P>
 <P class="par"> MANYA JAIN:-8761208427</P>
 <P class="par"> NITESH KUMAR SHARMA:-9428303654</P>
 <P class="par"> NIKHIL CHAUDHARY:-7270517527 </P>
  <h2 class="head">E-mail</h2>
  kratika.rathore_cs20@gla.ac.in
  manya.jain_cs20@gla.ac.in
  nitesh.sharma_cs20@gla.ac.in
  nikhil.chaudhary_cs20@gla.ac.in
  </div>
</body>
</html>
contact.css
*{
 margin:0;
 padding: 0;
```

```
box-sizing: border-box;
  font-family: 'Times New Roman', Times, serif;
}
header{
  position:fixed;
  top: 0;
  left: 0;
  width: 100%;
  padding:20px 100px;
  display: flex;
  justify-content: space-between;
  background:rgba(122, 98, 154, 0.57);
  align-items: center;
  z-index: 99;
.logo{
  font-size:1.5em;
  color:white;
  user-select: none;
  text-decoration: none;
}
.navigation a {
  position: relative;
  font-size: 1.1 em;
  color:#fff;
  text-decoration: none;
```

```
font-weight: 500;
  margin-left: 40px;
.navigation .btnlogin{
  width: 130px;
  height: 50px;
  background: transparent;
  border: 2px solid white;
  outline: none;
  border-radius: 6px;
  cursor: pointer;
  font-size: 1.1em;
  color: #fff;
  font-weight: 500;
  margin-left: 40px;
  transition: .5s;
.navigation .btnlogin:hover{
  background-color: white;
  color: darkgrey;
}
body{
  background-image: url("imagess/contact.jfif");
  background-size: cover;
  margin-left: 200px;
}
.main{
```

```
margin-top: 200px;
  background-color: rgba(95, 158, 200, 0.388);
  width: 400px;
  height:400px;
  padding-top: 40px;
}
.head{
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  padding-left: 150px;
  line-height: 2;
}
.par{
  padding-left: 90px;
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  line-height: 2;
}
```

### **Registration.html**

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="registration.css">
</head>
<body>
  <header>
    <h2><a href="https://glauniversity.in:8085/Main/Index" class="logo"> GLA
UNIVERSITY</a></h2>
  <nav class="navigation">
    <a href="about.html">ABOUT</a>
    <a href="services.html">SERVICES</a>
    <a href="halfevent.html">CLUBS</a>
    <a href="contact.html">CONTACT</a>
    <a href="registration.html"><button class="btnlogin">REGISTER</button></a>
  </nav>
  </header>
  <!-- registration page -->
  <!-- <form action="registration.php" method="post"> -->
    <from>
    <caption class="caption">REGISTRATION PAGE</caption>
      <div class="tr">
      <label>FULL NAME</label>
          <input type="text" name="uname" placeholder="xyz" required>
```

```
>
         <label>BRANCH</label>
         <select name="branch" required>
           <option value="B.TECH">B.TECH</option>
           <option value="B.COM">B.COM</option>
           <option value="B.COM(HONS)">B.COM(HONS)</option>
           <option value="BSC">BSC</option>
           <option value="B.PHARM">B.PHARM</option>
           <option value="D.PHARMA">D.PHARMA</option>
           <option value="BBA">BBA</option>
           <option value="OTHER">OTHER</option>
         </select>
       <label>EMAIL</label>
         <input type="email" name="email" id="maildata" placeholder="xy.z12@gla.ac.in"</pre>
pattern="{a-z}{0-9}[20]{@}{gla}" required >
       <label> UNIVERSITY ROLL NO.</label>
```

```
<input type= number name="roll" id="number" placeholder="123456789" required
pattern="[9]" >
       >
         <label>PASSWORD</label>
         <input type="password" name="pass" id="unique" required >
       </div>
      >
         <div class="submit">
         <a href="login.html"><input class="subbtn" type="submit" name="save"></a>
         <a href="home.html"><button class="back">BACK</button></a>
         </div>
       </form>
 Already have an account ? <a href="login.html" class="regis">LOGIN</a>
</body>
</html>
```

### **Registration.css**

```
*{
  margin:0;
  padding: 0;
  box-sizing: border-box;
  font-family: 'Times New Roman', Times, serif;
}
header{
  position:fixed;
  top: 0;
  left: 0;
  width: 100%;
  padding:20px 100px;
  display: flex;
  justify-content: space-between;
  background:rgba(122, 98, 154, 0.57);
  align-items: center;
  z-index: 99;
.logo{
  font-size:1.5em;
  color: white;
  user-select: none;
  text-decoration: none;
```

```
.navigation a {
  position: relative;
  font-size: 1.1 em;
  color:#fff;
  text-decoration: none;
  font-weight: 500;
  margin-left: 40px;
}
.navigation .btnlogin{
  width: 130px;
  height: 50px;
  background: transparent;
  border: 2px solid white;
  outline: none;
  border-radius: 6px;
  cursor: pointer;
  font-size: 1.1em;
  color: #fff;
  font-weight: 500;
  margin-left: 40px;
  transition: .5s;
.navigation .btnlogin:hover{
  background-color: white;
  color: darkgrey;
}
body{
```

```
justify-content: center;
  margin: 100px;
  margin-top: 250px;
  margin-bottom: 250px;
  background-image: url("imagess/img4.jfif");
  background-size: cover;
  background-position: center;
  margin-left: 30px;
  overflow: hidden;
}
.caption{
  padding: 30px;
  color:white;
  font-size: xx-large;
  font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;
  background-color: rgba(8, 65, 111, 0.562);
}
.table{
  background-color: rgba(8, 65, 111, 0.562);
  margin-left: 400PX;
  color: white;
  height: 300px;
  width: 700px;
  padding-left: 70px;
}
```

```
input{
  width: 350px;
select{
  width: 350px;
. submit \{ \\
  padding:4px;
  text-align: center;
  border-radius: unset;
  font-size: large;
  border-color: turquoise;
.subbtn{
  width: 100px;
  height: 20px;
  cursor: pointer;
  font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;
}
.back{
  width: 100px;
  height: 20px;
  cursor: pointer;
  font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;
}
```

```
p{
    text-align: center;
    font-size: 30px;
    color: wheat;
    margin-top: 20px;
    margin-left: 170px;
}
.regis{
    color:white;

body{
    background-image: url("imagess/SPORTS.png");
    background-size: cover;
}
```

### Registration.php

```
<?php
if($_SERVER['REQUEST_METHOD']="POST")
{
    $connection_details=mysqli_connect('localhost','root',",'events');
    if(isset($_POST['save'])){
        $uname=$_POST['uname'];
        $course=$_POST['branch'];
        $umail=$_POST['email'];
        $uroll=$_POST['roll'];
        $in_query=INSERT INTO
registration('name','bran','mail','number')VALUES('$uname','$course','$umail','$uroll');
        if(mysqli_query($connection_details,$in_queery)){</pre>
```

```
echo"<h2 style=color:Green>REGISTRATION SUCCESSFUL</h2>";
    header("url:registration.php,refresh:2");
}
else{
    echo"<h2 style= color:Red>REGISTRATION UNSUCCESFUL</h2>";
    header("url:registration.php,refresh:2");
}
}
}
```

### **Main.html**

```
<a href="services.html">SERVICES</a>
    <a href="contact.html">CONTACT</a>
    <a href="home.html"><button class="btnlogin">LOGOUT</button></a>
  </nav>
  </header>
  <div class="club">
  <a href="#" class="text">VEIW ALL EVENTS</a>
  </div>
  <div class="club">
  <a href="events.html" class="text">ENTER A NEW EVENT</a>
  </div>
</body>
</html>
Main.css
  margin:0;
  padding: 0;
  box-sizing: border-box;
  font-family: 'Times New Roman', Times, serif;
}
header{
  position:fixed;
  top: 0;
  left: 0;
  width: 100%;
```

padding:20px 100px;

```
display: flex;
  justify-content: space-between;
  background:rgba(42, 107, 156, 0.504);
  align-items: center;
  z-index: 99;
.logo{
  font-size:1.5em;
  color:white;
  user-select: none;
  text-decoration: none;
}
.navigation a {
  position: relative;
  font-size: 1.1 em;
  color:#fff;
  text-decoration: none;
  font-weight: 500;
  margin-left: 40px;
}
.navigation .btnlogin{
  width: 130px;
  height: 50px;
  background: transparent;
  border: 2px solid white;
```

```
outline: none;
  border-radius: 6px;
  cursor: pointer;
  font-size: 1.1em;
  color: #fff;
  font-weight: 500;
  margin-left: 40px;
  transition: .5s;
.navigation .btnlogin:hover{
  background-color: white;
  color: darkgrey;
}
body{
  margin-top: 150px;
  background-image: url(imagess/blue.jfif);
  background-size: 1000px,1000px;
  overflow:auto;
}
.club{
  background-color:rgba(255, 255, 255, 0.312);
  margin-bottom: 20px;
  text-align: center;
  height: 230px;
  padding-top:90px;
}
.text{
```

```
text-decoration: none;
color: white;
font-family: serif;
font-size: xx-large;
}
```

## halfevent.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="halfevent.css">
</head>
<body>
  <header>
    <h2><a href="https://glauniversity.in:8085/Main/Index" class="logo"> GLA
UNIVERSITY</a></h2>
  <nav class="navigation">
    <a href="about.html">ABOUT</a>
    <a href="services.html">SERVICES</a>
```

```
<a href="contact.html">CONTACT</a>
  <a href="home.html">HOME</a>
  <a href="login.html"><button class="btnlogin">LOGIN</button></a>
</nav>
</header>
<h2>CLUBS</h2>
<div class="club">
<a href="login.html">BADMINTON CLUB</a>
</div>
<div class="club">
<a href="login.html">POETRY CLUB</a>
</div>
<div class="club">
<a href="login.html">VIHITI THEATER</a></div>
<div class="club">
<a href="login.html">NINAD MUSIC CLUB</a></div>
<div class="club">
<a href="login.html">NATRAJ DANCE CLUB</a></div>
<div class="club">
<a href="login.html">JAVAPIE CLUB</a></div>
<div class="club">
<a href="login.html">IEEE CLUB</a></div>
<div class="club">
<a href="login.html">HANDBALL CLUB</a></div>
<div class="club">
<a href="login.html">GLAU TABLE TENNIS CLUB</a></div>
```

```
<div class="club">
  <a href="login.html">GLA CHESS CLUB</a></div>
  <div class="club">
  <a href="login.html">CHEMGLA CLUB</a></div>
  <div class="club">
  <a href="login.html">E-SPORTS CLUB</a></div>
  <div class="club">
  <a href="login.html">COLLEGE EVENTS</a></div>
  </body>
  </html>
```

## halfevent.css

```
*{
  margin:0;
  padding: 0;
  box-sizing: border-box;
  font-family: 'Times New Roman', Times, serif;
}
header{
  position:fixed;
  top: 0;
  left: 0;
  width: 100%;
  padding:20px 100px;
  display: flex;
  justify-content: space-between;
  background:rgba(42, 107, 156, 0.504);
  align-items: center;
```

```
z-index: 99;
}
.logo{
  font-size:1.5em;
  color:white;
  user-select: none;
  text-decoration: none;
}
.navigation a {
  position: relative;
  font-size: 1.1 em;
  color:#fff;
  text-decoration: none;
  font-weight: 500;
  margin-left: 40px;
.navigation .btnlogin{
  width: 130px;
  height: 50px;
  background: transparent;
  border: 2px solid white;
  outline: none;
  border-radius: 6px;
  cursor: pointer;
  font-size: 1.1em;
```

```
color: #fff;
  font-weight: 500;
  margin-left: 40px;
  transition: .5s;
}
.navigation .btnlogin:hover{
  background-color: white;
  color: darkgrey;
}
body{
  margin-top: 150px;
  background-image: url(imagess/blue.jfif);
  background-size: 1000px, 1000px;
  overflow:auto;
}
.club{
  background-color:rgba(255, 255, 255, 0.312);
  margin-bottom: 8px;
  text-align: center;
  height: 70px;
  padding-top:25px;
a{
  text-decoration: none;
  color:white;
  font-size: x-large;
```

```
}
h2{
  text-align: center;
  margin-bottom: 20px;
  font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lucida Sans Unicode',
Geneva, Verdana, sans-serif;
  color: beige;
  font-size: xx-large;
}
Login.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="login.css">
</head>
<body>
  <header>
    <h2><a href="https://glauniversity.in:8085/Main/Index" class="logo"> GLA
UNIVERSITY</a></h2>
  <nav class="navigation">
```

```
<a href="about.html">ABOUT</a>
    <a href="services.html">SERVICES</a>
    <a href="halfevent.html">CLUBS</a>
    <a href="contact.html">CONTACT</a>
    <a href="registration.html"><button class="btnlogin">REGISTER</button></a>
  </nav>
  </header>
    <div class="wrapper">
      <h2 class="login">LOGIN</h2>
      <!-- <form action="registration.php" method="POST"> -->
        <form class="form">
        <div class="mail">
           <label>EMAIL</label>
           <input type="email">
         </div>
        <div class="pass">
           <label>PASSWORD</label>
           <input type="password" >
        </div>
           <div class="check">
             <label><input type="checkbox">Remember me</label>
           </div>
        <a href="main.html"><button type="submit" class="btn">LOGIN</button></a>
        <div class="login-register">
           On't have an account ? <a href="registration.html"</p>
class="regis">REGISTER</a>
         </div>
```

```
</form>
</div>
</body>
</html>
```

## **Login.css**

```
margin:0;
  padding: 0;
  box-sizing: border-box;
  font-family: 'Times New Roman', Times, serif;
}
header{
  position:fixed;
  top: 0;
  left: 0;
  width: 100%;
  padding:20px 100px;
  display: flex;
  justify-content: space-between;
  background:rgba(122, 98, 154, 0.57);
  align-items: center;
  z-index: 99;
.logo\{
  font-size:1.5em;
  color:white;
```

```
user-select: none;
  text-decoration: none;
}
.navigation a {
  position: relative;
  font-size: 1.1 em;
  color:#fff;
  text-decoration: none;
  font-weight: 500;
  margin-left: 40px;
.navigation .btnlogin{
  width: 130px;
  height: 50px;
  background: transparent;
  border: 2px solid white;
  outline: none;
  border-radius: 6px;
  cursor: pointer;
  font-size: 1.1em;
  color: #fff;
  font-weight: 500;
  margin-left: 40px;
  transition: .5s;
.navigation .btnlogin:hover{
```

```
background-color: white;
  color: darkgrey;
body{
  background-image:url("imagess/ig5.jfif");
  background-size: cover;
  background-position: center;
  overflow: hidden;
}
.wrapper{
  text-align: center;
  margin: 100px;
  margin-top: 250px;
  margin-bottom: 250px;
  padding: 20px;
  background-color: rgba(9, 70, 96, 0.486);
  line-height:1.3;
.login\{
  margin-top:10px;
  font-size:50px;
  font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;
  color: rgb(213, 217, 226);
}
```

```
.form{
  line-height: 2;
  color: aliceblue;
  font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial,
sans-serif;
}
.regis{
  color:blanchedalmond;
  font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;
}
.btn{
  font-size:medium;
  font-family: 'Times New Roman', Times, serif;
  color: rgb(21, 59, 98);
  border-radius:unset;
  cursor: pointer;
entry.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="entry.css">
</head>
```

```
<body>
 <Table>
 <thead>
  DATE
   EVENT NAME 
   <th>>TIME</th>
   VENUE
   grade
  </thead>
 english
   23
   -
   23
    d 
  maths
    36 
   -
   36
   <td>c</td>
  science
```

```
49
   20
   69
   b 
  <tfoot>
  result:
   pass
   grade :
   pass 
  </tfoot>
 </Table>
</body>
</html>
```

## **CONCLUSION**

By showcasing the events at our university, we hope to celebrate the vibrancy of campus life and inspire others to participate in similar events. We believe that our project

will serve as a testament to the dynamic nature of university life and the many opportunities for growth and learning that it provides.