LEARNING

centos

#centos

Table of Contents

About

You can share this PDF with anyone you feel could benefit from it, downloaded the latest version from: centos

It is an unofficial and free centos ebook created for educational purposes. All the content is extracted from Stack Overflow Documentation, which is written by many hardworking individuals at Stack Overflow. It is neither affiliated with Stack Overflow nor official centos.

The content is released under Creative Commons BY-SA, and the list of contributors to each chapter are provided in the credits section at the end of this book. Images may be copyright of their respective owners unless otherwise specified. All trademarks and registered trademarks are the property of their respective company owners.

Use the content presented in this book at your own risk; it is not guaranteed to be correct nor accurate, please send your feedback and corrections to info@zzzprojects.com

Chapter 1: Getting started with centos

Remarks

CentOS versions download: here

"The CentOS Linux distribution is a stable, predictable, manageable and reproducible platform derived from the sources of Red Hat Enterprise Linux (RHEL). Since March 2004, CentOS Linux has been a community-supported distribution derived from sources freely provided to the public by Red Hat. As such, CentOS Linux aims to be functionally compatible with RHEL.

The CentOS Project is a community-driven free software effort focused around the goal of providing a rich base platform for open source communities to build upon. We will provide a development framework for cloud providers, the hosting community, and scientific data processing, as a few examples. We work with several 'upstream' communities to help them layer and distribute their software more effectively on a platform they can rely on.

The CentOS Project is modelled on the structure of the Apache Foundation, with a governing board that oversees various semi-autonomous Special Interest Groups or 'SIGs'. These groups are focused on providing various enhancements, addons, or replacements for core CentOS Linux functionality. A few notable examples of SIGs are:

Core - Building and releasing the core CentOS Linux platform. Xen4CentOS - Providing Xen4 support for CentOS 6 CentOS Design - Improving the user experience with high quality artwork."*

*find more here: https://www.centos.org/about/

Versions

CentOS Version	Release Date
5	2007-04-12
6	2011-07-10
7	2014-07-07

Examples

Installation or Setup

Detailed instructions on getting CentOS 7 installation and basic set up for starting on.

1. Download latest CentOS .ISO - https://www.centos.org/download/
2. After downloading the last version of CentOS using above links or using official CentOS

download page. Burn it to a DVD or create a bootable USB stick using LiveUSB Creator called Unetbootin.

3. After you have created the installer bootable media, place your DVD/USB into your system appropriate drive, start the computer, select your bootable unit and the first CentOS 7 prompt should appear. At the prompt choose Install CentOS 7 and press [Enter] key.

4. The system will start loading media installer and a Welcome screen should appear. Select your Installation Process Language, that will assist you through the entire installation procedure and click on Continue.

```
[  OK  ] Started Configure read-only root support.
[  OK  ] Started udev Coldplug all Devices.
         Starting udev Wait for Complete Device Initialization...
[  OK  ] Started Import network configuration from initramfs.
[  OK  ] Started Create static device nodes in /dev.
         Starting udev Kernel Device Manager...
[  OK  ] Reached target Local File Systems (Pre).
[  OK  ] Started udev Kernel Device Manager.
[  OK  ] Started Device-Mapper Multipath Device Controller.
[  OK  ] Started udev Wait for Complete Device Initialization.
         Starting Activation of DM RAID sets...
[  OK  ] Started Activation of DM RAID sets.
[  OK  ] Reached target Local File Systems.
         Starting Trigger Flushing of Journal to Persistent Storage...
         Starting Tell Plymouth To Write Out Runtime Data...
         Starting Create Volatile Files and Directories...
[  OK  ] Reached target Encrypted Volumes.
[  OK  ] Started Trigger Flushing of Journal to Persistent Storage.
[  OK  ] Started Tell Plymouth To Write Out Runtime Data.
[  OK  ] Started Create Volatile Files and Directories.
         Starting Update UTMP about System Reboot/Shutdown...
[  OK  ] Started Update UTMP about System Reboot/Shutdown.
[  OK  ] Reached target System Initialization.
[  OK  ] Reached target Timers.
[  OK  ] Listening on Open-iSCSI iscsid Socket.
[  OK  ] Listening on Open-iSCSI iscsiuio Socket.
[  OK  ] Listening on Avahi mDNS/DNS-SD Stack Activation Socket.
[  OK  ] Listening on D-Bus System Message Bus Socket.
[  OK  ] Reached target Sockets.
[  OK  ] Reached target Basic System.
         Starting firewalld - dynamic firewall daemon...
         Starting Dump dmesg to /var/log/dmesg...
         Starting Terminate Plymouth Boot Screen...
         Starting System Logging Service...
         Starting Wait for Plymouth Boot Screen to Quit...
```

CENTOS 7 INSTALLATION

⌨ us

WELCOME TO CENTOS 7.

What language would you like to use during the installation process?

English	English	>	English (United States)
Afrikaans	Afrikaans		English (United Kingdom)
አማርኛ	Amharic		English (India)
العربية	Arabic		English (Australia)
অসমীয়া	Assamese		English (Canada)
Asturianu	Asturian		English (Denmark)
Беларуская	Belarusian		English (Ireland)
Български	Bulgarian		English (New Zealand)
বাংলা	Bengali		English (Nigeria)
			English (Hong Kong SAR China)

Type here to search.

Quit   Continue

5. The next step, present screen prompt is Installation Summary. It contains a lot of options to fully customize your system. First thing you may want to setup is your time settings. Click on Date & Time and select your server physical location from the provided map and hit on upper Done button to apply configuration.

6. The next step is to choose your Language Support and Keyboard settings. Choose your main and extra language for your system and when you're finished hit on Done button.

7. The same way choose your Keyboard Layout by hitting the plus button and test your keyboard configuration using the right input filed. After you finish setting up your keyboard, you can use any key combination for switching between keyboards, in my case I am using

Alt+Ctrl. After selection of your desired key combination, press Done again to apply changes and go back to main screen on Installation Summary.

8. Now we can add LANGUAGE SUPPORT if you don't want to use English. Click on "LANGUAGE SUPPORT" to open the dialog.

9. By default, CentOS comes with English language preinstalled, but we can add more languages easily. In my case, I am adding Deutsch German with Deutsch (Deutschland) as the additional language. Press Done after selection.


10. On the next step you can customize your installation by using other Installation Sources than

your local DVD/USB media, such as a network locations using HTTP, HTTPS, FTP or NFS protocols and even add some additional repositories, but use this methods only if you know what you're doing. So leave the default Auto-detected installation media and hit on Done to continue.

11. On the next step you can choose your system installation software. On this step CentOS offers a lot of Server and Desktop platform environments that you choose from, but, if you want a high degree of customization, especially if you are going to use CentOS 7 to run as a server platform, then I suggest you select Minimal Install with Compatibility Libraries as Add-ons, which will install a minimal basic system software and later you can add other packages as your needs require using:

```
[ yum groupinstall "Name of installed package" ] command.
```

10. Now it's time to partition your hard-drive. Click on Installation Destination menu, select your disk and choose I will configure partitioning. Read more about what partition to choose here: https://www.centos.org/docs/5/html/Installation_Guide-en-US/s1-diskpartitioning-x86.html

11. On the next screen, choose LVM (Logical Volume Manager) as partition layout and, then, click on Click here to create them automatically, option which will create three system partition using XFS filesystem, automatically redistributing your hard-disk space and gathering all LVS into one big Volume Group named "centos".

- /boot – Non LVM
- /(root) – LVM
- Swap – LVM

12. If you are not pleased with the default partition layout done automatically by the installer you can completely add, modify or resize your partition scheme and when you finish hit on Done button and Accept Changes on the Summary of Changes prompt.

NOTE: For those users, who have hard-disks more than 2TB in size, the installer automatically will convert partition table to GPT, but if you wish to use GPT table on smaller disks than 2TB, then you should use the argument inst.gpt to the installer boot command line in order to change the default behavior.

13. The next step is to set your system hostname and enable networking. Click on Network & Hostname label and type your system FQDN (Fully Qualified Domain Name) on Hostname filed, then enable your Network interface, switching the top Ethernet button to ON. If you have a functional DHCP server on you network then it will automatically configure all your network setting for enabled NIC, which should appear under your active interface.

14. If your system will be destined as a server it's better to set static network configuration on Ethernet NIC by clicking on Configure button and add all your static interface settings like in the screenshot below, and when you're finished hit on Save button, disable and enable Ethernet card by switching the button to OFF and ON, and, then hit on Done to apply setting

and go back to main menu.

15. Add the entries for Address, Netmask and Gateway as per your static IP environment. In my case I am using Address as 192.168.1.100, Netmask 255.255.255.0, Gateway as 192.168.1.1 and DNS servers as 8.8.8.8 8.8.4.4 These values may vary according to your network environment. After that press Save.

IMPORTANT: If you do not have an IPv6 internet connection, then set IPv6 from auto to ignore on the IPv6 tab, otherwise you won't be able to reach the internet from this server on IPv4 as CentOS seems to ignore the correct IPv4 setup then and uses IPv6 instead which fails.

16. Next, we have to turn the connection ON as shown in the screenshot below. Further press Done.

17. Now it's time to start installation process by pressing on Begin Installation button and set up a strong password for root account.

18. The installation process will start now and you get a small blue progress bar in the next windows. Now we have to set the ROOT PASSWORD and add a new non-root user in the USER CREATION option. I will first go for root password.

19. Enter a secure password of your choice and press Done

20. Next we will go for USER CREATION.

21. Next I will create user, as in my case I used the Full name "Administrator"
    and Username "administrator", check the option Require the password to use this account
    and then press Done. Off-course you can use any value as per your choice.

22. Press Finish.Have patience and wait for the completion of the setup.

23. After completion of the installation, it will ask to reboot the server, just press Finish configuration.

---

24. The server reboots and will request your username and password afterwards.

Congratulation! You have now installed last version of CentOS on your bare new machine. Remove any installation media and reboot your computer so you can login to your new minimal CentOS 7 environment and perform other system tasks, such as update you system and install other useful software needed to run day to day tasks.

25. Now we are ready to do login with the user that we just created above or we can use the root credentials.

First Login on CentOS

Login as root user to the server so we can do some final installation steps.

The first one is to install all available updates with yum.

```
yum update
```

confirm with "y" to proceed with the installation of the updates.

I will install two command line editors to be able to edit configuration files on the shell:

```
yum install nano vim
```

Network Configuration

CentOS 7.2 minimal don't come pre-installed with the ifconfig command we will install it as follows:

```
yum install net-tools
```

If you want to change or see the network configuration file, just edit the file

```
nano /etc/sysconfig/network-scripts/ifcfg-ens33
```

It will be like this when you configured a static IP address:

```
TYPE="Ethernet"
BOOTPROTO="none"
DEFROUTE="yes"
IPV4_FAILURE_FATAL="no"
IPV6INIT="no"
IPV6_AUTOCONF="yes"
IPV6_DEFROUTE="yes"
IPV6_PEERDNS="yes"
IPV6_PEERROUTES="yes"
IPV6_FAILURE_FATAL="no"
NAME="ens33"
UUID="eb1ba0ce-af9f-4953-a6a7-3d05a15c8d4f"
DEVICE="ens33"
ONBOOT="yes"
IPADDR="192.168.1.100"
PREFIX="24"
GATEWAY="192.168.1.1"
DNS1="192.168.1.1"
DNS2="8.8.8.8"
DNS3="8.8.4.4"

    Or like this when you use DHCP:

TYPE="Ethernet"
BOOTPROTO="dhcp"
DEFROUTE="yes"
IPV4_FAILURE_FATAL="no"
IPV6INIT="yes"
IPV6_AUTOCONF="yes"
IPV6_DEFROUTE="yes"
```

```
IPV6_FAILURE_FATAL="no"
NAME="ens33"
UUID="eb1ba0ce-af9f-4953-a6a7-3d05a15c8d4f"
DEVICE="ens33"
ONBOOT="yes"
HWADDR="00:50:56:15:23:79"
PEERDNS="yes"
PEERROUTES="yes"
IPV6_PEERDNS="yes"
IPV6_PEERROUTES="yes"
IPV6_PRIVACY="no"
```

Change the values if required.

Note: The above DEVICE name may vary so please check the equivalent file in the directory /etc/sysconfig/network-scripts.

Adjust /etc/hosts

Adjust the file /etc/hosts as follows:

```
nano /etc/hosts
```

Make the values like this:

```
127.0.0.1   localhost localhost.localdomain localhost4 localhost4.localdomain4
192.168.1.100   server1.example.com     server1

::1         localhost localhost.localdomain localhost6 localhost6.localdomain6
```

Congratulations! Now we have basic minimal CentOS 7 server setup

Now you may prefer to use GUI instead, here is a variety of flavor you could choose from:

Installing GNOME-Desktop:

Install GNOME Desktop Environment by entering.

```
# yum -y groups install "GNOME Desktop"
```

To start the GUI enter after finishing installation:

```
# startx
```

How to use GNOME Shell?

The default GNOME Desktop of CentOS 7 starts with classic mode but if you'd like to use GNOME Shell, set like follows:

Option A: If you start GNOME with startx, set like follows.

```
# echo "exec gnome-session" >> ~/.xinitrc
# startx
```

Option B: set the system graphical login systemctl set-default graphical.target and reboot the system. After system starts

1. Click the button which is located next to the "Sign In" button.
2. Select "GNOME" on the list. (The default is GNOME Classic)
3. Click "Sign In" and log in with GNOME Shell.

GNOME shell starts like follows:

Installing KDE-Desktop:

Install KDE Desktop Environment by entering

```
# yum -y groups install "KDE Plasma Workspaces"
```

Input a command like below after finishing installation:

```
# echo "exec startkde" >> ~/.xinitrc
# startx
```

KDE Desktop Environment starts like follows:

Installing MATE Desktop Environment:

Install MATE Desktop Environment by entering.

```
# yum --enablerepo=epel -y groups install "MATE Desktop"
```

Input a command like below after finishing installation:

```
# echo "exec /usr/bin/mate-session" >> ~/.xinitrc
# startx
```

MATE Desktop Environment starts.

Installing Xfce Desktop Environment:

Install Xfce Desktop Environment by entering.

```
# yum --enablerepo=epel -y groups install "Xfce"
```

Input a command like below after finishing installation:

```
# echo "exec /usr/bin/xfce4-session" >> ~/.xinitrc
# startx
```

Xfce Desktop Environment starts.

OTHER WAY TO DO IT:

Rather than make use of the hacking of a startx command into a .xinitrc file, it's probably better to tell Systemd that you want to boot into a graphical GUI vs. the terminal.

To accomplish this simply do the following:

```
$ sudo yum groupinstall "GNOME Desktop"
$ ln -sf /lib/systemd/system/runlevel5.target /etc/systemd/system/default.target
```

Then simply reboot.

The last bit will associate the runlevel 5 target as your default with respect to Systemd.

Doing it with Systemd

You can also use Systemd to accomplish this. This is arguably the better method since you're managing the state of the system directly through Systemd and its CLIs.

You can see what your current default target is:

```
$ sudo systemctl get-default
multi-user.target
```

And then change it to graphical:

```
$ sudo systemctl set-default
```

```
graphical.target
```

Targets

In Systemd the targets runlevel5.target and graphical.target are identical. So too are runlevel2.target and multi-user.target.

```
Runlevel    Target Units                        Description
0           runlevel0.target, poweroff.target   Shut down and power off the system.
1           runlevel1.target, rescue.target     Set up a rescue shell.
2           runlevel2.target, multi-user.target Set up a non-graphical multi-user system.
3           runlevel3.target, multi-user.target Set up a non-graphical multi-user system.
4           runlevel4.target, multi-user.target Set up a non-graphical multi-user system.
5           runlevel5.target, graphical.target  Set up a graphical multi-user system.
6           runlevel6.target, reboot.target     Shut down and reboot the system.
```

RHEL / CentOS Linux Install Core Development Tools Automake, Gcc (C/C++), Perl, Python & Debuggers

Q. How do I install all developer tools such as GNU GCC C/C++ compilers, make and others, after installing CentOS or RHEL or Fedora Linux from a shell prompt?

You need to install 'Development Tools' group on RHEL/CentOS/Fedora/Scientific/Red Hat Enterprise Linux. These tools include core development tools such as automake, gcc, perl, python, and debuggers which is required to compile software and build new rpms:

1. flex
2. gcc c/c++ compiler
3. redhat-rpm-config
4. strace
5. rpm-build
6. make
7. pkgconfig
8. gettext
9. automake
10. strace64
11. gdb
12. bison
13. libtool
14. autoconf
15. gcc-c++ compiler
16. binutils and all dependencies.

Installation:

Open the terminal or login over ssh session and type the following command as root user:

```
# yum groupinstall 'Development Tools'
```

Sample outputs that follows:

```
Loading "fastestmirror" plugin
Loading mirror speeds from cached hostfile
 * base: mirror.steadfast.net
 * updates: dist1.800hosting.com
 * addons: centos.mirrors.tds.net
 * extras: dist1.800hosting.com
Setting up Group Process
Loading mirror speeds from cached hostfile
 * base: mirror.steadfast.net
 * updates: dist1.800hosting.com
 * addons: centos.mirrors.tds.net
 * extras: dist1.800hosting.com
Package make - 1:3.81-3.el5.i386 already installed and latest version
Package gettext - 0.14.6-4.el5.i386 already installed and latest version
Package binutils - 2.17.50.0.6-6.el5.i386 already installed and latest version
Resolving Dependencies
--> Running transaction check
---> Package automake.noarch 0:1.9.6-2.1 set to be updated
---> Package frysk.i686 0:0.0.1.2008.03.19.rh1-1.el5 set to be updated
--> Processing Dependency: libgcj.so.7rh for package: frysk
--> Processing Dependency: glib-java >= 0.2.6 for package: frysk
---> Package autoconf.noarch 0:2.59-12 set to be updated
--> Processing Dependency: imake for package: autoconf
---> Package rcs.i386 0:5.7-30.1 set to be updated
---> Package strace.i386 0:4.5.16-1.el5.1 set to be updated
---> Package redhat-rpm-config.noarch 0:8.0.45-24.el5 set to be updated
---> Package elfutils.i386 0:0.125-3.el5 set to be updated
--> Processing Dependency: libdw.so.1 for package: elfutils
...........
....
..
Transaction Summary
================================================================================
Install    105 Package(s)
Update       0 Package(s)
Remove       0 Package(s)

Total download size: 127 M
Is this ok [y/N]: y
Downloading Packages:
(1/105): python-numeric-2 100% |=========================| 751 kB    00:12
(2/105): xorg-x11-fonts-b 100% |=========================| 3.7 MB    01:03
(3/105): pfmon-3.2-0.0609 100% |=========================| 656 kB    00:10
(4/105): automake14-1.4p6 100% |=========================| 205 kB    00:03
(5/105): libtool-1.5.22-6 100% |=========================| 680 kB    00:11
(6/105): systemtap-0.6.2- 100% |=========================| 1.3 MB
```

Now you can compile and use any application on your system.

Verification

To display Gnu gcc/c/c++ compiler version type:

```
$ gcc --version
```

Sample outputs:

```
gcc (GCC) 4.4.7 20120313 (Red Hat 4.4.7-4)
Copyright (C) 2010 Free Software Foundation, Inc.
This is free software; see the source for copying conditions.  There is NO
warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
```

How do I list all currently running services in Fedora / RHEL / CentOS Linux server?

There are various ways and tools to find and list all running services under Fedora / RHEL / CentOS Linux systems.

```
service command – list running services
```

The syntax is as follows for CentOS/RHEL 6.x and older (pre systemd):

```
service --status-all
service --status-all | more
service --status-all | grep ntpd
service --status-all | less
```

Print the status of any service. To print the status of apache (httpd) service:

```
service httpd status
```

List all known services (configured via SysV)

```
chkconfig --list
```

List service and their open ports

```
netstat -tulpn
```

Turn on / off service

```
ntsysv
chkconfig service off
chkconfig service on
chkconfig httpd off
chkconfig ntpd on
```

ntsysv is a simple interface for configuring runlevel services which are also configurable through chkconfig. By default, it configures the current runlevel. Just type ntsysv and select service you want to run.

A note about RHEL/CentOS 7.x with systemd

If you are using systemd based distro such as Fedora Linux v22/23/24 or RHEL/CentOS Linux 7.x+. Try the following command to list running services using the systemctl command. It control the systemd system and service manager.

To list systemd services on CentOS/RHEL 7.x+ use

The syntax is:

```
systemctl
systemctl | more
systemctl | grep httpd
systemctl list-units --type service
systemctl list-units --type mount
```

To list all services:

```
systemctl list-unit-files
```

Sample outputs:

```
[vivek@centos7 ~]$ systemctl list-unit-files
UNIT FILE                                        STATE
proc-sys-fs-binfmt_misc.automount                static
dev-hugepages.mount                              static
dev-mqueue.mount                                 static
proc-sys-fs-binfmt_misc.mount                    static
sys-fs-fuse-connections.mount                    static
sys-kernel-config.mount                          static
sys-kernel-debug.mount                           static
tmp.mount                                        disabled
brandbot.path                                    disabled
systemd-ask-password-console.path                static
systemd-ask-password-plymouth.path               static
systemd-ask-password-wall.path                   static
session-1.scope                                  static
auditd.service                                   enabled
autovt@.service                                  disabled
blk-availability.service                         disabled
brandbot.service                                 static
console-getty.service                            disabled
console-shell.service                            disabled
container-getty@.service                         static
cpupower.service                                 disabled
crond.service                                    enabled
dbus-org.freedesktop.hostname1.service           static
dbus-org.freedesktop.locale1.service             static
dbus-org.freedesktop.login1.service              static
dbus-org.freedesktop.machine1.service            static
dbus-org.freedesktop.network1.service            invalid
dbus-org.freedesktop.NetworkManager.service      enabled
dbus-org.freedesktop.nm-dispatcher.service       enabled
dbus-org.freedesktop.timedate1.service           static
dbus.service                                     static
debug-shell.service                              disabled
```

above image shows List all units installed on the CentOS /RHEL 7 systemd based system, along with their current states

To view processes associated with a particular service (cgroup), you can use the systemd-cgtop command. Like the top command, systemd-cgtop lists running processes based on their service:

```
systemd-cgtop
```

Sample outputs:

```
Path                                               Tasks   %CPU   Memory   Input/s
Output/s
/                                                    85    0.3    240.1M        -
-
/system.slice/NetworkManager.service                  2     -        -         -
-
/system.slice/auditd.service                          1     -        -         -
-
/system.slice/crond.service                           1     -        -         -
-
/system.slice/dbus.service                            1     -        -         -
-
/system.slice/lvm2-lvmetad.service                    1     -        -         -
-
/system.slice/polkit.service                          1     -        -         -
-
/system.slice/postfix.service                         3     -        -         -
-
/system.slice/rsyslog.service                         1     -        -         -
-
/system.slice/sshd.service                            1     -        -         -
-
/system.slice/...tty.slice/getty@tty1.service         1     -        -         -
-
/system.slice/systemd-journald.service                1     -        -         -
-
/system.slice/systemd-logind.service                  1     -        -         -
-
/system.slice/systemd-udevd.service                   1     -        -         -
-
/system.slice/tuned.service                           1     -        -         -
-
/system.slice/wpa_supplicant.service                  1     -        -         -
-
/user.slice/user-0.slice/session-2.scope              1     -        -         -
-
/user.slice/user-1000.slice/session-1.scope           4     -        -         -
-
```

To list SysV services only on CentOS/RHEL 7.x+ use (does not include native systemd services)

```
chkconfig --list
```

Sample outputs:

Fig.02: List Sysv based services on systemd

FIREWALL HOW TO:

https://www.digitalocean.com/community/tutorials/how-to-set-up-a-firewall-using-firewalld-on-centos-7

References

- https://wiki.centos.org/Documentation
- https://www.centos.org/docs/5/
- https://wiki.centos.org/Manuals/ReleaseNotes/CentOS7
- Install Gnome GUI on CentOS 7 / RHEL 7
- 8.3. WORKING WITH SYSTEMD TARGETS

Documentation How To guide for CentOS

CentOS versions 2 - 5

CentOS version 7

CentOS 7 is fully based on RedHat the detail documentation, examples and system administration guides are located here:CentOS 7 full documention

Read Getting started with centos online: https://riptutorial.com/centos/topic/7640/getting-started-with-centos

---

Credits

S. No	Chapters	Contributors
1	Getting started with centos	Community, Krasimir Vatchinsky