

Unmeasured pages — tranche 2

Leader lines that do not end on the structure they name

Rounds Codex · compiled 16 August 2026

HOW TO READ EVERY FIGURE IN THIS DOCUMENT

- RED** crossed circle — where the leader, dot or badge ends NOW. The number matches the table.
- GREEN** plain circle — where it belongs, with an arrow running from red to green.

Every coordinate is in the SHIPPED page's own pixels, origin top-left. Where a page is off-standard its size is printed in the page header, so the numbers can be scaled if you work from a larger master.

Where a target is given as a coordinate it was measured, and the tissue under it was sampled with the leader's own ink excluded. Where a target is described in words but not numbered, it could not be pinned to a pixel from the shipped render and needs placing from the source file — those are marked PLACE FROM SOURCE and are not guesses to be actioned blindly.

Some rows cannot be fixed by moving anything: the structure the label names is not drawn on the page. Those say so explicitly. They need artwork or a different view, and re-aiming the leader would only move the error.

WHAT IS IN HERE

2 gallery pages, 7 measured findings. These are the pages whose corrections are measured and still open. Pages already corrected and deployed are not included.

PAGE	FINDINGS	WHAT IT IS
hyponatremia — page 2	3	ADH production & release; nephron anatomy
bipolar — page 2	4	Neuroanatomy & neurobiology — circuit figure

How to make the corrections

1. Moving a leader tip or a dot — most of this document

Erase the last segment along the LEADER'S OWN AXIS, then redraw to the green point. Two things keep it invisible: take the stroke width and colour by sampling the leader itself a little way back from the tip, and erase along the axis rather than with a box, so the surrounding artwork is never touched.

The test that the move is clean: at the OLD endpoint, ink in a 13x13 box should fall to ZERO. If ink remains there, the leader was extended rather than moved, and the page now carries two terminators.

2. Never repaint artwork

If a fix would mean painting over illustration - erasing a disc of shaded tissue, rebuilding a background, redrawing a structure - stop and mark the page for a re-render instead. This has been attempted here and it does not repair cleanly; every large tissue-side erase left a visible patch. Several rows in this document say exactly that and are addressed to the illustrator, not to Photoshop.

3. Rows that no move can fix

Where the structure the label names is NOT DRAWN on the page, re-aiming the leader only moves the error somewhere else. Those rows say so in the text and need artwork or a different view - for example a lateral inset, an added slab, or a redrawn tracing. Rows marked PLACE FROM SOURCE are ones we could not pin to a pixel from the shipped render; place them from the layered file.

4. Save at the SAME pixel dimensions

Do not resample, resize, crop or rotate. The coordinates in this document are in the shipped page's own pixels, and the app, the thumbnails and the download PDF are all built from that geometry. Save as JPEG at high quality - we re-encode on integration at the file's own quantisation tables and chroma sampling, so an exact quality match on your side is not needed, but a resize breaks everything downstream.

5. Send the corrected page back; do not rebuild anything else

We regenerate the thumbnail and rebuild that gallery's download PDF. That second step matters: the download PDF is a separate build artefact and drifts from the pages if it is not rebuilt - four galleries shipped for months with an old logo in the PDF while the app showed the current one.

6. One page at a time is fine


Corrections are integrated and deployed in batches of about six pages. Each one is measured against the sheet before it ships - what was fixed, what was missed, and what was left - and that measurement is reported back honestly rather than assumed.

hyponatremia — page 2

ADH production & release; nephron anatomy · hyponatremia-02.jpgg · 1024×1536 px · 3 findings

3 rows flagged — all 3 measured and all 3 confirmed. First of the described-only pages to be measured.

The work order gave no coordinate for any row on this page; every endpoint below was found by reading the artwork at 3-5x and confirmed by sampling the tissue under it with the leader's own ink excluded.




WHAT TO CHANGE

- Hypothalamus (osmoreceptors)**
 NOW (140,343) frontal-lobe cortical gyri, sampled (193,136,120). The leader is in TWO faint segments (ink peaks at x 105 and x 140) and both die in cortex
 MOVE TO (193,364) the gold hypothalamic nucleus at the top of the pituitary stalk, sampled (238,168,47) - unmistakable against anything around it
- Posterior Pituitary (stores & releases ADH) [CHECK]**
 NOW (190,396) sampled (118,60,32), dark suprasellar tissue 12 px ABOVE the gland - the order is right that it stops short
 MOVE TO (190,410) the pinkish-brown pituitary teardrop at the foot of the stalk, sampled (166,91,77)
- Glomerulus**
 NOW (392,390) sampled (150,68,58) - the red arteriole entering from the left, OUTSIDE Bowman's capsule
 MOVE TO (452,398) the bright red capillary tuft inside the capsule, sampled (184,85,68). Both arterioles are separately labelled on this panel, so the tuft is the only thing left unnamed

hyponatremia — page 2 — close-ups

red crossed circle = where it ends now green plain circle = where it belongs




1 Hypothalamus (osmoreceptors)

(140,343) frontal-lobe cortical gyri, sampled (193,136,120). The leader is in TWO faint segments (ink peaks at x 105 and x 140) and both die in cortex
-> (193,364) the gold hypothalamic nucleus at the top of the pituitary stalk, sampled (238,168,47) - unmistakable against anything around it



2 Posterior Pituitary (stores & releases ADH) [CHECK]

(190,396) sampled (118,60,32), dark suprasellar tissue 12 px ABOVE the gland - the order is right that it stops short
-> (190,410) the pinkish-brown pituitary teardrop at the foot of the stalk, sampled (166,91,77)



3 Glomerulus

(392,390) sampled (150,68,58) - the red arteriole entering from the left, OUTSIDE Bowman's capsule
-> (452,398) the bright red capillary tuft inside the capsule, sampled (184,85,68). Both arterioles are separately labelled on this panel, so the tuft is the only thing left unnamed

hyponatremia — page 2 — notes

NOTES


Bowman's Capsule on the same panel is CORRECT - its leader ends at (456,447) on the gold capsule ring, sampled (108,71,32). That matters for the fix: the Glomerulus leader has to reach past the capsule ring to the tuft inside it, so the two cannot simply be swapped end for end. ONE CORRECTION TO THE ORDER: it says the hypothalamic target is '~250px to the right'. Measured, it is 57 px (dx 53, dy 21). The direction and the target are right; the distance is not.

bipolar — page 2

Neuroanatomy & neurobiology — circuit figure · bipolar-02.jpg · 1024×1536 px · 4 findings

4 rows flagged — all 4 measured and all 4 confirmed, each endpoint carrying 37-56 px of leader ink.

A circuit diagram drawn over a midsagittal brain: coloured nodes joined by coloured pathway arcs, with white leaders running in from the numbered labels. Three of the four flagged leaders stop on a PATHWAY ARC rather than on the NODE the label names - the arcs are the conspicuous thing at that point on the page, and the leaders stop at the first one they meet.




WHAT TO CHANGE

- 5 ⑤ **HYPOTHALAMUS**
NOW (618,371) sampled (123,99,127) - the purple GABA pathway arc, high and posterior in parietal white matter
MOVE TO (460,447) the gold circuit node at the base of the diencephalon below the thalamus, sampled (172,135,39)
- 2 ② **ANTERIOR CINGULATE CORTEX**
NOW (300,417) sampled (144,138,147) - the blue-tinted prefrontal band, well anterior to the cingulate
MOVE TO (385,370) the cingulate gyrus immediately above the genu of the corpus callosum, sampled (204,167,149), where the orange arc runs
- 3 ③ **AMYGDALA [CHECK]**
NOW (382,459) sampled (107,176,148) - the GREEN PATHWAY ARC, not the node
MOVE TO (445,457) the green amygdala sphere itself, sampled (118,186,112), 63 px to the right
- 4 ④ **BASAL GANGLIA [CHECK]**
NOW (507,374) sampled (96,77,77) - the pale corpus callosum at the upper margin of the deep-grey mass
MOVE TO (500,410) inside the purple basal ganglia / thalamic mass, sampled (109,73,88)


bipolar — page 2 — close-ups

red crossed circle = where it ends now green plain circle = where it belongs



5 ⑤ HYPOTHALAMUS

(618,371) sampled (123,99,127) - the purple GABA pathway arc, high and posterior in parietal white matter
-> (460,447) the gold circuit node at the base of the diencephalon below the thalamus, sampled (172,135,39)




2 ② ANTERIOR CINGULATE CORTEX

(300,417) sampled (144,138,147) - the blue-tinted prefrontal band, well anterior to the cingulate
-> (385,370) the cingulate gyrus immediately above the genu of the corpus callosum, sampled (204,167,149), where the orange arc runs



3 ③ AMYGDALA [CHECK]

(382,459) sampled (107,176,148) - the GREEN PATHWAY ARC, not the node
-> (445,457) the green amygdala sphere itself, sampled (118,186,112), 63 px to the right



4 ④ BASAL GANGLIA [CHECK]

(507,374) sampled (96,77,77) - the pale corpus callosum at the upper margin of the deep-grey mass
-> (500,410) inside the purple basal ganglia / thalamic mass, sampled (109,73,88)

bipolar — page 2 — notes

NOTES

All four are short moves - 36 to 176 px - and none needs re-routing, because each label already approaches from the correct side. Row 3 is the cheapest and the clearest: 63 px along the leader's own axis, from the green arc onto the green sphere, both sampled and both unambiguous. ⑥ HIPPOCAMPUS and ⑦ BRAINSTEM were checked too and are not flagged here: ⑦ ends at (520,542) on the teal brainstem node, correct. ⑥'s leader ends at (617,523) on the CEREBELLUM, which is not the hippocampus - that row is NOT in the work order and needs the physician's read before we call it.