

```
root@Mahipal:~# ls
```

```
"$\032' backup.sh      file.txt      kill_slow_log_2.sh  nohup.out  test.sql  vulnerabilities.csv  
SWs    basic_passwords.txt  kill_slow_log.sh  mytraining    pass.txt  training  y
```

```
root@Mahipal:~# cat file.tx
```

```
cat: file.tx: No such file or directory
```

```
root@Mahipal:~# cat file.txt
```

```
hello
```

```
root@Mahipal:~# ls
```

```
"$\032' backup.sh      file.txt      kill_slow_log_2.sh  nohup.out  test.sql  vulnerabilities.csv  
SWs    basic_passwords.txt  kill_slow_log.sh  mytraining    pass.txt  training  y
```

```
root@Mahipal:~# pwd
```

```
/root
```

```
root@Mahipal:~# ls -l>out.txt
```

```
root@Mahipal:~# ls
```

```
"$\032' backup.sh      file.txt      kill_slow_log_2.sh  nohup.out  pass.txt  training      y  
SWs    basic_passwords.txt  kill_slow_log.sh  mytraining    out.txt   test.sql  
vulnerabilities.csv
```

```
root@Mahipal:~# ls
```

```
"$\032' backup.sh      file.txt      kill_slow_log_2.sh  nohup.out  pass.txt  training      y  
SWs    basic_passwords.txt  kill_slow_log.sh  mytraining    out.txt   test.sql  
vulnerabilities.csv
```

```
root@Mahipal:~# cat out.txt
```

```
total 1936
```

```
-rw-r--r-- 1 root root  975 Sep 20  2021
```

```
drwxr-xr-x 1 root root 4096 Sep 20  2021 SWs
```

```
-rw-r--r-- 1 root root  682 Sep 20  2021 backup.sh
```

```
-rw-r--r-- 1 root root 3988 Aug  5  2021 basic_passwords.txt
```

```
-rw-r--r-- 1 root root   6 Jul 27 20:40 file.txt
```

```
-rw-r--r-- 1 root root 574 Oct 22 2021 kill_slow_log.sh
-rw-r--r-- 1 root root 620 Oct 22 2021 kill_slow_log_2.sh
drwxr-xr-x 1 root root 4096 Jul 23 21:39 mytraining
-rw----- 1 root root 62 Aug 2 2021 nohup.out
-rw-r--r-- 1 root root 0 Jul 27 20:44 out.txt
-rwxrwxr-x 1 root root 76 Sep 20 2021 pass.txt
-rw-r--r-- 1 root root 1259 Sep 20 2021 test.sql
drwxr-xr-x 1 root root 4096 Jul 20 21:36 training
-rw-r--r-- 1 root root 1952896 Aug 5 2021 vulnerabilities.csv
-rw-r--r-- 1 root root 2760 Aug 2 2021 y
root@Mahipal:~# ls>out2.txt
root@Mahipal:~# cat out2.txt
```

SWs

backup.sh

basic_passwords.txt

file.txt

kill_slow_log.sh

kill_slow_log_2.sh

mytraining

nohup.out

out.txt

out2.txt

pass.txt

test.sql

training

vulnerabilities.csv

y

```
root@Mahipal:~# cat out2.txt>out3.txt
```

```
root@Mahipal:~# cat out3.txt
```

SWs

backup.sh

basic_passwords.txt

file.txt

kill_slow_log.sh

kill_slow_log_2.sh

mytraining

nohup.out

out.txt

out2.txt

pass.txt

test.sql

training

vulnerabilities.csv

y

```
root@Mahipal:~# ls -l
```

```
total 1940
```

```
-rw-r--r-- 1 root root  975 Sep 20  2021 "$'\032'
```

```
drwxr-xr-x 1 root root 4096 Sep 20  2021 SWs
```

```
-rw-r--r-- 1 root root  682 Sep 20  2021 backup.sh
```

```
-rw-r--r-- 1 root root 3988 Aug  5  2021 basic_passwords.txt
```

```
-rw-r--r-- 1 root root    6 Jul 27 20:40 file.txt
```

```
-rw-r--r-- 1 root root  574 Oct 22  2021 kill_slow_log.sh-rw-r--r-- 1 root root  620 Oct 22  2021  
kill_slow_log_2.sh
```

```
drwxr-xr-x 1 root root 4096 Jul 23 21:39 mytraining
-rw----- 1 root root 62 Aug 2 2021 nohup.out
-rw-r--r-- 1 root root 830 Jul 27 20:44 out.txt
-rw-r--r-- 1 root root 168 Jul 27 20:45 out2.txt
-rw-r--r-- 1 root root 168 Jul 27 20:47 out3.txt
-rwxrwxr-x 1 root root 76 Sep 20 2021 pass.txt
-rw-r--r-- 1 root root 1259 Sep 20 2021 test.sql
drwxr-xr-x 1 root root 4096 Jul 20 21:36 training
-rw-r--r-- 1 root root 1952896 Aug 5 2021 vulnerabilities.csv
-rw-r--r-- 1 root root 2760 Aug 2 2021 y

root@Mahipal:~# mkdir test
root@Mahipal:~# cd test
root@Mahipal:~/test# ls
root@Mahipal:~/test# echo "hello">out1.txt
root@Mahipal:~/test# echo "HI">out2.txt
root@Mahipal:~/test# ls
out1.txt out2.txt
root@Mahipal:~/test# ls -l
total 0
-rw-r--r-- 1 root root 6 Jul 27 20:50 out1.txt
-rw-r--r-- 1 root root 3 Jul 27 20:51 out2.txt
root@Mahipal:~/test# ls -l>file_info.txt
root@Mahipal:~/test# cat file_info.txt
total 0
-rw-r--r-- 1 root root 0 Jul 27 20:51 file_info.txt
-rw-r--r-- 1 root root 6 Jul 27 20:50 out1.txt
-rw-r--r-- 1 root root 3 Jul 27 20:51 out2.txt
```

```
root@Mahipal:~/test# ls -l | grep -v "file_info.txt" >^C
root@Mahipal:~/test# ls -l | grep -v "file_info.txt" >file_info.txt
root@Mahipal:~/test#
root@Mahipal:~/test#
root@Mahipal:~/test# cat file_info.txt
total 0
-rw-r--r-- 1 root root 6 Jul 27 20:50 out1.txt
-rw-r--r-- 1 root root 3 Jul 27 20:51 out2.txt
root@Mahipal:~/test# ls
file_info.txt out1.txt out2.txt
root@Mahipal:~/test# cat movi.mp4> /root/training/

root@Mahipal:~/test/grep#
root@Mahipal:~/test/grep# cat file_search.txt | grep -c "ABC"
1
root@Mahipal:~/test/grep# cat file_search.txt | grep -l "AB"
(standard input)
root@Mahipal:~/test/grep#
root@Mahipal:~/test/grep#
root@Mahipal:~/test/grep#
root@Mahipal:~/test/grep# cat file_search.txt | grep -l "AB" *
file_search.txt
root@Mahipal:~/test/grep#
root@Mahipal:~/test/grep#
root@Mahipal:~/test/grep#
root@Mahipal:~/test/grep# cat file_search.txt | grep -w "AB" *
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep# grep -v "ABC" file_search.txt
```

Hello,

Good morning.

This is the example for grep commands.

TTS

fsj

5959

sfdlsd

Qfs

```
root@Mahipal:~/test/grep# grep -c "ABC" file_search.txt
```

1

```
root@Mahipal:~/test/grep# grep -w "ABC" file_search.txt
```

ABC XYZ

```
root@Mahipal:~/test/grep# grep -w "AB" file_search.txt
```

```
root@Mahipal:~/test/grep# grep -o "AB" file_search.txt
```

AB

```
root@Mahipal:~/test/grep# grep -n "AB" file_search.txt
```

4:ABC XYZ

```
root@Mahipal:~/test/grep# grep -n "ABC" file_search.txt
```

4:ABC XYZ

```
root@Mahipal:~/test/grep# cat file_search.txt
```

Hello,

Good morning.

This is the example for grep commands.

ABC XYZ

TTS

fsj

5959

sfdlsd

Qfs

```
root@Mahipal:~/test/grep# grep -n "*ABC" file_search.txt
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep# grep -i "ABC$" file_search.txt
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep# cat file_search.txt
```

Hello,

Good morning.

This is the example for grep commands.

ABC XYZ

TTS

fsj

5959

sfdlsd

Qfs

```
root@Mahipal:~/test/grep# cat file_search.txt | awk '{print $1}'
```

Hello,

Good

This

ABC

TTS

fsj

5959

sfdlsd

Qfs

```
root@Mahipal:~/test/grep# cat file_search.txt | awk '{print $2}'
```

morning.

is

XYZ

```
root@Mahipal:~/test/grep# cat file_search.txt | awk '{print $3}'
```

the


```
root@Mahipal:~/test/grep# cat file_search.txt | awk '{print $1}'
```

Hello,

Good

This

ABC

TTS

fsj

5959

sfdlsd

Qfs

```
root@Mahipal:~/test/grep# cat file_search.txt | awk NR==2
```

```
'{print $1}'
```

```
awk: fatal: cannot open file `{print $1}' for reading (No such file or directory)
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep# cat file_search.txt | awk NR=2 '{print $1}'
```

```
awk: fatal: cannot open file `{print $1}' for reading (No such file or directory)
```

```
root@Mahipal:~/test/grep# cat file_search.txt | awk 'NR=2
```

```
{print $1}'
```

Hello,

Good

This

ABC

TTS

fsj

5959

sfdlsd

Qfs

```
root@Mahipal:~/test/grep# cat file_search.txt | awk NR=2, {print $1}'
```

```
> ^C
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep# cat file_search.txt | awk {printNR==3, $1}'
```

```
> ^C
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep# awk 'NR==4, {print NR,$0}' file_search.txt
```

```
awk: cmd. line:1: 'NR==4,
```

```
awk: cmd. line:1: ^ invalid char " in expression
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep# awk 'NR==4, {print NR,$0}' file_search.txt
```

```
awk: cmd. line:1: NR==4, {print NR,$0}
```

```
awk: cmd. line:1:      ^ syntax error
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep# awk 'NR==4, {print$0}' file_search.txt
```

```
awk: cmd. line:1: NR==4, {print$0}
```

```
awk: cmd. line:1:      ^ syntax error
```

```
root@Mahipal:~/test/grep# awk 'NR==4 {print$0}' file_search.txt
```

```
ABC XYZ
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep# awk 'NR==4 {print$1}' file_search.txt
```

```
ABC
```

```
root@Mahipal:~/test/grep# awk 'NR==1 {print$1}' file_search.txt
```

```
Hello,
```

```
root@Mahipal:~/test/grep# awk 'NR==1 {print$3}' file_search.txt
```

```
root@Mahipal:~/test/grep# awk 'NR==1 {print$1}' file_search.txt
```

Hello,

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep# man awk
```

```
[4]+ Stopped          man awk
```

```
root@Mahipal:~/test# vi test.sh
```

```
root@Mahipal:~/test#
```

```
root@Mahipal:~/test#
```

```
root@Mahipal:~/test# sh test.sh
```

```
test.sh: 2: Syntax error: Unterminated quoted string
```

```
root@Mahipal:~/test# echo "hello 2>file.txt
```

```
>
```

```
> ^C
```

```
root@Mahipal:~/test#
```

```
root@Mahipal:~/test#
```

```
root@Mahipal:~/test# cat file.txt
```

```
cat: file.txt: No such file or directory
```

```
root@Mahipal:~/test# ls
```

```
attachment.txt file_info.txt out1.txt out2.txt test.sh
```

```
root@Mahipal:~/test#
```

```
root@Mahipal:~/test# echo "hello 2">file.txt
```

```
root@Mahipal:~/test#  
root@Mahipal:~/test# ls  
attachment.txt  file_info.txt  out2.txt  
file.txt      out1.txt      test.sh  
root@Mahipal:~/test# vi test.sh  
root@Mahipal:~/test#  
root@Mahipal:~/test#  
root@Mahipal:~/test# sh test.sh  
test.sh: 2: Syntax error: Unterminated quoted string  
root@Mahipal:~/test# sh test.sh 2>err.txt  
root@Mahipal:~/test#  
root@Mahipal:~/test#  
root@Mahipal:~/test# cat err.txt  
test.sh: 2: Syntax error: Unterminated quoted string  
root@Mahipal:~/test# cat test.txt  
cat: test.txt: No such file or directory  
root@Mahipal:~/test# cat test.sh  
echo "hello  
root@Mahipal:~/test# sh test.sh 2>err2.txt  
root@Mahipal:~/test# cat err2.txt  
test.sh: 2: Syntax error: Unterminated quoted string  
root@Mahipal:~/test# ls  
attachment.txt  err2.txt  file_info.txt  out2.txt  
err.txt      file.txt  out1.txt      test.sh  
root@Mahipal:~/test#  
root@Mahipal:~/test# vi test.sh  
root@Mahipal:~/test#
```

```
root@Mahipal:~/test# sh test.sh 2>&1 err3.txt
```

```
hello
```

```
test.sh: 3: Syntax error: Unterminated quoted string
```

```
root@Mahipal:~/test# sh test.sh 2>&1>err3.txt
```

```
test.sh: 3: Syntax error: Unterminated quoted string
```

```
root@Mahipal:~/test#
```

```
root@Mahipal:~/test#
```

```
root@Mahipal:~/test#
```

```
root@Mahipal:~/test# cat err3.txt
```

```
hello
```

```
root@Mahipal:~/test# sh test.sh >err3.txt 2&>1
```

```
root@Mahipal:~/test#
```

```
root@Mahipal:~/test#
```

```
root@Mahipal:~/test# cat err3.txt
```

```
root@Mahipal:~/test#
```

```
root@Mahipal:~/test#
```

```
root@Mahipal:~/test#
```

```
root@Mahipal:~/test# echo "Happy birthday" 2>errr.txt
```

```
Happy birthday
```

```
root@Mahipal:~/test# cat errr.txt
```

```
root@Mahipal:~/test# echo "Happy birthday 2>errr.txt
```

```
> ^C
```

```
root@Mahipal:~/test#
```

```
root@Mahipal:~/test#
```

```
root@Mahipal:~/test# cat errr.txt
```

```
root@Mahipal:~/test# mkdir grep`
```

```
root@Mahipal:~/test# cd grep
```

```
root@Mahipal:~/test/grep# ls
```

```
root@Mahipal:~/test/grep# vi file_search.txt
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep# ls
```

```
file_search.txt
```

```
root@Mahipal:~/test/grep# cat file_search.txt
```

Hello,

Good morning.

This is the example for grep commands.

ABC

TTS

fsj

5959

sfdlsd

Qfs

```
root@Mahipal:~/test/grep# vi file_search.txt
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep# vi file_search.txt | grepipal:~/Usage: grep [OPTION]... PATTERNS [FILE]...
```

Try 'grep --help' for more information.

Vim: Warning: Output is not to a terminal

^CError detected while processing /usr/share/vim/vimrc:

line 1:

Interrupted

Error detected while processing /usr/share/vim/vim81/defaults.vim:

line 1:

Interrupted

Interrupt: Press ENTER or type command to continue

[1]+ Stopped vi file_search.txt | grep --color=auto

root@Mahipal:~/test/grep#

root@Mahipal:~/test/grep# cat file_search.txt | grep "ABC"

ABC

root@Mahipal:~/test/grep# vi file_search.txt

root@Mahipal:~/test/grep# 4

4: command not found

root@Mahipal:~/test/grep#

root@Mahipal:~/test/grep# cat file_search.txt | grep "ABC"

ABC XYZ

root@Mahipal:~/test/grep# man grep

[2]+ Stopped man grep

root@Mahipal:~/test/grep#

root@Mahipal:~/test/grep#

root@Mahipal:~/test/grep# cat file_search.txt | grep -i "abc"

ABC XYZ

root@Mahipal:~/test/grep# cat file_search.txt | grep "abc"

root@Mahipal:~/test/grep# cat file_search.txt | grep -v "abc"

Hello,

Good morning.

This is the example for grep commands.

ABC XYZ

TTS

fsj

5959

sfdlsd

Qfs

```
root@Mahipal:~/test/grep# cat file_search.txt | grep -v "ABC"
```

Hello,

Good morning.

This is the example for grep commands.

TTS

fsj

5959

sfdlsd

Qfs

```
root@Mahipal:~/test/grep# ls
```

file_search.txt

```
root@Mahipal:~/test/grep# vi abc.txt
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep# ls
```

abc.txt file_search.txt

```
root@Mahipal:~/test/grep#
```

```
root@Mahipal:~/test/grep# ls | grep "txt"
```

abc.txt

file_search.txt

```
root@Mahipal:~/test/grep# man grep
```


[3]+ Stopped man grep

root@Mahipal:~/test/grep#

root@Mahipal:~/test/grep#

root@Mahipal:~/test/grep#

root@Mahipal:~/test/grep# ls | grep

Usage: grep [OPTION]... PATTERNS [FILE]...

Try 'grep --help' for more information.

root@Mahipal:~/test/grep# ls

abc.txt file_search.txt

root@Mahipal:~/test/grep# grep "txt"

^C

root@Mahipal:~/test/grep# grep "txt" file_search.txt