

Basics of Foundational Model

→ End goal of the project:

→ Need to build Foundational Model.


→ Foundational Model [F+1]

→ (1) vast amount of data
→ chunks

→ (2) What is Model

→ (3) what are the kinds of model

→ (4) where is foundational model standing.





→ collecting the data

- which is less than 1GB (Linear data)
- more than 1GB (Non linear data)

→ Data cleaning → what is the data


→ difference type of data



→ $MIT (Machine Training) = ML (Machine Learning)$

→ we should know HI (1) (2) (3) AI

→ state is the biggest delta factor



hf = Hypothetical

$S_1 - \dots - S_n$ (state of)

→ AI validation

state → Pre, Post, execution
validation.

→ Cognitive capacity.

→ AI is the field of cognitive compute
science.

→ Hsf factor (Human state of Learning)


↳ Hsf factor

↳ Find subconcise state of

insert to calculate in Hsf

↳ 8 brains

Ex 1



→ Hypothesis which understand

Algo - $\neq$ P

↓
Process

↓
~~Fract~~ Fractional / Permutation

Ex 1

Permutation (P)

combination (C)

Formula 1

$$nPr = \frac{n!}{(n-r)!}$$

Formula 2

$$nCr = \frac{n!}{n-r!r!}$$

Ex: $n = \text{no of places}$

$r = \text{no of objects}$

$n \geq r$

Ex:

A B | ⊖ ⊖ ⊖

$$nPr = 3P_2$$

$$= \frac{3!}{(3-2)!} = \frac{3!}{1!}$$

$$= 2 \times 3$$

Q: TIGER

① Non Repetitive

② Repetition.

5!


Ex:

→ Test validation has measurement




- BLEU (test generation)
- HMM (mean matching original)
- HSL (mean sequence length)
- UXT (unique token matching)

→ note measurement of model

- Time
- Epoch epoch
- accuracy
- ROC
- F1 Score



→ Text
↳ linear data
↳ non linear data



→ ~~data~~ →

→ ~~projected~~ system

Intelligence system

→ pdf file into content engineer
→ English content

→ content engineer ~~transformer~~
Feature engineer ~~transformer~~.

→ model as measure ~~transformer~~

Smallest method $[n \times m]$

→ ~~data~~ → micro cell

→ cell model calculate, ~~transformer~~

→ Foundational model technologies?

→ Libraries

→ Transformer

→ source code use

~~transformer~~.

→ End goal

→ build Fabricational model

→ Thinking ~~and~~ goal to

~~write~~ ~~state~~, get knowledge
from backside.

→ JEPOL - Architecture,

→ JEP A

→ Abstraction?

→ Joint embedded predictive
architecture

→ validation ~~helps~~ helps us improve the model
→ learn rate
→ dropout?

→ Testing tells us if the model is ready
for real-world use.

→ BLUE → 0.3 to 0.5 ✓

→ MHU →

→ perplexity → below 100 ✓

→ validation → 2 to 3

→ accuracy
100