

# Doctoral thesis disposition

## Soft matter metamaterials

Author: Anja Bregar

Advisor: Miha Ravnik

March 23, 2017

Liquid crystals are soft materials with a degree of orientational order in comparison with positional disorder. This is achieved by the molecules of liquid crystal being anisotropic, i.e. elongated in one direction, and also reinforced by intermolecular forces. In a range of temperatures, they exhibit an additional phase between solid and liquid, in which they retain a degree of orientational order while losing the positional order. They have proven to be an important material in soft matter physics with many possibilities for applications in different industries as well, ranging from liquid crystal displays to nematic ordering systems.

As stated already, their main characteristic is a degree of orientational order combined with positional disorder (in nematics in 3D, at least partial – 2D – in smectic liquid crystal). Their orientational order leads to several other characteristics. First is their elasticity: their free energy increases, if – because of external fields or boundary conditions – their orientational order is disturbed. With the elasticity, they can take into account the orientational order of colloidal inclusions. On the other hand, their orientational order leads into optical anisotropy as well: mostly, liquid crystals possess an extraordinary index of refraction (along the long axis of the molecules) larger than the ordinary index. Their optical birefringence opens the possibility for exploitation in optical systems such as waveguides etc.

They are also easily manipulated with external fields, especially electric field, which tends to turn the long axis of the liquid crystal molecules to be polarized along the field. With the electric field, the elastic forces and the optical properties can be controlled.

The colloidal suspension in liquid crystals have been shown to be ordered because of the elasticity of liquid crystals [?, ?, ?, ?]: Musevic and Smalyukh groups have experimentally shown the elastic forces between the defect structures to be strong enough to achieve orientational ordering of the (spatially anisotropic, i.e. square or triangular) colloids, and also to lower the free energy in such colloidal clusters by arranging. Theoretical work has been done by our group as well [?].

Optical applications include waveguides. Liquid crystals can be used as an addition to the existing photonic-crystal-like waveguides [?], where it has been shown they increase the performance of such structure by XX%. If the photonic fibre is filled exclusively with liquid crystal, it can be used as a waveguide as well, since the refractive-index gradient controls the flow-of-light.

– opis LC \*splošen opis [1] – dvolomnost \*splošno [2] – elastičnost za self-assembly: zakaj urejenost \*spomin v poroznih mat. [3] \*urejanje koloidov eksperimentalno [4, 5] \*urejanje koloidov teoretično [6] – razvoj waveguidinga \*LC kot dodatek obstoječim optičnim vlaknom [7, 8], \*vlakna izključno iz LC [9]?

– opis MTM – kaj so to \*review [10] – kako maš tudi akustične MTM, pa tudi jih maš za različne valovne dolžine svetlobe (ni neg. n za vse  $\lambda$ ) – optične lastnosti: – neg. lom [11, 12] – t.i. plašči nevidnosti [13] – leče z resolucijo pod valovno limito \*metalenses at visible wavelengths: [14] – v zadnjem času bolj oblikovanje valovnih front (polarizacije, faze) [15] – nadzor transmitivnosti \*absorberji [16] – metasurface \*review Nature [17] – all-dielectric MTM \*review Nature [18] – hyperbolic \*review Nature [19] – za urejanje direktorskega polja \*s svetlobo čez metasurface in zakleneš direktorsko polje LC [20]

– MTM with LC – neg. refraction classically \*neg. lom v klasičnih LC [21, 22] – self-assembly from direct laser writing \*npr. [23] – bottoms up approach – metallic spheres in LC: disordered hyperbolic medium \*dielektrične krogle [24, 25] – MTM building blocks shaped as LC to achieve order \*ordered nanorods [26, 27, 28] \*oblong plastic building blocks with embedded resonators [29] \*nanoparticle with LC molecules bound to it [30] – tuning: controlling of the resonant frequency \*switch [31] \*tuning [32]

A way to engineer soft (meta-)materials is to combine liquid crystal with metallic colloids. The elasticity of liquid crystals affects the distribution and arrangement of colloids. As some orientations of the colloid are more favourable in terms of free energy, the horseshoe colloids might, as the theoretical studies of J. Aplinc [?] show, self-assemble in 2D and 3D crystals. The analysis of the interplay between the influences of the geometry of such a photonic crystal and the optical parameters of the materials used provides a rich case of study. Since the optical parameters are highly dependent on the frequency of light, diverse response is achieved across different wavelengths. Experimental realisation of these ideas would be explored in the team of prof. Muševič, group F5 on JSI.

A crucial reason why to control and manipulate light is to guide it. Many different applications, from photonic circuits to waveguides, all designed to convey information, rely on efficient control of light. An compelling option for waveguiding is to enhance their properties with liquid crystals. In cooperation with prof. Etienne Brasselet from University of Bordeaux, different proposals for waveguides, filled with liquid crystals, will be simulated and analysed theoretically. Through different boundary conditions and other manipulation, different director profiles can be introduced into the liquid crystal, which can in turn affect the propagation of light. With some director profiles we can achieve focusing; special emphasis will be put on the director profiles which exhibit focusing for positive anisotropy ( $n_o < n_e$ ). \* Yee in osnovna ideja FDTD \* prilagoditev celice za anizotropijo \* moja prilagoditev za frekvenčno disperzijo: ADE – $\epsilon$  simuliranje realnih kovin \* moja prilagoditev za frekvenčno disperzijo – anizotropno – $\epsilon$  simuliranje neg. n anizotropnih materialov

0.25 page \* free energy minimisation: \* Lattice Boltzmann methods? Najbrž bolj ne ...

## References

- [1] P. G. de Gennes and J. Prost, *The Physics of Liquid Crystals, Second Edition*. Oxford University Press, 1995.
- [2] E. Hecht, *Optics*. Addison-Wesley Longman, 2002.
- [3] T. Araki, M. Buscaglia, T. Bellini, and H. Tanaka, “Memory and topological frustration in nematic liquid crystals confined in porous materials,” *Nat. Mater.*, vol. 10, p. 303, 2011.
- [4] A. Nych, U. Ognysta, M. Škarabot, M. Ravnik, S. Žumer, and I. Muševič, “Assembly and control of 3d nematic dipolar colloidal crystals,” *Nat. Commun.*, vol. 4, p. 1489, 2013.
- [5] C. P. Lapointe, T. G. Mason, and I. I. Smalyukh, “Shape-controlled Colloidal Interactions in Nematic Liquid Crystals,” *Science*, vol. 326, p. 1083, 2009.
- [6] J. Dontabhaktuni, M. Ravnik, and S. Žumer, “Shape-tuning the colloidal assemblies in nematic liquid crystals,” *Soft Matter*, vol. 8, p. 1657, 2012.
- [7] M. Wahle and H.-S. Kitzerow, “Liquid crystal assisted optical fibres,” *Opt. Express*, vol. 22, p. 262, 2014.
- [8] D. C. Zografopoulos, R. Asquini, E. E. Kriezis, A. d’Alessandro, and R. Beccherelli, “Guided-wave liquid-crystal photonics,” *Lab Chip*, vol. 12, p. 3598, 2012.
- [9] M. Čančula, M. Ravnik, I. Muševič, and S. Žumer, “Liquid microlenses and waveguides from bulk nematic birefringent profiles,” *Opt. Express*, vol. 24, p. 22177, 2016.

- [10] C. M. Soukoulis and M. Wegener, “Past achievements and future challenges in the development of three-dimensional photonic metamaterials,” *N. Photon.*, vol. 5, pp. 69 – 77, 2011.
- [11] D. R. Smith, W. J. Padilla, D. C. Vier, S. C. Nemat-Nasser, and S. Schultz, “Composite medium with simultaneously negative permeability and permittivity,” *Phys. Rev. Lett.*, vol. 84, 2000.
- [12] J. Valentine, S. Zhang, T. Zentgraf, E. Ulin-Avila, D. A. Genov, G. Bartal, and X. Zhang, “Three-dimensional optical metamaterial with a negative refractive index,” *Nature*, vol. 455, p. 376, 2008.
- [13] X. Ni, Z. J. Wong, M. Mrejen, Y. Wang, and X. Zhang, “An ultrathin invisibility skin cloak for visible light,” *Science*, vol. 349, p. 1310, 2015.
- [14] M. Khorasaninejad, W. T. Chen, R. C. Devlin, J. Oh, A. Y. Zhu, and F. Capasso, “Metalenses at visible wavelengths: Diffraction-limited focusing and subwavelength resolution imaging,” *Science*, vol. 352, p. 1190, 2016.
- [15] N. Yu and F. Capasso, “Flat optics with designer metasurfaces,” *Nat. Mater.*, vol. 13, p. 139, 2014.
- [16] C. M. Watts, X. Liu, and W. J. Padilla, “Metamaterial electromagnetic wave absorbers,” *Adv. Mater.*, vol. 24, 2012.
- [17] N. Meinzer, W. L. Barnes, and I. R. Hooper, “Plasmonic meta-atoms and metasurfaces,” *Nature Photon.*, vol. 8, p. 889, 2014.
- [18] S. Jahani and Z. Jacob, “All-dielectric metamaterials,” *Nat. Nanotechnol.*, vol. 11, p. 23, 2016.
- [19] A. Poddubny, I. Iorsh, P. Belov, and Y. Kivshar, “Hyperbolic metamaterials,” *Nature Photon.*, vol. 7, p. 948, 2013.
- [20] J. Kobashi, H. Yoshida, and M. Ozaki, “Planar optics with patterned chiral liquid crystals,” *Nature Photon.*, vol. 10, p. 389, 2016.
- [21] O. P. Pishnyak and O. D. Lavrentovich, “Electrically controlled negative refraction in a nematic liquid crystal,” *Appl. Phys. Lett.*, vol. 89, p. 251103, 2006.
- [22] M. Peccianti and G. Assanto, “Nematicons across interfaces: anomalous refraction and reflection of solitons in liquid crystals,” *Opt. Express*, vol. 15, p. 8021, 2007.
- [23] C. C. Tartan, P. S. Salter, T. D. Wilkinson, M. J. Booth, S. M. Morris, and S. J. Elston, “Generation of 3-dimensional polymer structures in liquid crystalline devices using direct laser writing,” *RSC Adv.*, vol. 7, p. 507, 2017.
- [24] D. Jia, C. Yang, X. Li, Z. Peng, Y. Liu, Z. Cao, Q. Mu, L. Hu, D. Li, L. Yao, X. Lu, X. Xiang, H. Zhang, and L. Xuan, “Optical hyperbolic metamaterials based on nanoparticles doped liquid crystals,” *Liq. Cryst.*, vol. 41, p. 207, 2013.
- [25] G. Pawlik, K. Tarnowski, W. Walasik, C. Mitus, and I. Khoo, “Liquid crystal hyperbolic metamaterial for wide-angle negative-positive refraction and reflection,” *Opt. Lett.*, vol. 39, p. 1744, 2014.
- [26] H. Park, A. Agarwal, N. A. Kotov, and O. D. Lavrentovich, “Controllable side-by-side and end-to-end assembly of au nanorods by lyotropic chromonic materials,” *Langmuir*, vol. 24, 2008.

- [27] Q. Liu, Y. Cui, D. Gardner, X. Li, S. He, and I. I. Smalyukh, “Self-alignment of plasmonic gold nanorods in reconfigurable anisotropic fluids for tunable bulk metamaterial applications,” *Nano Lett.*, vol. 10, 2010.
- [28] A. B. Golovin and O. D. Lavrentovich, “Electrically reconfigurable optical metamaterial based on colloidal dispersion of metal nanorods in dielectric fluid,” *Applied Physics Letters*, vol. 95, no. 25, p. 254104, 2009.
- [29] M. Liu, K. Fan, W. Padilla, D. A. Powell, X. Zhang, and I. V. Shadrivov, “Tunable Meta-Liquid Crystals,” *Adv. Mater.*, vol. 28, p. 1553, 2016.
- [30] M. Draper, I. M. Saez, S. J. Cowling, P. Gai, B. Heinrich, B. Donnio, D. Guillon, and J. W. Goodby, “Self-assembly and Shape Morphology of Liquid Crystalline Gold Metamaterials,” *Adv. Funct. Mater.*, vol. 21, p. 1260, 2011.
- [31] O. Buchnev, N. Podoliak, M. Kaczmarek, N. I. Zheludev, and V. A. Fedotov, “Electrically Controlled Nanostructured Metasurface Loaded with Liquid Crystal: Toward Multifunctional Photonic Switch,” *Adv. Opt. Mater.*, vol. 3, p. 674, 2015.
- [32] Q. Zhao, L. Kang, B. Du, J. Zhou, H. Tang, X. Liang, and B. Zhang, “Electrically tunable negative permeability metamaterials based on nematic liquid crystals,” *Appl. Phys. Lett.*, vol. 90, 2007.