

Redi-Rock Structures of OKI Brand Guidelines

Contents

01	Table of Contents	04	Typography
02	Copy Tone	05	Colors
03	Logo	06	Photography

Introduction

The brand guidelines established in this document are intended to provide a clear and consistent voice for anything and everything Redi-Rock Structures of OKI.

Adhering to these guidelines is essential for properly supporting the organization’s mission, core values, and branding descriptors.

Mission

To help others by providing best-in-class products, services, and solutions.

Core Values

Integrity

Selflessness

Loyalty

Excellence

02

Brand Voice

Our Target Audience

- Developers / Owners
- Engineers
- General Contractors
- Electrical Contractors
- Installers
- Homeowners
- Land Developers
- Architects
- Green Solution Companies

Custom Value Proposition per Target Audience

Engineers

trust and enjoy working with us because we are:

- Honest
- Trustworthy
- Transparent
- Strategic Partner
- “If we’re not the best fit we’ll help you find a better one.”

Installers

trust and enjoy working with us because we are:

- Relational
- Transparent
- Honest
- Dependable
- Detail oriented
- “We don’t over-promise and under-deliver”

Developers and Owners

trust and enjoy working with us because we are:

- High end product
- Fast moving and flexible
- A good value
- Creative, cost-effective solutions
- Problem solvers who think outside the box

Custom Value Proposition per Target Audience

As your strategic partner, count on us to provide your team with insight and guidance with regard to:

- Vision casting
- Aesthetic recommendations
- Structural recommendations
- Construct-ability
- Strategic creative solutions
- Unique custom solutions
- Case-specific products and advice
- Preliminary designs
- “We can even connect you with the right people.”

Brand Identity Descriptors

Creative	Honest
Unconventional	Emotional
Relational	Professional
Passionate	Simple
Visionary	Down to earth
Fast-moving	Aggressive
Generous	Hospitable / Welcoming
Transparent	Matter of Fact
Genuine / Sincere	Authentic
Trustworthy	Frank / Direct
A Good Value	Charming / Courteous
Family-oriented	Analytical
Approachable	High End
Compassionate	Humble
Appreciative	Loyal

Copy Tone

Appreciative
Authentic
Courteous
Genuine/Sincere
Honest
Humble
Passionate
Relational
Transparent
Trustworthy

Brand Identity Statement

We are best-in-class experts who genuinely enjoy helping clients by acting as their strategic partner. Our clients organically become friends and family.

Our Value Proposition

“We’ll help you do everything but stamp it.”

Reasons to Believe:

- Product lifecycle, longevity
- Product ease of use
- Product aesthetics
- Speed
- Best-in-class experts
- Strategic Partner
- Excellent Customer Experience

03


Logo

Logo

The sizing and spacing of all the text and graphical elements (i.e. starburst and horizontal lines) must never be resized, skewed, or altered in any way.

The minimum amount of space (padding) existing between the logo and any other objects is equal on all sides relative to the size of the wordmarks.



The ® must always be present on the logo. It hangs in the padding surrounding the workmarks.



Logo Variations

These are the acceptable variations of the logo that can be used when the primary version (white on burnt sienna) cannot be used.

Also remember to employ the designated padding.





Logo Usage

- Do **not** use:
- these color combinations from the palette
 - wordmarks over photography or visually complex backgrounds
 - use any image effects (e.g. drop shadows, inner shadows, blurs, etc.) on the wordmarks

04

Typography

Typefaces

Montserrat is the primary font for web, print, and other marketing materials. It is paired with the font, Arial.

Typeface Usage — Headlines

Montserrat

a b c d e f g h i j k l m n o p q r s t u v w x y z
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
1 2 3 4 5 6 7 8 9 0
± ! @ # \$ % ^ & * () _ + - = § £ ™ ¡ ¢ ∞ § ¶ • º — ≠

Light
Regular
Medium
SemiBold

Typeface Usage — Body Copy

Arial

a b c d e f g h i j k l m n o p q r s t u v w x y z
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
1 2 3 4 5 6 7 8 9 0
± ! @ # \$ % ^ & * () _ + - = § £ ™ ¡ ¢ ∞ § ¶ • º — ≠

Regular
Bold
Italic

Headlines

All headlines use the Montserrat typeface.

Do not change letter spacing or use all caps unless noted otherwise.

Display

Size: 128pt
Weight: Light
Letter Spacing: 0
Line Height: 100%
Case: Sentence Case

Hero Headline

Size: 96pt
Weight: Light
Letter Spacing: 0
Line Height: 100%
Case: Sentence Case

Standard Headline

Size: 64pt
Weight: Light
Letter Spacing: 0
Line Height: 100%
Case: Sentence Case

Small Headline / Small Headline

Size: 36pt
Weight: Light / Regular
Letter Spacing: 0
Line Height: 100%
Case: Sentence Case

Body

Arial is the font used for body copy.

Examples of body copy are the main text of documents, emails, and any instances where paragraphs exist.

Use italics sparingly. Do not change letter spacing or use all caps unless noted otherwise.

Subheadline lorem ipsum dolore.

Font: Arial
Size: 20pt
Weight: Bold
Letter Spacing: 0
Line Height: 120%
Case: Sentence Case

Body Regular lorem ipsum dolore.

Body Regular Bold lorem ipsum dolore.

Body Regular Italic lorem ipsum dolore.

Font: Arial
Size: 16pt
Weight: Regular / Bold
Letter Spacing: 0
Line Height: 120%
Case: Sentence Case

Body Small lorem ipsum dolore.

Body Small Bold lorem ipsum dolore.

Body Small Italic lorem ipsum dolore.

Font: Arial
Size: 12pt
Weight: Regular / Bold
Letter Spacing: 0
Line Height: 100%
Case: Sentence Case

“Quotation lorem ipsum dolore.”

Font: Merriweather
Size: 16pt
Weight: Regular
Letter Spacing: 0
Line Height: 120%
Case: Sentence Case

CAPTION

Font: Montserrat
Size: 12pt
Weight: SemiBold
Letter Spacing: 4pt / 20%
Line Height: 120%
Case: All Caps

Usage

Use the appropriate-sized headlines where it makes sense and provides the proper visual hierarchy and vertical spacing.



BRIDGE OVER SYCAMORE CREEK

Hamilton County Saves \$40,000 by Choosing Redi-Rock XL

The Challenge

When an infrastructure repair transitions into an infrastructure replacement, many municipalities are looking for the most cost-effective solution. Ohio's Hamilton County was no exception when it was evident that the bridge over Sycamore Creek on Keller Road needed an upgrade.

“You save so much time in not having to set concrete forms, pour, wait for it to cure. It's a huge advantage just to set these blocks and move on.”

Justin Amlung, P.E., Civil Solutions

Caption

Small Headline

Subheadline (Body)

Body Normal

Quotation

Body Small (Italic)

Usage

Do **not** use:

- text over photography or visually complex backgrounds
- use any image effects (e.g. drop shadows, inner shadows, blurs, etc.) on the text

NO



NO



NO



05

Colors

Brand Colors

Burnt Sienna

#A93400 169 52 0 23 91 100 17

Granite Green

#424533 66 69 51 63 53 76 49

Black


#000000 0 0 0 72 68 67 88

White

#FFFFFF 255 255 255 0 0 0 0

Color Variations

Burnt Sienna



Hex


RGB

CMYK

A93400

169 52 0


23 91 100 17



B14819

177 72 25


22 82 100 13



BA5D33

186 93 51


20 73 92 8



C3714C

195 113 76

19 64 76 4



CB8566

203 133 102

18 54 63 2



D4997F

212 153 127

16 44 50 0



DDAE99

221 174 153


12 34 38 0



E5C2B2

229 194 178


9 25 27 0



EED6CC

238 214 204

5 16 16 0




F6EAE5

246 234 229

2 7 7 0

Granite Green



Hex


RGB

CMYK

424533

66 69 51


63 53 76 49



55848

85 87 71


57 48 62 24



686A5C

104 106 92


56 47 61 22



7B7D71

122 124 112


52 43 54 12



8E8F85

142 143 133


45 37 46 4



A1A299

160 162 153


39 31 38 1



B3B5AD

179 181 173


31 24 30 0



C7C8C2

198 199 193


22 17 22 0



D9DAD6

217 218 214

13 10 13 0



EDEBEB

236 236 234

6 5 6 0

06

Photography

Recommended Set-up

These photography guidelines are intended to ensure brand consistency and should be followed as closely as possible.

- Use a camera that has a 30+ Megapixel. Medium-format cameras produce cleaner files with typically better color rendition.
- ISO level should be as low as possible.
- Images should be digitally cleaned from debris with dirty surfaces retouched.
- Final images delivered should be full size, JPG (preset to highest quality), with the IPTC information embedded.
- If a photograph is taken on a phone, make sure the largest file is used. Don't use an app that compresses before sending.
- The higher the resolution, the better the picture will be. Generally, images print at a resolution of 300 dpi.

IPTC and Tips

IPTC Information

The photographer should complete the IPTC caption with the following information:


- Project title (if available)
- Specific location (name of the street), city, and country
- A short description of the scene
- Date of shoot
- Name of photographer
- Copyright information

Tips

- Horizontal images have a more universal application.
- Having visually quiet areas in the frame provides room for copy (text) space.
- All project areas should be free of construction, unnecessary objects, and as clean as possible.
- Images should be free from third-party logos of contractors, date/time stamps, etc. If necessary, retouch these digitally.

Wall Blocks

Photos used for the various block solutions — especially case studies — should show the finished project, free of construction, properly lit, color-balanced, and focused on the blocks.



Subject Distance

A relatively short distance should be used to focus on the blocks and their textures. The goal is to find the correct balance between focusing on the wall façade and the overall context and space of the project.

YES



NO



YES



NO



YES



NO



Focus and Cropping

Crop photos to focus on the product(s) — not adjacent activities, landscaping, and nature.

Crop out distracting background items, such as cars, furniture, street signs, and parking lot fixtures.

Employ photography angles that display color and texture rather than hide them due to foreshortening.

YES



NO



YES



NO



YES



NO



Color and Levels

Adjust the levels (e.g. color balance, exposure, contrast, etc.) to best display color and texture.

Avoid:

- sun in the background
- products in shadows
- photographing in dim and low light

YES



NO



NO



NO



YES



Process Photos

Outside of the case studies, process photos can be used in applications such as product descriptions and demonstrations.

Process photos should employ:

- proper distance
- lighting
- color-balancing
- cropping

YES

Placeholder for an image showing blocks being cast at the plant.

NO



YES



NO




Light Pole Bases and EV Blocks

As with the various block solutions, photos of LPB and EV block should show the finished project:

- free of construction
- properly lit
- color-balanced
- focused on the blocks

YES



NO



YES



NO



LPB and EV Process Photos

The light pole and EV base installation process photos are helpful in demonstrating the advantages of these products that might not be apparent in the finished project photos.

If possible, photographing from the same above-ground angle provides visual consistency of the project phases.



Lighting and Shadows

- avoid objects or people casting shadows

Cropping and Focus

- center on the focal point (i.e. the auger drill)
- tighten crop to remove or reduce background noise (i.e. foliage and construction equipment)



Lighting and Shadows

- use a light kit if shadows are unavoidable

Cropping and Focus

- center on the focal point (i.e. the light pole base and engineer)
- tighten crop to remove or reduce background noise (i.e. foliage and construction equipment)



Lighting and Shadows

- use a light kit if the shadows or dimness of the environment are unavoidable

Cropping and Focus

- center on the pole base
- zoom out a little to visually connect to the previous phase of the project



Cropping and Focus


- center on the pole base
- tighten crop to remove or reduce background noise (i.e. cars)

People: On-site

Our brand photography style for marketing and people is *candid* — unposed, not staged or curated. Capture events and emotions in the moment. Use photos to tell stories and reflect our culture so people can easily determine our values.

People shots should be:

- candid
- authentic and real
- well-lit
- cropped



People: Portraits

Genuine and realistic portraits help build trust and convey our core values.

Portraits of team members should be

- well lit

with consistent:

- lighting
- background
- cropping

