

POCKETBASE SCHEMA — WorkBee

workbee.space

Generated: 2026-05-23

=====

POCKETBASE SCHEMA - WorkBee (workbee.space)

Generated: 2026-05-23

=====

13 collections | 1 auth | 12 base

LEGEND

[PK] Primary key

[AI] Auto-generated

[IDX] Indexed

- Optional field

[REQ] Required field

[UNQ] Unique constraint

[SYS] System field (PocketBase-managed)

=====

COLLECTION: _superusers

TYPE: auth (system)

=====

PocketBase built-in superuser collection.

Managed via pb_migrations/1778270000_create_superuser.js

listRule + null (superusers only)

viewRule + null

createRule + null

updateRule + null

deleteRule + null

=====

COLLECTION: users

TYPE: auth

=====

Central user table. All user types (client / contractor / master / influencer) share this single collection.

listRule + userType != 'client' || id = @request.auth.id

viewRule + userType != 'client' || id = @request.auth.id

createRule + "" (open registration)

updateRule + id = @request.auth.id

deleteRule + id = @request.auth.id

Field	Type	Notes
id	[PK] [AI] text(15)	[a-z0-9]{15} [SYS]
email	email	[SYS]
emailVisibility	bool	[SYS]
verified	bool	[SYS]
tokenKey	password	[SYS] hidden
password	password	[SYS] hidden
name	- text	display name
avatar	- file	profile picture thumb: 100x100
userType	- select(1)	client master contractor influencer
phone	- text	
location	- text	human-readable address
latitude	- number	
longitude	- number	
- CONTRACTOR / MASTER fields -		
bio	- text	
profession	- text	
categories	- relation(+)	+ categories maxSelect: 10
rating	- number	0-5 auto-updated by hook
reviewCount	- number	0+ auto-updated by hook
hourlyRate	- number	0+
isPromoted	- bool	
workExamples	- file(multi)	portfolio images / files
- INFLUENCER fields -		
instagramHandle	- text	
youtubeChannel	- text	
tiktokHandle	- text	
instagramFollowers	- number	
youtubeFollowers	- number	
tiktokFollowers	- number	
contentNiche	- text	
influencerBio	- text	
generatedImagePrompt	- text	
- ADMIN / MODERATION fields -		
role	- select(1)	user admin
banned	- bool	
banReason	- text	
banDate	- date	
title	- text	e.g. CEO, CTO
- SUBSCRIPTION / STRIPE fields -		
plan	- text(20)	"standard" "vip"
planCycle	- text(10)	"monthly" "yearly"
planExpiresAt	- date	
primerSubscriptionId	- text(100)	legacy - not in active use
stripeCustomerId	- text(100)	Stripe customer ID (cus_...)
stripeSubscriptionId	- text(100)	Stripe subscription ID (sub_...)
stripeAccountId	- text(100)	Stripe Connect account (acct_...)
stripeOnboarded	- bool	Connect onboarding complete
balance	- number	platform payout balance (€)
- REFERRAL fields -		
referralCode	- text(12)	user's own referral code
referredByCode	- text(12)	code used at signup
referralFreeMonths	- number	free months earned
created	[AI]	autodate
updated	[AI]	autodate

Hooks (pb_hooks):

update_contractor_rating.pb.js - recalculates rating + reviewCount after review create

referrals.pb.js - generates referralCode on user create

```
ensure_usertype_values.pb.js - normalises userType on save
bid-expiry.pb.js            - cron: expires stale bids
sms-notifications.pb.js     - sends SMS on bid/ticket events
completion-notification.pb.js - emails on payment webhook
```

```
=====
COLLECTION: categories      TYPE: base
=====
Static lookup table for service categories (Plumbing, Electrician, etc.)

listRule  + "" (public read)
viewRule  + "" (public read)
createRule + null (admin only)
updateRule + null
deleteRule + null
```

Field	Type	Notes
id [PK] [AI]	text(15)	[a-z0-9]{15}
name [REQ]	text	
description -	text	
icon -	text	emoji or icon identifier
created [AI]	autodate	
updated [AI]	autodate	

```
=====
COLLECTION: auction_tickets TYPE: base
=====
Job requests posted by clients, open to contractor bids.

listRule  + @request.auth.id != '' (auth required)
viewRule  + @request.auth.id != ''
createRule + @request.auth.id != '' && @request.auth.userType = 'client'
updateRule + @request.auth.id != '' && clientId = @request.auth.id
deleteRule + @request.auth.id != '' && clientId = @request.auth.id
```

Field	Type	Notes
id [PK] [AI]	text(15)	[a-z0-9]{15}
clientId [REQ]	text	+ users.id (client owner)
categoryId [REQ]	text	+ categories.id
description -	text	
budget -	number	client's budget (€)
location -	text	human-readable address
latitude -	number	
longitude -	number	
durationEstimate -	text	e.g. "2 hours", "1 day"
status -	select(1)	Open In Progress Completed Cancelled
acceptedBidId -	text	+ bids.id (set when bid accepted)
created [AI]	autodate	
updated [AI]	autodate	

Note: files field exists in disabled migrations; not active in production.

```
=====
COLLECTION: bids            TYPE: base
=====
Contractor bids on auction_tickets.

listRule  + @request.auth.id != '' (auth required)
viewRule  + @request.auth.id != ''
createRule + @request.auth.id != '' && @request.auth.userType = 'contractor'
updateRule + @request.auth.id != '' && masterId = @request.auth.id
deleteRule + @request.auth.id != '' && masterId = @request.auth.id
```

Field	Type	Notes
id [PK] [AI]	text(15)	[a-z0-9]{15}
ticketId [REQ]	text	+ auction_tickets.id
masterId [REQ]	text	+ users.id (the bidding contractor)
proposedRate[REQ]	number	quoted price (€)
message -	text	bid message / pitch
status -	select(1)	pending accepted rejected
created [AI]	autodate	
updated [AI]	autodate	

Note: field name is "masterId" (historic), but stores contractor user IDs.

```
=====
COLLECTION: reviews        TYPE: base
=====
Client reviews of contractors after job completion.

listRule  + "" (public)
viewRule  + "" (public)
createRule + @request.auth.id != ''
updateRule + null (immutable after create)
deleteRule + null
```

Field	Type	Notes
id [PK] [AI]	text(15)	[a-z0-9]{15}
masterId [REQ]	text	+ users.id (contractor being reviewed)
clientId [REQ]	text	+ users.id (reviewer)
ticketId -	text	+ auction_tickets.id (optional link)
rating [REQ]	number	1-5
comment -	text	
createdAt [AI]	autodate	legacy duplicate of created
created [AI]	autodate	
updated [AI]	autodate	

Hook: update_contractor_rating.pb.js recalculates users.rating and users.reviewCount whenever a review is created.

```
=====
COLLECTION: favourites      TYPE: base
=====
Client bookmarks of contractor profiles.

listRule  + userId = @request.auth.id
```

```
viewRule  → userId = @request.auth.id
createRule → @request.auth.id != ''
updateRule → null
deleteRule → userId = @request.auth.id
```

Field	Type	Notes
id [PK] [AI]	text(15)	[a-z0-9]{15}
userId [REQ]	text	→ users.id (the client)
contractorId [REQ]	text	→ users.id (the bookmarked contractor)
created [AI]	autodate	

Indexes:
UNIQUE (userId, contractorId)

=====

COLLECTION: messages TYPE: base

=====

Real-time in-app chat between client and contractor on a ticket.

```
listRule  → @request.auth.id != ''
viewRule  → @request.auth.id != ''
createRule → @request.auth.id != '' && @request.data.senderId = @request.auth.id
updateRule → null (immutable)
deleteRule → null
```

Field	Type	Notes
id [PK] [AI]	text(15)	[a-z0-9]{15}
ticketId [REQ]	text	→ auction_tickets.id [IDX]
senderId [REQ]	text	→ users.id
senderName -	text	denormalised display name
text [REQ]	text	message body
created [AI]	autodate	
updated [AI]	autodate	

Indexes:
CREATE INDEX idx_messages_ticket ON messages (ticketId)

=====

COLLECTION: payments TYPE: base

=====

Stripe payment records written by the API server on webhook receipt.

```
listRule  → @request.auth.id = userId
viewRule  → @request.auth.id = userId
createRule → "" (server-side write)
updateRule → "" (server-side write)
deleteRule → ""
```

Field	Type	Notes
id [PK] [AI]	text(15)	[a-z0-9]{15}
ticketId [REQ]	text(15)	→ auction_tickets.id
userId [REQ]	text(15)	→ users.id (the paying client)
amount [REQ]	number	amount paid (€)
paymentMethod -	text(50)	e.g. "card"
paymentOption -	text(50)	e.g. "stripe"
status -	text(50)	e.g. "paid"
transactionId [REQ]	text(200)	Stripe session / payment intent ID
created [AI]	autodate	
updated [AI]	autodate	

=====

COLLECTION: push_subscriptions TYPE: base

=====

Web Push (VAPID) subscription tokens, one per browser session per user.

```
listRule  → @request.auth.id != ''
viewRule  → @request.auth.id != ''
createRule → @request.auth.id != ''
updateRule → @request.auth.id != ''
deleteRule → @request.auth.id != ''
```

Field	Type	Notes
id [PK] [AI]	text(15)	[a-z0-9]{15}
userId [REQ]	text	→ users.id
endpoint [REQ]	text	push service URL
p256dh [REQ]	text	client public key (base64url)
auth [REQ]	text	auth secret (base64url)
created [AI]	autodate	
updated [AI]	autodate	

=====

COLLECTION: contacts TYPE: base

=====

Contact form submissions from the public /contact page.

```
listRule  → null (admin only)
viewRule  → null
createRule → "" (anyone, including unauthenticated)
updateRule → null
deleteRule → null
```

Field	Type	Notes
id [PK] [AI]	text(15)	[a-z0-9]{15}
name [REQ]	text	
email [REQ]	email	
subject [REQ]	text	
category -	text	
message [REQ]	text	
created [AI]	autodate	
updated [AI]	autodate	

=====

COLLECTION: client_locations TYPE: base

=====

Last-known location for clients (used for job proximity matching).

```
listRule  + clientId = @request.auth.id
viewRule  + clientId = @request.auth.id
createRule + @request.auth.id != ''
updateRule + clientId = @request.auth.id
deleteRule + clientId = @request.auth.id
```

Field	Type	Notes
id [PK][AI]	text(15)	[a-z0-9]{15} → users.id set on create & update
clientId [REQ]	text	
latitude -	number	
longitude -	number	
address -	text	
lastUpdated[AI]	autodate	
created [AI]	autodate	
updated [AI]	autodate	

=====

COLLECTION: referrals TYPE: base

=====

Tracks who referred whom. One row per successful referral sign-up.


```
listRule  + null (server-side read via admin SDK)
viewRule  + null
createRule + null
updateRule + null
deleteRule + null
```

Field	Type	Notes
id [PK][AI]	text(15)	[a-z0-9]{15} → users.id (who shared the code) → users.id (new user who used the code) set when free month credited
referrerId[REQ]	text	
referredId[REQ]	text	
rewardedAt -	date	
created [AI]	autodate	
updated [AI]	autodate	

=====

ENTITY RELATIONSHIPS

=====



=====

PB_HOOKS SUMMARY

=====

bid-expiry.pb.js	Cron - marks bids older than N days as "rejected" if still "pending".
bid-notification.pb.js	On bid create → notify ticket owner (push + email via builder-mailer).
builder-mailer.pb.js	Shared email-sending helper used by other hooks. Sends via PocketBase SMTP.
completion-notification.pb.js	On Stripe payment webhook → marks ticket "Completed", credits contractor balance, sends notification email (up to 3× risk - BUG-12, not yet fixed).
cors.pb.js	Global CORS middleware for pb_hooks routes.
custom-migrations-cmd.pb.js	Adds 'pb migrations up' CLI helper.
ensure_usertype_values.pb.js	Before save on users → normalises userType to valid enum value.
external-dashboard.pb.js	Admin-only route for external ops tooling.
payment-balance.pb.js	On payment create → credits contractor platform balance (users.balance).
referrals.pb.js	On user create → generates referralCode; processes referredByCode if present.
sms-notifications.pb.js	On bid / ticket events → sends SMS via external SMS gateway.
update_contractor_rating.pb.js	On review create → recalculates users.rating and users.reviewCount for the reviewed contractor.

=====

MIGRATIONS ORDER (active - pb_migrations/)

```
=====
1743800000 configureSMTP
1743838000 create_favourites
1743840000 migrate_contractors_to_users    ↳ major schema consolidation
1743841000 update_userType_values
1773525739 created_categories
1773525740 created_reviews
1773525745 add_userType_to_users
1773525746 add_phone_to_users
1773525748 add_location_to_users
1773525764 seed_categories_6_records
1773550991 seed_categories_3_records
1773556376 created_auction_tickets
1773556377 created_bids
1773557993 created_client_locations
1773562255 rename_masterId_to_contractorId_in_reviews (reviews only - bids
                                                    field still masterId)

1773570998 add_role_to_users
1773570999 add_banned_to_users
1773571001 add_ban_reason_to_users
1773571003 add_ban_date_to_users
1773700001 add_workExamples_to_users
1773700005 public_reviews_list_rule
1773900000 create_push_subscriptions
1773910001 add_title_to_users
1773910002 seed_team_titles
1773920001 add_plan_to_users
1773920002 add_stripe_subscription_fields
1773930001 fix_bids_create_rule          ↳ changed to userType=contractor
1773940001 create_contacts_collection
1778270000 create_superuser
1778310000 add_referral_fields + create_referrals
1778400000 upsert_admin_superuser
1778500000 seed_sample_data
1779444000 fix_userType_select_values
1779500000 ensure_userType_values
1779501000 ensure_userType_values_v2
1779600000 add_stripe_connect_fields    ↳ stripeAccountId, balance
1779700000 create_payments_collection
1779800000 fix_users_list_rule          ↳ contractor search made public
1779900000 fix_client_locations_rules
1780000000 force_userType_values
1780100000 add_stripe_customer_id
1780200000 create_messages              ↳ real-time chat
=====
```

END OF SCHEMA