**Solar ESS Co., Ltd.**
53 Moo 2, Nang Lae, Mueang, Chiang Rai 57100, Thailand
Tel. 063 151 6694, 089 632 5829 · LINE: solaress1
www.solaress.org · www.โซลาร์เอสส์.com

HYBRID INVERTER · 10 KW · 3-PHASE

# Which 10 kW hybrid inverter?

Solar ESS product comparison · October 2026 · Solis, GoodWe, Deye, SRNE, Huawei




**OUR PICK**

### Solis S6-EH3P10K02-NV-YD-L

Best-value 48 V three-phase hybrid: 220 A battery current, IP66, 2× surge for 10 s, unbalanced output, generator port and dual backup ports.

**RUNNER-UP**

### GoodWe GW10K-ET-L-G10

When PV oversizing (20 kW on 3 MPPTs) or a documented 10-year warranty matters more than price.

## Specs at a glance

**Max PV input** (more panels per inverter)

| | |
|---|---|
| Solis S6 | 16 kW |
| **GoodWe ET-L** | **20 kW** |
| Deye SG05LP3 | 16 kW |
| SRNE SH3 | 15 kW |
| Huawei MAP0 | 18 kW |

**Max efficiency** (scale from 97 %)

| | |
|---|---|
| Solis S6 | 97.6 % |
| GoodWe ET-L | 97.8 % |
| Deye SG05LP3 | 97.6 % |
| SRNE SH3 | 97.5 % |
| **Huawei MAP0** | **98.6 %** |

**Battery charge / discharge current** (48 V)

| | |
|---|---|
| **Solis S6** | **220 A** |
| **GoodWe ET-L** | **220 A** |
| Deye SG05LP3 | 210 A |
| **SRNE SH3** | **220 A** |
| Huawei MAP0 | n/a |

**Warranty in Thailand**

| | |
|---|---|
| Solis S6 | n/a |
| **GoodWe ET-L** | **10 yr** |
| **Deye SG05LP3** | **10 yr** |
| SRNE SH3 | 5 yr |
| **Huawei MAP0** | **10 yr** |

Huawei MAP0 takes only high-voltage batteries (600–980 V), so it has no 48 V current figure. Solis warranty length: confirm with the Thai distributor.

## Full comparison

| | Solis S6-EH3P10K02-NV-YD-L | GoodWe GW10K-ET-L-G10 | Deye SUN-10K-SG05LP3 | SRNE HESP48100SH3 | Huawei SUN2000-10K-MAP0 |
|---|---|---|---|---|---|
| Battery | **48 V, 220 A** | **48 V, 220 A** | 48 V, 210 A | **48 V, 220 A** | 600–980 V, LUNA only |
| MPPTs / current | **2 / 20 + 40 A** | 3 / 20 A each | 2 / 26 + 26 A | 2 / 22 + 22 A | 2 / 16 A |
| MPPT range / max DC | 200–850 V / 1000 V | **150–850 V / 1000 V** | 200–650 V / 800 V | 200–650 V / 800 V | 160–1000 V / 1100 V |
| Backup / surge | 10 kW / 2× 10 s | **11 kVA / 20 kVA 10 s** | 10 kW / 2× 10 s | 10 kW / 20 kVA | 10 kW, needs SmartGuard |
| IP rating | **IP66** | **IP66** | IP65 | IP65 | **IP66** |
| Generator input | 10 kW | **20 kVA** | Shared port | Yes | No |
| Unbalanced output | **Grid and backup** | Yes | Yes | Yes | Yes |
| Monitoring | SolisCloud | SEMS | DeyeCloud / SolarMan | Optional Wi-Fi | FusionSolar |

## Best in each area

VALUE · 48 V
**Solis S6**
Lowest cost for the features

PV OVERSIZING
**GoodWe**
20 kW on 3 MPPTs

BACKUP POWER
**GoodWe**
11 kVA continuous, 20 kVA generator

EFFICIENCY
**Huawei 98.6 %**
HV batteries only; GoodWe 97.8 % at 48 V

WARRANTY
**GoodWe**
10 years documented

PARALLEL & BATTERIES
**Deye**
Up to 10 units, widest battery list

## Why Solis S6 stands out

| Feature | What it means for you | S6-EH3P10K02-NV-YD-L |
|---|---|---|
| High surge in backup | Starts pumps, air-cons and motors without tripping | **2× rated power for 10 s** |
| High DC/AC ratio | More panels per inverter | **Up to 16 kW PV (160 %)** |
| Generator port | Generator wired straight in, auto start/stop | **10 kW input** |
| Dual backup outputs | Critical and non-critical loads separated | **Yes** |
| High-current inputs | Suits 600 W+ panels and big batteries | **20/40 A MPPT; 220 A battery** |
| Unbalanced output | Uneven loads across three phases | **Grid and backup ports** |

Specifications are from the manufacturers' published datasheets; star ratings are Solar ESS's own assessment. Check the current datasheet before ordering. For prices and a design for your site, book a consultation at www.solaress.org or LINE: solaress1.

Sources: Solis datasheet · GoodWe ET-LV · SRNE · Huawei MAP0

SOLAR ESS
www.solaress.org