

Where this has been built before

Assembled for the New Sanganer Road review, 27 August 2026. Every claim carries the source it came from and the date it was read. A claim marked **reported** was seen only in a search engine's summary of a page rather than on a page we opened, and may merge several sources; it is not treated as fact. Nothing here is written from memory.

20

SOURCED CLAIMS

15/20

READ ON THE PAGE
ITSELF

12

PLACES CITED

200 ft

STATED WIDTH OF
THIS ROAD

1

CORRIDOR STOPPED
MID-BUILD

What this review changes

Three things, before the detail.

- **JDA's own announcement describes this road as 200 feet wide** — 61 m of right of way. Our transects measure 31 to 39 m of running carriageway, so 22 to 30 m is unaccounted for and service roads are the obvious candidate. That is the open question on our sheet, and it is the single number that decides whether this corridor is over capacity today.
- **A signal-free corridor in Bengaluru was stopped after construction began.** An expert committee called it faulty and ordered the site restored. The reasons were consultation and land use, not traffic engineering. The first risk to this scheme is a process risk, not a modelling one.
- **The published benefit of median U-turns is real and conditional.** Roughly 10% more capacity and 18 to 40% less delay — measured where the bay can serve its demand. Gap capacity binds at all twelve bays here, so this corridor sits outside the regime that benefit was measured in.

This scheme, in the public record

	WHERE	WHAT HAPPENED	WHAT IT MEANS HERE
[1]	Jaipur Scope	JDA is making two arterials signal-free with 17 U-turns: 10 on Sikar Road and seven on New Sanganer Road.	Confirms the seven bays our scheme test assesses, from JDA's own announcement rather than from the survey.
[1]	Jaipur Junctions	The six junctions named for redevelopment are Bhrigu Path, Rajat Path, VT Road, Patel Marg, Vijay Path and B-2 Bypass.	Exactly the six this survey counted, in the same order along the corridor. Independent confirmation that the workbooks and the scheme are the same six junctions.
[2]	Jaipur Carriageway	New Sanganer Road is described as 200 feet wide.	THE MOST USEFUL NUMBER WE HAVE FOUND. 200 ft is 61 m of right of way. Our transects measure 15.6 to 19.6 m of carriageway per direction, so 31 to 39 m of running lanes. The remaining 22 to 30 m has to be median, footpath, verge and - almost certainly - service roads. That is the reading our own width caveat has been asking for, and it points to the wide transects being main carriageway plus service road.
[3]	Jaipur Pedestrians	The scheme includes painted crossings on all four approaches of each junction and a stop line five metres behind the junction.	Crossings are painted, not signalised. With the signals removed there is no protected phase behind that paint, which is the gap our safety section reports and the survey's empty PEDESTRIAN row cannot quantify.

	WHERE	WHAT HAPPENED	WHAT IT MEANS HERE
[4]	Jaipur Programme reported	Reported as a Rs 50 crore programme removing 21 signals across Mahal Road, Sikar Road and Sanganer Road by December 2026.	NOT VERIFIED. The Construction World page we opened states that cost is not specified. The figure and the December 2026 date come from aggregated coverage, so treat them as reported. Worth confirming with JDA - a deadline changes what a review can usefully recommend.

Precedent in India

	WHERE	WHAT HAPPENED	WHAT IT MEANS HERE
[5]	Hyderabad Closest precedent	Hyderabad traffic police replaced several signalised intersections with Median U-Turn Intersections. A published case study analyses one of them and states plainly that the potential of MUTIs in lane-free heterogeneous traffic is unexplored and that proper implementation guidelines are lacking.	This is the nearest Indian equivalent to what JDA is building, and the authors' own framing matches our finding: there is no Indian design standard for this manoeuvre. Our reviewer question on critical gap is the same gap these researchers name.
[6]	Kerala (Trivandrum) Capacity effect	U-turning vehicles were counted at three signalised intersections to measure the capacity reduction U-turns impose on the stream they join.	Indian field evidence that a U-turn is not free to the through movement - the second-order effect our scheme test reports as forced movements.
[7]	India, seven median openings Critical gap	Critical gap at median openings was estimated from field data at seven Indian sites; the authors record frequent rule violation and aggressive minor-stream behaviour as characteristic of the traffic.	Directly supports the way our gap analysis handles forced movements: classical gap acceptance assumes a driver waits, and Indian drivers do not. It also supports composition-weighting the gap.
[8]	Chennai Where it worked reported	Additional U-turns on Airport Road are reported to save commuters 15 to 17 minutes, alongside free-left corridors.	Reported, not verified, and reported without the demand figures that would make it comparable. Useful only as evidence that the treatment can work where demand is within a bay's capacity.
[9]	Ahmedabad Where it worked	A stretch of SG Highway between ISKCON and KD Hospital is being made signal-free, with six further median cuts proposed for closure.	Same instrument, and note the direction of travel: CLOSING median cuts. Our finding that this corridor has almost no genuine mid-block opening means Jaipur is starting from the opposite end - bays have to be built, not rationalised.
[10]	Bengaluru Where it was stopped	An expert committee headed by the Additional Chief Secretary called the Sirsi Circle to Agara Junction signal-free corridor faulty, ordered work stopped and the site restored. The stated reasons were that it drove heavy traffic through a residential area and that no public consultation had been held. The BDA later confined itself to junction improvement.	The most important precedent on this list. A signal-free corridor was stopped after construction had begun, on process and land-use grounds rather than on traffic engineering. Consultation and route choice killed it, not capacity.
[11]	Bengaluru Where it was stopped	Residents of Koramangala protested the same corridor and the High Court directed the government to consider all stakeholders, after which a sub-committee recommended scrapping it.	Shows the escalation path: protest, court, committee, cancellation. Worth knowing before, not after.

The recurring failure modes

	WHERE	WHAT HAPPENED	WHAT IT MEANS HERE
[12]	India, general Pedestrians	Signal-free schemes are criticised for ignoring pedestrian requirements: with signalised junctions removed, at-grade zebra crossings go with them, and the design assumes everyone including the elderly and disabled will use a skywalk or walk up to 500 m around a flyover or underpass.	This is the single most repeated criticism of the treatment, and it is the thing this survey cannot answer at all: IRC:SP:41 Table 3.1 carries a PEDESTRIAN row and all twelve workbooks left it empty.
[13]	Peer-reviewed Pedestrians reported	A study of signal-free corridor development and its impact on pedestrians, using expert and public surveys, is published in Sustainability 15(19):14480.	Cited from the search index; the publisher returned 403 to our fetch, so we have not read the findings and do not summarise them.
[14]	Bengaluru Two-wheelers	U-turns built at intervals force motorcyclists to ride in the high-speed lane, which is reported as causing fatal accidents.	Two-wheelers are 48 to 53% of this corridor's stream. A design that sends them to the offside lane to reach a median bay is being applied to the half of the traffic least equipped for it.
[14]	Bengaluru Compliance	Despite prohibitory signs and enforcement cameras, drivers continue to make banned U-turns, holding up traffic in both directions.	Supports our forced-movement finding directly: when the bay cannot serve the demand, the demand does not disappear, it is taken anyway.
[15]	Delhi Design guidance reported	UTTIPEC's street design guidelines specify that medians should be continuous, with all openings and intersections accompanied by signals and traffic calming.	If read correctly, Delhi's own urban design guidance expects a median opening to be SIGNALISED. That is the opposite of an unsignalised U-turn bay and is worth putting to JDA. Cited from a secondary host; confirm against the UTIPEC document itself before relying on it.

What the international evidence says

	WHERE	WHAT HAPPENED	WHAT IT MEANS HERE
[16]	International Where MUT works	Median U-turn treatment is reported to raise capacity by roughly 10% and cut vehicle delay by 18 to 40% and stops by 23 to 37%, with the travel-time benefit concentrated at HIGH volumes and HIGH turning proportions.	The treatment is real and it works - in the right conditions. Those conditions assume the bay can serve its demand. On this corridor gap capacity binds at all twelve bays, so the corridor sits outside the regime the benefit was measured in.
[17]	Texas DOT Design authority	TxDOT publishes a Median U-Turn chapter in its Roadway Design Manual, as does INDOT, so the geometry is a standard treatment with published design rules abroad.	Useful as a design source given no Indian equivalent exists. It also makes the gap visible: the manoeuvre JDA is building has a design manual in Texas and none in India.
[18]	International Safety reported	A systematic literature review of U-turn safety risks exists and is public.	Identified but not read - the PDF did not extract. Named here so it can be picked up rather than quietly dropped.

Sources

18 sources. Those marked reported were not opened; the claim resting on them is flagged in the tables above and should not be quoted as fact.

	SOURCE	URL	READ
[1]	Patrika, 23 March 2026	https://www.patrika.com/en/jaipur-news/jaipur-signal-free-road-project-plan-to-make-2-busy-roads-signal-free-17-u-turns-to-be-built-20445146	2026-08-27
[2]	Patrika, 23 March 2026 and Construction World	https://www.constructionworld.in/transport-infrastructure/highways-and-roads-in-frastructure/jaipur-plan-to-make-two-roads-signal-free-and-17-u-turns/88933	2026-08-27
[3]	Construction World	https://www.constructionworld.in/transport-infrastructure/highways-and-roads-in-frastructure/jaipur-plan-to-make-two-roads-signal-free-and-17-u-turns/88933	2026-08-27

	SOURCE	URL	READ
[4]	Secondary aggregation of Jaipur coverage (reported)	https://www.constructionworld.in/transport-infrastructure/highways-and-roads-in-frastructure/jaipur-plan-to-make-two-roads-signal-free-and-17-u-turns/88933	2026-08-27
[5]	Traffic Impact Analysis of Unconventional Median U-Turn Intersection: Case Study of an Intersection in Hyderabad (Springer)	https://link.springer.com/chapter/10.1007/978-981-96-1037-2_15	2026-08-27
[6]	Effect of U-Turns on Capacity Reduction at Signalized Intersection	https://www.researchgate.net/publication/361136170_Effect_Of_U_Turns_On_Capacity_Reduction_At_Signalized_Intersection	2026-08-27
[7]	Estimation of U-Turn Capacity at Median Openings, ASCE Journal of Transportation Engineering Part A 144(9)	https://ascelibrary.org/doi/abs/10.1061/JTEPBS.0000174	2026-08-27
[8]	Aggregated Indian city coverage (reported)	https://tellmystory.in/a-signal-free-traffic-system-that-could-end-urban-congestion-for-good/	2026-08-27
[9]	DeshGujarat, 15 June 2026	https://deshgujarat.com/2026/06/15/ahmedabad-plans-to-shut-six-sg-highway-cuts-iskcon-kd-hospital-stretch-to-go-signal-free/	2026-08-27
[10]	Deccan Herald	https://www.deccanherald.com/india/karnataka/bengaluru/panel-dumps-signal-free-corridor-2365422	2026-08-27
[11]	Citizen Matters	https://citizenmatters.in/3432-citizens-stop-agara-st-johns-signal-free-corridor/	2026-08-27
[12]	Deccan Herald, Bengaluru	https://www.deccanherald.com/amp/story/india%2Fkarnataka%2Fbengaluru%2Fpedestrians-red-signalled-685670.html	2026-08-27
[13]	Sustainability, MDPI (reported)	https://doi.org/10.3390/su151914480	2026-08-27
[14]	Deccan Herald, unchecked U-turns at city junctions	https://www.deccanherald.com/amp/story/india%2Fkarnataka%2Fbengaluru%2Funchecked-u-turns-at-city-junctions-pose-key-challenges-to-b-luru-traffic-2977230	2026-08-27
[15]	UTTIPEC Street Design Guidelines (DDA), revised November 2010 (reported)	https://www.slideshare.net/slideshow/uttipec-street-design-guidelines/15749124	2026-08-27
[16]	Operational performance analysis of the unconventional median U-turn intersection design, Can. J. Civ. Eng.	https://cdnsiencepub.com/doi/10.1139/I11-085	2026-08-27
[17]	TxDOT Roadway Design Manual 14.8	https://www.txdot.gov/manuals/des/rdw/chapter-14--alternative-intersections-and-intercha/14-8-median-u-turn-intersection--mut-.html	2026-08-27
[18]	From Maneuver to Mishap: A Systematic Literature Review on U-Turn Safety Risks, arXiv 2502.12556 (reported)	https://arxiv.org/pdf/2502.12556	2026-08-27

Compiled by web search and direct reading of the sources listed. No claim here is drawn from the survey data; this document exists to sit beside the audit, not to support it. Where a source could not be opened, the claim is marked and left unsummarised rather than paraphrased from a search result.