TRIBHUVAN UNIVERSITY INSTITUTE OF ENGINEERING


Examination Control Division 2075 Ashwin

Exam.	*\$15.40.5	Back	100
Level	BE	Full Marks	80
Programme	· BCE, BME, BGE	Pass Marks	32
Year / Part	1/1	Time	3 hrs.

[6]

Subject: - Fundamentals of Thermodynamics and Heat Transfer (ME402)

- Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Necessary tables are attached herewith.



- 8. A piston-cylinder device contains 0.05 m³ of a gas initially at 200 kPa. At this state, a linear spring that has a spring constant of 150 kN/m is touching the piston but exerting no force on it. Now heat is transferred to the gas, causing the piston to rise and to compress the spring until the volume inside the cylinder doubles. If the cross-sectional area of the piston is 0.25 m², determine:
 - The final pressure inside the cylinder
 - ii) The total work done by the gas
- 9. A piston cylinder device shown in figure below contain 2 kg of H₂O with an initial temperature and volume of 80°C and 0.05 m³ respectively. It requires a pressure of 400 kPa to lift the piston from the stops. The system is heated until its temperature reaches 250°C. Sketch the process on P-v and T-v diagrams and determine the total work transfer. [8]



10. Air flows at a rate of 1.2 kg/s through a compressor, entering at 100 kPa, 25°C, with a velocity of 60 m/s and leaving at 500 kPa, 150°C, with a velocity of 120 m/s. Heat lost by the compressor to the surrounding is estimated to be 20 kJ/kg. Calculate the power required to drive the compressor and diameters to inlet and exhaust pipes.
[Take R = 287 J/kgK and c_p = 1005 J/kgK]

[8]

11. Five kg of water at 30°C is mixed with 1 Kg of ice at 0°C. Assuming the process of mixing is adiabatic, find the change in entropy. Latent heat of ice = 336kJ/kg, C_p for water = 4.2kJ/kgK.

[8]

12. In a Rankine cycle stream leaves the boiler and enters the turbine at 4Mpa, 400°C. The condenser pressure is 10 kPa. Determine the cycle efficiency.

[8]

13. A steel pipe having an outer diagram of 4 cm is maintained at a temperature of 80°C in a room where the ambient temperature is 25°C. The emissivity of the surface is 0.8 and the convection heat transfer coefficient between the surface and air is 10 W/m²K. Determine the total heat loss from the unit length of the pipe. [Take $\sigma = 5.67 \times 10^{-8} \text{ w/m}^2 \text{k}^4$]

[6]
