

Exam.	Regular		
Level	BE	Full Marks	80
Programme	BEL, BEX	Pass Marks	32
Year / Part	III / II	Time	3 hrs.

Subject: - Signal Analysis (EX651)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.



1. Show that any signal can be decomposed into an odd and even component. Is the decomposition unique? Illustrate your argument using the signal.

$$x[n] = \{2, 3, 4, 5, 6\} \quad [3+5]$$

2. a) Derive the Trigonometric Fourier series expansion of a continuous-time periodic signal $x(t)$. [5]

- b) State and prove the Time-Shifting property for discrete-time Fourier series pair. [4]

3. a) State and prove convolution property of discrete time periodic signals. [2+3]

- b) What is Parseval's relation? Prove Parseval's relation for continuous-time periodic signal. [2+3]

4. a) Find the Fourier Transform of the signal $x(t) = e^{-at}|t|$; $a > 0$ and also plot the frequency spectrum. [5]

- b) Obtain the Fourier transform of the continuous-time signal. [6]

5. a) What is convolution? Obtain the expression for convolution sum. [6]

- b) Find and plot the convolution between [8]

$$x[n] = \begin{cases} |n|; & -2 \leq n \leq 2 \\ 0; & \text{otherwise} \end{cases} \quad \text{and} \quad y[n] = \begin{cases} 2n; & 2 \leq n \leq 5 \\ 0; & \text{otherwise} \end{cases}$$

6. a) What do you mean by aliasing? Compute Nyquist rate for [2+4]

$$x(t) = 5\cos(1500\pi t) - 2\sin(2000\pi t) + 3\sin(1850\pi t).$$

- b) Evaluate the Step response of RC filter. [5]

7. a) What is the condition for LTI system to be causal? [5]

- b) Determine if the following system is Linear [3]

$$y[n] = ax[n] + b$$

- c) Check if the system is time invariant [3]

$$y[n] = nx[n] - x[n-1]$$

8. a) Define energy and power signal. [2]

- b) Determine the energy of the signal [4]

$$X(t) = 5\cos\pi t + \sin 5\pi t, -\alpha < t < \alpha$$

TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2077 Chaitra

Exam.	Regular		
Level	BE	Full Marks	80
Programme	BEL, BEX	Pass Marks	32
Year / Part	III / II	Time	3 hrs.

Subject: - Signal Analysis (EX 651)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Define energy signal and power signal. Determine whether the signal $x(t) = e^{-5t}u(t+2)$ is energy signal or power signal or neither energy nor power signal. [3+4]

b) $x(t)$ and $y(t)$ are continuous time signals defined as:

$$x(t) = \sin 6\pi t \text{ and } y(t) = \cos 8t$$

Determine whether:

- (i) $x(t)$ is periodic.
- (ii) $y(t)$ is periodic.
- (iii) $x(t) + y(t)$ is periodic

If periodic, find the fundamental time period of $x(t)$, $y(t)$ and $x(t)+y(t)$. [3]

2. a) A continuous time Fourier Series is evaluated over infinite duration while a discrete time Fourier series is evaluated over one time period only. Why? [2]

b) Obtain fourier series coefficients of the signal:

$$x[n] = 1 + 3 \cos\left(\frac{2\pi n}{N} + \frac{\pi}{3}\right)$$

Where,

N is the fundamental time period of $x[n]$.

Also, Plot magnitude and phase spectrum of the coefficients. [2+2+2]

c) Derive exponential form of Fourier series for discrete time signal. [4]

3. a) Derive the Fourier Transform equation for discrete time aperiodic signals. Also prove that the DTFT is periodic with period 2π . [4+2]

b) Given discrete time signal is :

$$x[n] = a^n U[n], |a| < 1$$

Given that Fourier transform of $x[n]$ is continuous in nature, plot magnitude and phase response of the transformed signal. [4]

4. a) State and prove duality property of continuous time Fourier Transform. [5]

b) State and explain Energy density spectrum. [5]

5. a) Derive the convolution integral. [4]

b) Find the convolution between the following sequences.

$$h[n] = \{2, 0, -1, 2\}$$

$$x[n] = \{1, 2, -1, 3\}$$

Choose origin as per your choice. [6]

6. a) What do you mean by causal and non causal systems? Derive the condition for a continuous time LTI system to be causal. [2+3]
- b) Prove, with necessary derivations, that an ideal low pass filter is not physically realizable. Also derive the expression for step response of ideal low pass filter. [3+3]
7. a) Define Nyquist sampling theorem. Explain using frequency domain analysis of impulse train sampling. [6]
- b) Find the frequency response and impulse response for a system characterized by linear constant coefficient difference equation $y[n] = 0.5y[n-1] + x[n]$. [4+2]
8. Consider a continuous time system with input $x(t)$ and output $y(t)$ related by $y(t) = x(t-2) + x(2-t)$. Is the system Linear Time invariant? Explain. [5]

TRIBHUVAN UNIVERSITY
 INSTITUTE OF ENGINEERING
Examination Control Division
 2076 Baisakh

Exam.	Back		
Level	BE	Full Marks	80
Programme	BEL, BEX	Pass Marks	32
Year / Part	III / II	Time	3 hrs.

Subject: - Signal Analysis (EX 651)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Define even and odd signal in both continuous time and discrete time with examples. [4]
 b) Explain time shifting, time scaling and time inversion of a continuous time signal with example. [3]
2. a) Derive necessary condition for a discrete time signal to be periodic. Find the energy and power of the discrete time signal $x[n] = e^{jw_0 n} u[n]$, where $u[n]$ is unit step function. [3+4]
 b) Explain the behaviour of discrete time complex exponential $x[n] = c\alpha^n$ where c and α are real. [4]
3. a) What is Parseval's relation? Prove Parseval's relation for continuous-time periodic signal. [2+4]
 b) State and prove time scaling properties of exponential fourier series. [4]
4. a) Derive Fourier series synthesis and analysis equation for discrete time periodic signal. [6]
 b) Explain with necessary derivation that the discrete time Fourier Transform is periodic in frequency with period 2π . [4]
5. a) State and prove frequency derivative property of fourier transform. Use same property to find fourier transform of $x(t) = t^* \exp(-a^*t)u(t)$, $a > 0$ [3+4]
 b) Find Discrete time Fourier transform of the discrete time signal $x[n] = u[n-2] - u[n-6]$. [5]
6. a) What is aliasing in sampling? Determine the Nyquist rate for the continuous time signal $x(t) = 1 + \cos(2,000\pi t) + \sin(4,000\pi t)$ [2+4]
 b) Derive formula to calculate the impulse response of Ideal low pass filter in discrete time. [5]
7. a) Derive convolution sum. [4]
 b) Find the convolution sum of $x[n] = \{1, 3, 4, 3, 1\}$ and $h[n] = \{2, 2, -2\}$ [6]
8. Write short notes: [3x3]
 - a) Frequency shifting DT FT
 - b) LTI system
 - c) Bode plot

TRIBHUVAN UNIVERSITY
 INSTITUTE OF ENGINEERING
Examination Control Division
 2076 Bhadra

Exam.	Regular		
Level	BE	Full Marks	80
Programme	BEL, BEX	Pass Marks	32
Year / Part	III / II	Time	3 hrs.

Subject: - Signal Analysis (EX 651)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate **Full Marks**.
- ✓ Assume suitable data if necessary.

1. Derive necessary condition for a discrete time signal $x[n] = e^{j\omega_0 n}$ to be periodic.


Determine whether the discrete time signal $x[n] = 3e^{j3\pi(n+\frac{1}{2})/5}$ is periodic or not. [4+4]

2. Derive the expression to compute Fourier series coefficients of exponential Fourier series. Explain Gibbs phenomenon. [8]

3. a) State and prove Parseval's relation for Discrete-Time Fourier Series (DTFS). [5]
 b) A periodic square wave as shown in figure below is defined over one period as: [5]

$$x(t) = \begin{cases} A, & |t| < T_1 \\ 0, & T_1 < |t| < T/2 \end{cases}$$

Determine the Fourier series coefficients for $x(t)$.



4. a) State and prove the convolution property of continuous-time Fourier Transform. [5]
 b) Find the Fourier Transform of the signal $x(t) = e^{-at} u(t)$, where a is real constant. Also, draw its amplitude and phase spectra. [6+2]
5. What is aliasing? Determine Nyquist rate for the continuous time signal $x(t) = 1 + \cos(2,000\pi t) + \sin(4,000\pi t)$ [2+4]
6. Derive formula to calculate convolution integral for continuous time LTI system. Find convolution between following continuous time signals $x(t) = e^{-t} u(t)$ and $y(t) = e^{-2t} u(t-3)$ [5+6]

7. a) The impulse response of a LTI system is

$$h[n] = \{1, 2, 1, -1\}$$



Determine the response of the system to the input signal

$$x[n] = \{1, 2, 3, 1\}$$

[6]



- b) Check whether the discrete-time system described by the following input-output relation is linear or non-linear. [4]

$$y[n] = 2 \times x[n] + 5$$

8. Define invertibility of LTI system with suitable example if impulse response $h[n] = U[n]$ and inverse system $h'[n] = \delta[n] - \delta[n-1]$. Prove that their convolution must be $\delta[n]$. [3+4]
9. Find the frequency response $H(e^{j\omega})$ and impulse response $h[n]$ for a system characterized by linear constant coefficient difference equation $y[n] = 0.3y[n-1] + x[n]$. [7]

13 TRIBHUVAN UNIVERSITY
 INSTITUTE OF ENGINEERING
Examination Control Division
 2075 Bhadra

Exam.		Regular	
Level	BE	Full Marks	80
Programme	BEL, BEX	Pass Marks	32
Year / Part	III / II	Time	3 hrs.

Subject: - Signal Analysis (EX651)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Define 'continuous' and discrete time signals giving suitable examples. [3]
- b) Show that any signal can be decomposed into an odd and even component. [4]
2. a) Derive necessary condition for a discrete time signal to be periodic. Determine whether the following signals are energy or power signal $f(t) = 5 \cos \pi t + \sin 5 \pi t$ [3+3]
- b) Explain the behaviour of continuous time complex exponential signal $x(t) = c e^{at}$. [3]
3. State Parseval's relation for discrete time Fourier series. Find the average power of discrete time periodic signal $X[n] = \sin\left(\frac{\pi n}{3}\right)$ using Fourier series coefficient. [2+5]
4. a) Obtain the expression for analysis equation for DTFS. [6+4]
- b) Show that fourier series coefficient of discrete time signal is periodic in nature. [6]
5. a) State and prove Time shifting property of continuous time Fourier Transform. [2+5]
- b) Find the Fourier transform of continuous time unit step signal. [5]
6. a) What do you mean by sampling, state the requirement of sampling frequency?
 Determine Nyquist rate for $x(t) = \frac{1}{2\pi} \cos(100\pi t) \cos(300\pi t)$ [2+4]
- b) Derive the transfer function for discrete time low pass filter. [4]
7. a) Determine whether the given system is linear or not. [4]
- b) Derive convolution integral of a continuous time signal. [6]
8. Write short notes [3×3]
 - i) Discrete data function
 - ii) Energy and power signal
 - iii) Causal and non causal system

Exam. Level	BE	Batch. Full Marks	80
Programme	BEL, BEX	Pass Marks	32
Year / Part	III / II	Time	3 hrs

Subject: - Signal Analysis (EX651)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. Define even and odd signals. Develop the even/odd decomposition of a general signal $x(t)$. [4+4]
2. a) Derive the Fourier Series Expansion of a continuous – time periodic signal $x(t)$. [5]
 b) Find Fourier series coefficients and associated phase of the signal with fundamental frequency w_0 : $x(t) = 1 + \sin(w_0 t) + 2 \cos(w_0 t) + \cos(2w_0 t + \pi/4)$ [5]
3. a) Explain energy density spectrum of a continuous – time aperiodic signal with necessary derivation. [5]
 b) Find and sketch the Fourier Transform of exponential signal: $x(t) = \exp(-a|t|) u(t)$, $a > 0$. [5]
4. a) State and prove convolution theorem of discrete – time aperiodic signal. [6]
 b) Compute four – point DFT of four – point sequence: $x[n] = \{0, 1, 2, 3\}$. [6]
5. Define sampling theorem and Nyquist criteria for sampling. Find the Nyquist rate for the signal: $x(t) = 20 \sin(500\pi t) + 10 \cos(300\pi t) - 50 \cos(1000\pi t)$ [6]
6. a) Define system. Explain causality and time variance properties of continuous – time LTI system. [2+4]
 b) Find output $y(t)$ of LTI system if input $x(t) = \exp(-at) u(t)$ and impulse response $h(t) = u(t)$. [5]
 c) Derive the conditions for distortionless transmission for continuous – time LTI system. [4]
7. a) Derive the convolution sum for discrete – time LTI system. [5]
 b) Perform convolution between signals: $x_1[n] = \{1, 2, 1, -1\}$ with origin at second position from left and $x_2[n] = \{1, 2, 3, 1\}$ with origin at first position from left. [5]
 c) Find $H(e^{j\omega})$ and $h[n]$ for a discrete – time LTI system with difference equation:

$$y[n] = 0.5 y[n - 1] + x[n]$$
 [5]

Exam. Level	BE	Regular Full Marks	80
Programme	BEL, BEX	Pass Marks	32
Year / Part	III / II	Time	3 hrs.

Subject: - Signal Analysis (EX651)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. Differentiate between energy signal and power signal. Show by giving suitable example that power of the energy signal is zero and energy of the power signal is infinite. [2+5]
2. a) Derive necessary condition for a discrete time signal to be periodic. [3]
b) Determine whether the following discrete time signals are periodic or not [4]
 - (i) $SPn 5n$
 - (ii) $\cos\left(\frac{2\pi n}{5}\right) + \cos\left(\frac{2\pi n}{7}\right)$
3. a) Derive the expression to compute Fourier series coefficients of exponential Fourier series. [5]
b) Explain the Dirichel Conditions for convergence of Fourier series. [3]
4. a) State and prove time shifting and time scaling properties of continuous time Fourier series. [4]
b) Find Fourier series coefficient of discrete time periodic signal

$$x[n] = \sin w_0 n \quad \text{where } w_0 = \frac{2\pi}{N}$$

Plot the signal when $N = 5$. [4]
5. How do you find the Fourier transform of periodic signals? Find the Fourier transform of continuous time rectangular pulse and constant amplitude A and explain the result. [5+5]
6. Show that convolution in time domain results multiplication in frequency domain using continuous time Fourier transform. Determine discrete time Fourier transform of the discrete time signal $x(n) = 2^n U[n]$ and also plot magnitude and phase spectrum. [5+5]
7. State and prove frequency shifting property of Fourier transform. [2+3]
8. What is aliasing? Determine the Nyquist rate for the continuous time signal $x(t) = 1 + \cos(2,000\pi t) + \sin(4,000\pi t)$ [2+4]
9. a) Derive convolution integral for continuous time LTI system. [6]
b) Compute convolution sum of signal $x[n] = \{1, 2, 0, -1\}$ and $h[n] = \{2, 0, 2\}$. [7]
10. For a system characterized by linear constant coefficient difference equation: $y(n) = 0.3y(n-1) + x(n)$, find the transfer function, plot magnitude and find the impulse response of the system. [6]

Exam.	New Back (2066 & Later Batch)		
Level	BE	Full Marks	80
Programme	BEL, BEX	Pass Marks	32
Year / Part	III / II	Time	3 hrs.

Subject: - Signal Analysis (EX651)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. Define Energy signal and power signal. Determine whether the signal $x(t) = e^{-3t}$ is a power signal or energy signal or neither energy nor power signal. [3+4]
2. Derive the necessary condition for the discrete time signal $x[n] = e^{j\omega_0 n}$ to be periodic. [4]
3. Derive the expression of continuous time exponential Fourier series $x[n] = A \sin \omega_0 n$ [6]
4. Find Fourier series coefficients of signal and plot the coefficients. [5]
5. State and prove the frequency shifting and convolution properties for discrete time Fourier series pair. [3+3]
6. State and prove the Parseval's relation for energy density spectrum. [2+4]
7. Find Fourier transform of signal $x[n] = a^n u[n]$ (where $0 < a < 1$) and plot magnitude and phase spectrum. [3+2]
8. What is aliasing effect and how can we overcome it? Determine Nyquist rate for a continuous time signal $x(t) = 2\sin 40\pi t + 10\cos 200\pi t + 5\cos 100\pi t$. [3+3]
9. What is LTI system? For LTI system, describe the properties: (a) linearity (b) stability (c) time invariance and (d) causality. [2+8]
10. Derive the expression for impulse response of RC filter and plot the magnitude and phase. [4+2]
11. What do you mean by convolution? Derive the expression for convolution of two discrete time signals. [2+6]
12. A discrete time LTI system is defined by the impulse response $h[n] = \begin{cases} n & ; -2 \leq n \leq 2 \\ 0 & ; \text{otherwise} \end{cases}$. If the input to the given system is $x[n] = \{1, -0.25, 0, -1, 0.5, -0.5\}$, find and plot the output of the system. [7]
13. Find the Fourier Transform of the unit step signal. [4]

Exam. Level	BE	Regular Full Marks	80
Programme	BEL. BEX	Pass Marks	32
Year / Part	III / II	Time	3 hrs.

Subject: - Signal Analysis (EX651)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. Differentiate between continuous time and discrete time signals with examples. Show that

$$U[n] = \sum_{k=0}^{\infty} \delta[n-k] \quad [2+4]$$

2. Calculate the fundamental period and fundamental frequency of the periodic signal

$$x[n] = 3 \sin\left(\frac{7\pi}{5}n + \frac{\pi}{2}\right) \quad [4]$$

3. Derive the expression for finding even and odd part of signal $x(t)$. Explain time scaling and time folding. [2+3]

4. Define discrete time complex exponential signal and its different types of behavior. [2+3]

5. a) Derive the expression for Fourier transform equation and inverse Fourier transform equation for continuous time aperiodic signals. [8]

b) State and prove Frequency shift property of the continuous time Fourier Transform. [3]

6. State and prove Parseval's relation for the Discrete time periodic signal. [5]

7. What are the differences between Fourier series and Fourier Transform? Find the Fourier

$$\text{transform of the discrete time signal } x[n] = a^n \begin{cases} |a| < 1 \\ 0 < a < 1 \end{cases} \quad [2+6]$$

8. Derive the expression for convolution integral for continuous time signal. [6]

9. What is LTI system? In a LTI system show that convolution operation is commutative, find $y[n]$ when $x[n] = \{1, 2, 3, 4\}$ and $n[n] = \{2, 1, 2\}$ [2+3+5]

10. What is sampling? Determine the Nyquist rate for the following signal: [2+3]

$$x(t) = 1 + \cos(200\pi t) + \sin(4000\pi t)$$

11. Derive Formula to calculate the impulse response of continuous time ideal low pass filter. Is this system practically realizable or not. [4+2]

12. Write short notes on: [3×3]

- Energy and power signals
- Invertibility of LTI system
- Nyquist theorem

Exam.	DATE	TIME	MARKS
Level	BE	Full Marks	80
Programme	BEL, BEX	Pass Marks	32
Year / Part	III / II	Time	3 hrs.

Subject: - Signal Analysis (EX651)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Define even and odd discrete time signal. Derive the periodicity condition for discrete time signal. [2+3]
- b) Define discrete time delta function or signal. Show the relationship between delta function and unit step function. [2+3]
2. a) Derive Fourier series representation for discrete time signal. [5]
- b) Find the Fourier Series coefficient of the following continuous time periodic signal. [5]

$$x(t) = \begin{cases} 1.5 & 0 \leq t < 1 \\ -1.5 & 1 \leq t < 2 \end{cases} \quad \text{with fundamental frequency } \pi.$$
3. a) Derive the expression for Fourier transform of continuous time periodic signal. [5]
- b) Find the Fourier transform of the signal $x(t) = e^{-2|t-1|}$ [5]
4. a) State and prove the convolution property of continuous-time Fourier series. [2+4]
- b) What is Parseval's relation? Prove parseval's relation for discrete-time periodic signal. [2+4]
5. Find inverse Fourier transform of the rectangular pulse. [6]

$$X(jw) = 1 \quad -w_c < w < w_c \\ = 0 \quad \text{other wise}$$
6. What do you mean by convolution? Derive convolution sum expression. [2+5]
7. a) What do you mean by sampling? Explain. [2]
- b) The signal is sampled at the rate $F_s = 300$ samples/sec. Determine the frequency of the discrete-time signal $x[n] = x_a(nT), T = 1/F_s$ [4]
8. What are the properties of LTI systems? Determine whether the given system is linear or not? $y[n] = e^{x[n]}$ [4+5]
9. Consider a system with impulse response $h[n] = \{1, 2, 2, 5\}$ [8]

Determine the output $y[n]$ for input $x[n] = \{1, 3\}$
10. The signal $x[n] = \cos \frac{\pi}{3} n$ is a periodic signal. What happens if the fundamental frequency of this signal is increased by 2π ? [2]

Exam.	Regular		
Level	BE	Full Marks	80
Programme	BEL, BEX	Pass Marks	32
Year / Part	III / II	Time	3 hrs.

16
Subject: - Signal Analysis (EX651)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. a) Define energy signal and power signal. Determine whether the signal is a power signal or energy signal. [3+3]
 $x(t) = e^{-at}$ for $a > 0$
- b) Define discrete time unit step signal. Derive the necessary condition for the signal $x[n] = e^{j\omega n}$ to be periodic. [1+3]
2. a) Derive exponential form of Fourier series for continuous time signal. [5]
- b) State and prove Parseval's relation for the Discrete time periodic signal. [5]
3. Derive the expression for Fourier transform of continuous-time periodic signals. Using this expression obtain the Fourier transform of periodic signal. [4+4]
 $x(t) = 1$ for $0 < t < T, 0$ otherwise
4. a) State and prove the linearity and time shift properties of discrete time Fourier series representation. [6]
- b) State and prove the conjugation property for continuous time Fourier transform. Show that if the signal is real valued in time domain, its spectrum is conjugated symmetric. [4+2]
5. Obtain the DTFT of the signal $x[n] = (n+1)a^n u[n], 0 < a < 1$ [6]
6. What is convolution? Obtain the expression for convolution integral. [2+6]
7. What is impulse train sampling? Explain the aliasing effect that may occur in impulse train sampling. How do you reconstruct original signal from its sample? [1+2+3]
8. What is LTI system? Explain the commutative, associative and distributive properties of discrete time LTI systems. [2+6]
9. The impulse response of a discrete time LTI system is $h[n] = \{1, 1, 2, -1\}$ if input is $x[n] = \{1, 2\}$, find the convolution sum and sketch the output $y[n]$. [6]
10. Find the frequency response $H(e^{j\omega})$ and impulse response $h[n]$ for a system characterized by linear constant coefficient difference equation $y[n] = 0.5y[n-1] + x[n]$. [6]

Exam. Level	New Back (2066 & Inter. Batch)
BE	80
BEN, BPL	32
III / II	Time 3 hrs.

Subject: - Signal Analysis (EX651)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. Find the energy and power of the signal $x[n] = e^{j\omega n} u[n]$. $u[n]$ is unit step function. What is the period of signal $x[n] = \cos\left(\frac{41\pi}{7}n\right)$? [6]
2. Plot the signal $x(t) = t(u(t+3) - u(t-3))$. [2]
3. Find Fourier series coefficients for periodic rectangular pulses with unity amplitude. Draw the magnitude spectrum. [5+1]
4. Derive the expression for discrete time Fourier series representation of the signal $x[n]$ periodic with period of N. [7]
5. Determine the expression of Fourier Transform for continuous time aperiodic signal. [7]
6. Perform the convolution and draw output $y[n]$ $x[n] = \{1 \ 2 \ 2 \ 3\}$ and $h[n] = \{1 \ 4 \ 3\}$.
 \uparrow \uparrow [7]
7. State and prove Parseval's theorem for continuous time aperiodic signal. [2+4]
8. What is aliasing effect and how can we overcome it? Determine the Nyquist rate for a continuous time signal $x(t) = 6 \cos 50\pi t + 20 \sin 300\pi t - 10 \cos 100\pi t$. [3+3]
9. Find convolution between two signals $x(t) = \begin{cases} e^{0.5t} & \text{for } 0 < t < 5 \\ 0 & \text{otherwise} \end{cases}$ and $h(t) = \begin{cases} 1 & \text{for } 1 < t < 3 \\ 0 & \text{otherwise} \end{cases}$ [7]
10. Derive the expression for impulse response and step response of ideal low pass filter. [4+4]
11. For the LTI system, describe following properties: (a) linearity (b) causality (c) stability (d) time invariance. [6]
12. If the impulse response of continuous time linear time invariant system is $h(t) = e^{-t}u(t-3)$ and input to the system is $x(t) = u(t-2)$, determine the output $y(t)$ of the system. [8]
13. Describe bode plot with example. [4]

Exam. Level Programme Year / Part	Regular / Back		
	BE BEL, BEX III / II	Full Marks Pass Marks	Time
		80 32	3 hrs.

Subject: - Signal Analysis (EX6541)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. Define energy and power signal with examples. Describe time shifting, time scaling of a signal. [3+4]
2. Derive convolution integral for continuous time LTI system. [8]
3. State and prove Parseval's Relation for Continuous Time Periodic Signal. [6]
4. Explain aliasing that may occur in any arbitrary band-limited signal $x(t)$ with band-width 'W'. [5]
5. Derive the expression for continuous time Fourier series in exponential form. [7]
6. Explain the convolution properties of continuous time Fourier transform. [6]
7. Discuss the following properties of continuous time Fourier series. (a) Time shifting (b) Time scaling (c) Conjunction. [6]
8. Derive the expression of Fourier transform for continuous time signal. [8]
9. Derive the expression for impulse response of ideal low pass filter and discuss. [5]
10. Find the Fourier Transform of a continuous time unit step signal. [5]
11. Discuss different methods to reconstruct a signal. Determine the Nyquist rate for a continuous time signal $x(t) = \frac{1}{2\pi} \cos(200\pi t) \cos(300\pi t)$. [4+4]
12. Convolve the signals $x[n] = \{1, 2, 1\}$ and $h[n] = \{\uparrow, 2, 3, 1\}$. [6]
13. If the signal is periodic, find the fundamental period of the signal $x[n] = \cos\left(\frac{\pi}{2}n\right) \cdot \cos\left(\frac{\pi}{4}n\right)$. [3]

Exam. Level	BE	New Back (2066 & Later Batch) Full Marks	80
Programme	BEL, BEX	Pass Marks	32
Year / Part	III / II	Time	3 hrs.

Subject: - Signal Analysis (EX651)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. Calculate the total energy and total average power of the signal given below:

$$x(t) = (3+4j)e^{2t} u(-t)$$

[3+1]

Also state whether the signal is energy signal, power signal or neither.

2. Determine whether the signal $x[n] = 5\sin\left(\frac{3\pi}{8}n - \frac{\pi}{2}\right) - 2\cos\left(\frac{7\pi}{12}n\right)$ is periodic or not. If the signal is periodic, calculate its fundamental period and fundamental frequency. [4]


3. How could you represent a signal $x(t)$ with harmonically related exponentials? State and prove conjugation and conjugate symmetry property of CTFS. [4+4]

4. Find the Fourier series coefficients of the signal [6]

$$X[n] = 1 + \sin(2\pi/N)n + 3 \cos(2\pi/N)n + \cos(4\pi/N)n$$

[8]

5. Find the Fourier transform of a trapezoidal signal shown below:



6. How can you generate Fourier transform for discrete time periodic signals? Explain. [3]
7. State and prove Parseval's relation for discrete time Fourier transforms. [5]
8. Compute 4-point DFT of a signal $x[n] = \{2, 1+j, 1-j\}$ and plot its magnitude and phase spectrums. [4+2]
9. State and prove sampling theorem for low pass signals. [6]
10. The impulse responses of two LTI systems are given by $h_1(t) = e^{-\frac{t}{2}} u(t)$ and $h_2(t) = u(t) - u(t-5)$. Determine the equivalent impulse response if these two systems are connected in cascade. Also sketch the graph of equipment impulse response. [8+2]
11. Derive the impulse response for ideal low pass filter with cutoff frequency ω_c . [5]
12. Given a system $Y[n] = 0.5y[n-1] + x[n] + x[n+1]$. Find out its impulse response and frequency response. [7]
13. What are the properties of LTI system? Show that the output of an LTI system is stable if the impulse response is absolutely summable. [8]

21 TRIBHUVAN UNIVERSITY
INSTITUTE OF ENGINEERING
Examination Control Division
2070 Bhadra

Exam.	Level	Full Marks	80
Programme	BE, BEX	Pass Marks	32
Year / Part	III / II	Time	3 hrs.

Subject: - Signal Analysis (EX651)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.


- 3 ✓ 1. What do you understand by periodic and aperiodic signals? Explain with the help of examples. [4]
2. Determine whether the following signals are energy or power signals. [4]
- $f(t) = 3 \cos(2\pi t)$
 - $x[n] = \cos\left(\frac{n}{6}\right)$
- 3 ✓ 2. What is the information provided by Fourier series coefficients of a signal? State and prove time shifting and conjugation properties of continuous time Fourier series representation. [1+6]
- 4 ✓ 3. Find out Fourier series coefficients of a periodic discrete time signal described over a period as [5+2]
- $$x[n] = \begin{cases} 2; & |n| \leq 1 \\ 0; & 1 < |n| \leq 1 \times 3 \end{cases}$$
- Using the Fourier series coefficients calculated above; find the Fourier series coefficients of the signal $e^{j\frac{4\pi}{7}n} x[n].$
5. Given the relationship $y(t) = x(t)*h(t)$ and $g(t) = x(3t)*h(3t)$ and given that $x(t)$ has the Fourier transform of $X(j\omega)$ and $h(t)$ has Fourier transform $H(j\omega)$, use Fourier transform properties to show that $g(t)$ has the form $g(t) = Ay(Bt)$. Determine the values of A and B. [8]
- 3 ✓ 4. Explain the linearity and time shifting properties of continuous time Fourier transform. [4]
- 5 ✓ 5. Find the Fourier transform of continuous time unit impulse and rectangular pulse. Discuss the result. [6]
- 4 ✓ 6. Find the Fourier transform of everlasting sinusoid $X(t) = \cos\omega_0 t$. [4]
- 6 ✓ 6. What do you mean by aliasing? Explain with the help of frequency domain analysis for impulse-train sampling. [1+5]
- 5 ✓ 7. What are the properties of systems? Determine whether the given system is time-variant or not: $y(t) = \sin[x(t)].$ [2+3]
- 5 ✓ 8. Let $x(t)$ be the input to an LTI system with unit impulse response $h(t)$, where, $x(t) = e^{-at} u(t)$, $a > 0$ and $h(t) = u(t)$. Verify commutative law of LTI system. [5]

Q12. What is distortionless transmission? Derive the expression for unit step response of ideal low pass filter. **85**

[5]

Q13. A discrete time LTI system has an impulse response as shown below:

[6+2]



If the input to the given system is $x[n] = \{-0.25, 0.5, 1, -0.5, 0, 0.25\}$, calculate and plot the output of the system.


Q14. Define systems with memory and memory-less systems with examples. Explain the causality property of discrete time LTI systems. **176** [3+4]

Exam Level	BE	Full Marks	80
Programme	BE/B.E.	Pass Marks	32
Year / Part	III / II	Time	3 hrs.

Subject: - Signal Analysis (EX631)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.

1. Define energy and power type signal with suitable examples. Sketch and label the signal $y(t) = \{x(t) + x(-t)\}u(t)$ for given signal $x(t)$ depicted below. [3+5]



2. Derive the expression for Fourier series representation of a signal $x(t)$ periodic with period T . [8]

3. Find the Fourier series representation of the signal $x[n] = \sum_{\ell=-\infty}^{\infty} \delta[n - \ell N]$. [6]

4. State and prove Parseval's theorem for continuous time aperiodic signal. [4]

5. ALTI system has input $x(t) = e^{-t}u(t)$ and impulse response $h(t) = e^t u(-t)$. Find output $y(t)$ of the system using Fourier transform of $x(t)$ and $h(t)$. [8]

6. Compute discrete time Fourier transform of the discrete time signal $x[n] = \left(\frac{1}{2}\right)^n u[-n-1]$ [5]

7. Find circular convolution of the signal $x[n] = \{1, 0, 0, 1\}$ and $y[n] = \{2, 0, 2\}$. [5]

8. What is sampling. How are spectrum of continuous time signal and its sampled version related? Illustrate with diagram. [6]

9. Write about the following properties of continuous time system: (a) Linearity (b) Causality (c) Memory (d) Stability (e) Time invariance. [5]

10. Derive the expression for impulse response and step response of first order continuous time system described by the differential equation $\tau \frac{dy(t)}{dt} + y(t) = x(t)$. [5]

11. If the impulse response of continuous time linear time invariant system is $h(t) = u(t) - u(t-3)$ and input to the system is $x(t) = u(t+4) - u(t)$, determine the output $y(t)$ of the system. [5]

12. Find output of a LTI system using convolution sum, if the input signal is $x[n] = \delta[n] + 2\delta[n-1] - \delta[n-3]$ and impulse response of the system is $h[n] = 2\delta[n+1] + 2\delta[n-1]$. [7]

13. For a system characterized by Linear constant coefficient difference equation $y[n] = 0.5y[n-1] + x[n]$, find the frequency response $H(e^{j\omega})$ and impulse response $h[n]$. Also plot the frequency response magnitude $|H(e^{j\omega})|$. [8]