2079 Baishakh



[6]

[10]

TRIBHUVAN UNIVERSITY INSTITUTE OF ENGINEERING


Exam Full Marks BE Level BEL, BEX, BEI, **Examination Control Division** Programme BCT, BAM, BIE, Pass Marks 32 BAG, BAS, BCH Time 3 hrs. Year / Part

2079 Baishakh


Subject: - Basic Electrical Engineering (EE 401)

- Candidates are required to give their answers in their own words as far as practicable.
- Attempt All questions.
 The figures in the margin indicate Full Marks
- ✓ Assume suitable data if necessary.


1. a) State and explain Krichof's current and voltage laws. Find the current flowing through 2 ohm resistor using KCL equations.



b) Find voltage across the given load resistance R_L.



2. a) Find the current supplied by 10V source using Nodal Analysis in the circuit shown in figure below.



b) State and verify Reciprocity Theorem with an example.

Ш

[8]

[8]

1/2




← 2079 Baishakh



- a) Explain the parallel connection of inductors with suitable example and also find the
 equivalent inductance of the circuit.
- [8]
- b) A full wave rectified sinusoidal voltage shown in figure below. Find the average and effective value of the voltage.

[8]




4. For the circuit shown below. Calculate

[16]

- (i) Overall impedance of the circuit
- (ii) Total current taken from supply and overall power factor of the circuit
- (iii)Currents in each parallel branch

111

- (iv) Active, reactive and apparent power
- (v) Construct Phasor diagram for given circuit



 a) Discuss the advantages of three phase system over single phase system. Mention the causes of low power factor and its measures to improve,

[6]

b) A 380 V, 3-Φ voltage is applied to a balanced star connected 3-Φ load of phase impedance (5+j9)Ω. If wattmeters are connected taking Y phase reference, calculate wattmeter readings and also reactive power, apparent power and active power consumed. Take RYB phase sequence.

[10]

SYLLABUS

2/2







THERMAN REPORTS INSTITUTE OF ENGINEERING Examination Control Division

Eura.	Replac		
Leut	16	Full Marks	90
Programme	BEL. BEWEEL BCT. BAM, BIE, EAG, BAS, BCH	Para Marin	112
Year Fart	1.0	Time	3 hn

2019 Shadra


Subject: - Basic Electrical Engineering (EE 401)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- Attempt All questions.
- ✓ The figures in the margin indicate Full Marks.
 ✓ Assume suitable date if necessary.
- 1. a) Define ideal and practical voltage source. Explain the role of internal resistance in practical voltage source with an example.
 - b) Using Delta-Star transformation, determine resistance between terminals a and b in the circuit shown in the figure.

[8]




Ш




2. a) Find the current through 2Ω resistor using mesh analysis.

[8]



b) Find the value of resistance to be connected across the terminals A and B to transfer maximum power to it and find the value of this maximum power for the network shown below.

[8]




1/2

2078 Bhadra



3. a) Calculate the average value, rms value and form factor of the given voltage signal.




- b) A single phase inductive load of 4kW at a power factor of 70% (lagging) is connected across 240V, 50Hz supply. Calculate the kVAR capacity of the capacitor bank and value of capacitance that must be installed in parallel with load to bring the overall power factor to (i) unity, (ii) 85% lagging.
- 4. In the network shown in figure below, determine:

[8] [16]

(i) Total impedance

Ш

- (i) Total impedance
 (ii) Total current drawn from source
 (iii) The overall power factor
 (iv) Total Volt Amperes, Active Power and Reactive Power
 (v) Is the circuit capacitive or inductive?
 (vi) Construct the phasor diagram for given circuit.



- a) The star-connected load having impedance of (12-j16)Ω per phase fed from a 50Hz three-phase, 400V, balanced supply, with the phase sequence as R-Y-B. Find the line current, power factor, active power, reactive power, reactive VA and total voltamperes (VA).
 - b) Describe the measurement of 3-phase power by two wattmeter method.
- [10] [6]