

Time left 0:01:00

Question 1

Not yet answered

Marked out of 1.00

What is the output of the following code?

```
LocalDate date = LocalDate.of(2018, Month.APRIL, 40);
```

```
System.out.println(date.getYear() + " " + date.getMonth() + " " + date.getDayOfMonth());
```

- ☐ a. The code does not compile.
- ☐ b. Another date
- ☐ c. 2018 MAY 10
- ☒ d. A runtime exception is thrown.
- ☐ e. 2018 APRIL 4
- ☐ f. 2018 APRIL 30

[Clear my choice](#)

Question 2

Not yet answered

Marked out of 1.00

```
import java.time.*;

class Test {

    public static void main(String[] args)    {

        LocalDate d=LocalDate.of(2017,Month.JANUARY, 5);
        d=d.plusDays(2);
        LocalDate d1=LocalDate.of(2017,Month.JANUARY, 5);
        d1=d1.plusDays(2);
        if(d==d1)
            System.out.println(1);
        else if(d.equals(d1))
            System.out.println(2);
        else
            System.out.println(3);
    }
}
```

- ☒ a. 2
- ☐ b. none of these
- ☐ c. 3
- ☐ d. 1
- ☐ e. run time exception
- ☐ f. compilation fails

[Clear my choice](#)

Question 3

Not yet answered

Marked out of 1.00

```
public class Test{
    public static void main(String args[]){
        String s = "fs";
        String s1=new String("fs");
        StringBuilder sb = new StringBuilder("fs");
        System.out.print(s.equals(s1)+ ","+s1.equals(sb)+",
"+s.equals(sb));
    }
}
```

- ☐ a. true,true,false
- ☒ b. true,false,false
- ☐ c. false,false,false
- ☐ d. false,true,true
- ☐ e. true,true,true
- ☐ f. false,false,true

[Clear my choice](#)**Question 4**

Not yet answered

Marked out of 1.00

What is the result of the following code?

```
4: int total = 0;
5: StringBuilder letters = new StringBuilder("abcdefg");
6: total += letters.substring(1, 2).length();
7: total += letters.substring(6, 6).length();
8: total += letters.substring(6, 5).length();
9: System.out.println(total);
```

- ☐ a. 3
- ☐ b. 7
- ☒ c. An exception is thrown.
- ☐ d. The code does not compile.
- ☐ e. 2
- ☐ f. 1

[Clear my choice](#)

Question 5

Not yet answered

Marked out of 1.00

```
import java.time.*;

class Test {

    public static void main(String[] args) {

        LocalDate d=LocalDate.of(2017,Month.JANUARY, 5);

        d.plusDays(2).plusMonths(5).minusDays(1);

        System.out.println(d);

    }

}
```

- ☐ a. none of these
- ☐ b. 2017-01-07
- ☐ c. 2017-06-06
- ☐ d. 2017-06-05
- ☐ e. 2017-05-06
- ☒ f. 2017-01-05
- ☐ g. 2017-05-06

[Clear my choice](#)**Question 6**

Not yet answered

Marked out of 1.00

What is the result of the following?

```
LocalDate xmas = LocalDate.of(2016, 12, 25);
xmas.setYear(2017);
System.out.println(xmas.getYear());
```

- ☐ a. 2016
- ☐ b. 2017
- ☒ c. The code does not compile.
- ☐ d. The code compiles but throws an exception at runtime.

[Clear my choice](#)

Question 7

Not yet answered

Marked out of 1.00

What is the output of the following code snippet?

```
class Test {  
    public static void main (String [] args) {  
        StringBuilder s1=new StringBuilder();  
        System.out.println(s1.length() +" "+ s1.capacity());  
    }  
}
```

- ☐ a. null 16
- ☐ b. compilation fails
- ☐ c. Null pointer exception
- ☐ d. null null
- ☒ e. 0 16

[Clear my choice](#)**Question 8**

Not yet answered

Marked out of 1.00

What is the output of the following?

```
Integer integer = new Integer(4);  
System.out.print(integer.byteValue());  
System.out.print("-");  
int i = new Integer(4);  
System.out.print(i.byteValue());
```

- ☐ a. 4-4
- ☐ b. The code compiles but throws an exception at runtime.
- ☐ c. 4-0
- ☒ d. The code does not compile.

[Clear my choice](#)

Question 9

Not yet answered

Marked out of 1.00

what is the output of the following code? (choose all that apply)

```
import java.util.*;

class Test{
    public static void main(String[] args){
        List<Integer> ages = new ArrayList<>();
        ages.add(Integer.parseInt("5"));
        ages.add(Integer.valueOf("6"));
        ages.add(7);
        ages.add(null);
        for (int age : ages) System.out.print(age);
    }
}
```

- ☒ a. Exactly two of the add statements use autoboxing.
- ☒ b. The code throws a runtime exception.
- ☐ c. Exactly one of the add statements uses autoboxing.
- ☐ d. Exactly three of the add statements use autoboxing.
- ☒ e. The code compiles.

Question 10

Not yet answered

Marked out of 1.00

Given the following class definition, what is the maximum number of import statements that can be discarded and still have the code compile? For this question, assume that the Blackhole class is defined only in the stars package.

```
package planetarium;

import java.lang.*;
import stars.*;
import java.lang.Object;
import stars.Blackhole;

public class Observer {
    public void find(Blackhole blackhole) {}
}
```

- ☐ a. Two
- ☐ b. Zero
- ☐ c. One
- ☒ d. Three

[Clear my choice](#)

Question 11

Not yet answered

Marked out of 1.00

Which of the following types is taxis not allowed to be in order for this code to compile?

```
for (Object obj : taxis) {  
}
```

- ☐ a. int[]
- ☐ b. ArrayList<Integer>
- ☒ c. StringBuilder
- ☐ d. All of these are allowed.

[Clear my choice](#)**Question 12**

Not yet answered

Marked out of 1.00

Given:

```
public class Tailor {  
    public static void main(String args[]){  
        byte[][] ba = {{1,2,3,4}, {1,2}};  
        System.out.println(ba[1].length + " " + ba.length);  
    }  
}
```

What is the result?

- ☒ a. None of these
- ☐ b. Compilation fails
- ☐ c. 2 4
- ☐ d. 3 7
- ☐ e. 4 7
- ☐ f. 2 7
- ☐ g. 4 2
- ☐ h. 3 2

[Clear my choice](#)

Question 13

Not yet answered

Marked out of 1.00

```
class Test {  
    public static void main(String args[])    {  
        int arr[] = new int[] {0 , 1, 2, 3, 4, 5, 6, 7, 8, 9};  
        int n = 6;  
        n = arr[arr[n] / 2];  
        System.out.println(arr[n] / 2);  
    }  
}
```

- ☐ a. 6
- ☐ b. 3
- ☐ c. 0
- ☒ d. 1

[Clear my choice](#)**Question 14**

Not yet answered

Marked out of 1.00

```
import java.time.*;  
class Test{  
    public static void main(String[] args){  
        LocalDate s=LocalDate.of(2017,Month.JANUARY,1);  
        Period period= Period.ofWeeks(1);  
        Period period1= Period.ofDays(2);  
        LocalDate d=s.plus(period).minus(period1);  
        System.out.println(d);  
    }  
}
```

- ☐ a. compilation fails
- ☐ b. 2017-01-07
- ☐ c. 2017-02-07
- ☐ d. 2017-01-08
- ☒ e. 2017-01-06
- ☐ f. none of these

[Clear my choice](#)

Question 15

Not yet answered

Marked out of 1.00

What is the output of the following code snippet?

3: boolean x = true, z = true;

4: int y = 20;

5: x = (y != 10) ^ (z=false);

6: System.out.println(x+", "+y+", "+z);

- ☐ a. false, 20, true
- ☐ b. false, 20, false
- ☐ c. false, 20, true
- ☐ d. The code will not compile because of line 5.
- ☐ e. true, 10, true
- ☒ f. true, 20, false

[Clear my choice](#)**Question 16**

Not yet answered

Marked out of 1.00

What change would allow the following code snippet to compile? (Choose all that apply)

3: long x = 10;

4: int y = 2 * x;

- ☐ a. Change the data type of y on line 4 to short.
- ☐ b. No change; it compiles as is.
- ☒ c. Cast x on line 4 to int.
- ☒ d. Change the data type of y on line 4 to long.
- ☒ e. Change the data type of x on line 3 to short.
- ☒ f. Cast 2 * x on line 4 to int.

Question 17

Not yet answered

Marked out of 1.00

What is the value of thatNumber after the execution of the following code snippet?

```
long thatNumber = 5 >= 5 ? 1+2 : 1*1;
```

```
if(++thatNumber < 4)
```

```
thatNumber += 1;
```

- ☐ a. The answer cannot be determined until runtime.
- ☒ b. 4
- ☐ c. 3
- ☐ d. 5

[Clear my choice](#)**Question 18**

Not yet answered

Marked out of 1.00

```
import java.time.*;

public class Bachelor{

    public static void main(String[] args){

        LocalDate d = LocalDate.of(2018, 8, 15);
        d = d.plusDays(1);
        LocalDate d2 = d.plusDays(1);
        LocalDate d3 = d2;
        d2 = d2.plusDays(1);
        System.out.println(d + " " + d2 + " " + d3); //Line X
    }
}
```

Which are true? (Choose all that apply.)

- ☒ a. The output is: 2018-08-16 2018-08-18 2018-08-17
- ☐ b. The output is: 2018-08-16 2018-08-17 2018-08-18
- ☒ c. At line X, one LocalDate object is eligible for garbage collection
- ☐ d. At line X, zero LocalDate objects are eligible for garbage collection
- ☐ e. The output is: 2018-08-16 2018-08-17 2018-08-17
- ☐ f. At line X, two LocalDate objects are eligible for garbage collection
- ☐ g. Compilation fails

Question 19

Not yet answered

Marked out of 1.00

Which of these array declarations is not legal? (Choose all that apply)

- ☒ a. `int[][] java = new int[] [];`
- ☒ b. `int[][] types = new int[];`
- ☒ c. `String beans[] = new beans[6];`
- ☐ d. `Object[][][] cubbies = new Object[3][0][5];`
- ☐ e. `java.util.Date[] dates[] = new java.util.Date[2][];`
- ☐ f. `int[][] scores = new int[5][];`

Question 20

Not yet answered

Marked out of 1.00

Which are the results of the following code? (Choose all that apply)

```
String numbers = "012345678";
```

```
System.out.println(numbers.substring(1, 3));
```

```
System.out.println(numbers.substring(7, 7));
```

```
System.out.println(numbers.substring(7));
```

- ☐ a. The code does not compile.
- ☒ b. 12
- ☒ c. 78
- ☒ d. A blank line.
- ☐ e. An exception is thrown.
- ☐ f. 7
- ☐ g. 123