Name: Krishnaprasad Awala

Roll No: D2215004

Enrolment No: MITU21BTITD006

Class: LY IT Core

Lab Assignment No. 3

Create the application for (project topic) which have at least 5 pages using HTML, CSS and JavaScript.

Code:

Index.html

```
<!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0" />
   <title>CarHub</title>
   <link rel="stylesheet" href="style.css" />
   link
     href="https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css"
     rel="stylesheet"
   <script src="script.js"></script>
  </head>
  <body>
   <header>
     <div class="nav container">
       <i class="bx bx-menu" id="menu-icon"></i></i>
       <a href="#" class="logo">Car<span>Hub</span></a>
       <a href="index.html" class="active">Home</a>
         <a href="cars.html">Cars</a>
         <a href="about.html">About</a>
         <a href="parts.html">Parts</a>
         <a href="blog.html">Blog</a>
         <a href="login.html">Login</a>
         <a href="Register.html">Register</a>
       <i class="bx bx-search-alt" id="search-icon"></i></i>
       <div class="search-box container">
         <input type="search" name="" id="" placeholder="Search..." />
       </div>
     </div>
   </header>
   <section class="home" id="home">
     <div class="home-text">
       <h1>
         Embark on Your Automotive Journey <br />
         Explore, Choose, <br />
         and <span>Drive Your Dream Car</span>
       </h1>
```

```
Welcome to CarHub, your ultimate destination for <br />
finding the car of your dreams.

<a href="#" class="btn">Start your Engine</a>
</div>
</section>
</body>
</html>
```

Cars.html

```
<!DOCTYPE html>
<html lang="en">
 <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0" />
   <title>CarHub</title>
    <link rel="stylesheet" href="style.css" />
     href="https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css"
     rel="stylesheet"
   <script src="script.js"></script>
  </head>
 <body>
   <header>
     <div class="nav container">
       <i class="bx bx-menu" id="menu-icon"></i>
       <a href="#" class="logo">Car<span>Hub</span></a>
       <a href="index.html" >Home</a>
         <a href="cars.html" class="active">Cars</a>
         <a href="about.html">About</a>
         <a href="parts.html">Parts</a>
         <a href="blog.html">Blog</a>
       <i class="bx bx-search-alt" id="search-icon"></i></i>
       <div class="search-box container">
         <input type="search" name="" id="" placeholder="Search..." />
       </div>
     </div>
    </header>
   <section>
     <section class="cars" id="cars">
       <div class="heading">
         <span>All Cars</span>
         <h2>We have all types of Cars</h2>
           Explore our diverse selection of vehicles, from sleek
sports cars to
           family-friendly SUVs, and find the perfect one for your
needs.
         </div>
```

```
<div class="cars-container container">
            <div class="box">
                <img src="img/car1.jpg" alt="">
                <h2>Porsche</h2>
            </div>
            <div class="box">
                <img src="img/car2.jpg" alt="">
                <h2>Audi</h2>
            </div>
            <div class="box">
                <img src="img/car3.jpg" alt="">
                <h2>Audi</h2>
            </div>
            <div class="box">
                <img src="img/car4.jpg" alt="">
                <h2>Audi</h2>
            </div>
            <div class="box">
                <img src="img/car5.jpg" alt="">
                <h2>Audi</h2>
            </div>
            <div class="box">
                <img src="img/car6.jpg" alt="">
                <h2>Mustang</h2>
            </div>
       </div>
     </section>
   </section>
 </body>
</html>
```

About.html

```
<!DOCTYPE html>
<html lang="en">
 <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0" />
   <title>CarHub</title>
    <link rel="stylesheet" href="style.css" />
     href="https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css"
     rel="stylesheet"
    <script src="script.js"></script>
  </head>
 <body>
   <header>
     <div class="nav container">
       <i class="bx bx-menu" id="menu-icon"></i>
       <a href="#" class="logo">Car<span>Hub</span></a>
       <a href="index.html">Home</a>
         <a href="cars.html">Cars</a>
         <a href="about.html" class="active">About</a>
         <a href="parts.html">Parts</a>
         <a href="blog.html">Blog</a>
       <i class="bx bx-search-alt" id="search-icon"></i></i>
       <div class="search-box container">
         <input type="search" name="" id="" placeholder="Search..." />
       </div>
     </div>
    </header>
    <section class="about containe" id="about">
       <div class="about-img">
           <img src="img/about.png" alt="">
       </div>
       <div class="about-text">
           <span>About Us</span>
           <h2>Cheap Prices with
               <br>Quality Cars
           </h2>
           Discover affordable prices without compromising on the
quality of our cars.
           <a href="#" class="btn">Learn More</a>
```



Parts.html

```
<!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0" />
   <title>CarHub</title>
   <link rel="stylesheet" href="style.css" />
     href="https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css"
     rel="stylesheet"
   <script src="script.js"></script>
  </head>
 <body>
   <header>
     <div class="nav container">
       <i class="bx bx-menu" id="menu-icon"></i>
       <a href="#" class="logo">Car<span>Hub</span></a>
       <a href="index.html" >Home</a>
         <a href="cars.html">Cars</a>
         <a href="about.html">About</a>
         <a href="parts.html" class="active">Parts</a>
         <a href="blog.html">Blog</a>
       <i class="bx bx-search-alt" id="search-icon"></i></i>
       <div class="search-box container">
         <input type="search" name="" id="" placeholder="Search..." />
       </div>
     </div>
   </header>
   <section class="parts" id="parts">
       <div class="heading">
           <span>What we Offer</span>
           <h2>0ur cars are always excellent.</h2>
           Experience excellence with our exceptional range of
vehicles, designed to meet your every driving need.
       <div class="parts-container container">
           <div class="box">
               <img src="img/part1.png" alt="">
               <h3>Auto Spare Parts</h3>
               <span>Rs. 12000
```

```
<i class='bx bxs-star'>(6 Reviews)</i>
               <a href="#" class="btn">Buy Now</a>
               <a href="#" class="details">View Details</a>
          </div>
           <div class="box">
               <img src="img/part2.png" alt="">
               <h3>Auto Spare Parts</h3>
               <span>Rs. 12000
               <i class='bx bxs-star'>(6 Reviews)</i>
               <a href="#" class="btn">Buy Now</a>
               <a href="#" class="details">View Details</a>
          </div>
          <div class="box">
               <img src="img/part3.png" alt="">
               <h3>Auto Spare Parts</h3>
               <span>Rs. 12000
               <i class='bx bxs-star'>(6 Reviews)</i>
               <a href="#" class="btn">Buy Now</a>
               <a href="#" class="details">View Details</a>
          </div>
           <div class="box">
               <imq src="imq/part4.png" alt="">
               <h3>Auto Spare Parts</h3>
               <span>Rs. 12000</span>
               <i class='bx bxs-star'>(6 Reviews)</i>
               <a href="#" class="btn">Buy Now</a>
               <a href="#" class="details">View Details</a>
          </div>
          <div class="box">
               <img src="img/part5.png" alt="">
               <h3>Auto Spare Parts</h3>
               <span>Rs. 12000
               <i class='bx bxs-star'>(6 Reviews)</i>
               <a href="#" class="btn">Buy Now</a>
               <a href="#" class="details">View Details</a>
           </div>
          <div class="box">
               <img src="img/part6.png" alt="">
               <h3>Auto Spare Parts</h3>
               <span>Rs. 12000
               <i class='bx bxs-star'>(6 Reviews)</i>
               <a href="#" class="btn">Buy Now</a>
               <a href="#" class="details">View Details</a>
          </div>
      </div>
  </section>
 </body>
/html>
```

Blog.html

```
<!DOCTYPE html>
<html lang="en">
 <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0" />
   <title>CarHub</title>
    <link rel="stylesheet" href="style.css" />
     href="https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css"
     rel="stylesheet"
    <script src="script.js"></script>
  </head>
 <body>
   <header>
     <div class="nav container">
       <i class="bx bx-menu" id="menu-icon"></i>
       <a href="#" class="logo">Car<span>Hub</span></a>
       <a href="index.html" >Home</a>
         <a href="cars.html">Cars</a>
         <a href="about.html">About</a>
         <a href="parts.html" >Parts</a>
         <a href="blog.html" class="active">Blog</a>
       <i class="bx bx-search-alt" id="search-icon"></i></i>
       <div class="search-box container">
         <input type="search" name="" id="" placeholder="Search..." />
       </div>
     </div>
    </header>
    <section class="blog" id="blog">
       <div class="heading">
           <span>Blog & News</span>
           <h2>0ur cars are always excellent.</h2>
           Experience excellence with our exceptional range of
vehicles, designed to meet your every driving need.
       </div>
       <div class="blog-container container">
           <div class="box">
               <img src="img/car1.jpg" alt="">
               <span>Feb 14 2023</pan>
```

```
<h3>How to get a Perfect Car at Low Price</h3>
                Experience excellence with our exceptional range of
vehicles, designed to meet your every driving need.
               <a href="#" class="blog-btn">Read More <i class='bx
bxs-right-top-arrow-circle' ></i></a>
           </div>
           <div class="box">
               <img src="img/car2.jpg" alt="">
               <span>Feb 14 2023
               <h3>How to get a Perfect Car at Low Price</h3>
               Experience excellence with our exceptional range of
vehicles, designed to meet your every driving need.
               <a href="#" class="blog-btn">Read More <i class='bx
bxs-right-top-arrow-circle' ></i></a>
           </div>
           <div class="box">
               <img src="img/car3.jpg" alt="">
               <span>Feb 14 2023</span>
               <h3>How to get a Perfect Car at Low Price</h3>
               Experience excellence with our exceptional range of
vehicles, designed to meet your every driving need.
               <a href="#" class="blog-btn">Read More <i class='bx
bxs-right-top-arrow-circle' ></i></a>
            </div>
       </div>
    </section>
  </body>
</html>
```

Register.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0" />
    <title>Register - CarHub</title>
    link
      href="https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css"
      rel="stylesheet"
    />
    <style>
      body {
        display: flex;
        align-items: center;
        justify-content: center;
        height: 100vh;
        background-color: #f2f2f2;
        margin: 0;
      .container {
        text-align: center;
        background: white;
        padding: 100px;
        border-radius: 5px;
        box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
      .container h2 {
        margin-bottom: 20px;
      .form-group {
        margin: 10px 0;
      .form-group label {
        display: block;
      .form-group input {
        width: 100%;
        padding: 10px;
```

```
margin: 5px 0;
        border: 1px solid #ccc;
        border-radius: 5px;
      .btn {
        background: red;
        color: white;
        padding: 10px 20px;
        border: none;
        border-radius: 5px;
        cursor: pointer;
      }
      .btn:hover {
        background: darkred;
    </style>
  </head>
  <body>
    <header>
      <!-- Add register page-specific content here if needed -->
    </header>
    <section class="register">
      <div class="container">
        <h2>Create an Account</h2>
        <form id="register-form">
          <div class="form-group">
            <label for="username">Username</label>
            <input type="text" id="username" name="username" required</pre>
          </div>
          <div class="form-group">
            <label for="email">Email</label>
            <input type="email" id="email" name="email" required />
          </div>
          <div class="form-group">
            <label for="password">Password</label>
            <input type="password" id="password" name="password"</pre>
required />
          </div>
          <button type="submit" class="btn">Register</button>
        </form>
      </div>
    </section>
    <script src="script.js"></script>
  </body>
 /html>
```

Login.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0" />
    <title>Login - CarHub</title>
    link
      href="https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css"
      rel="stylesheet"
    <style>
      body {
        display: flex;
        align-items: center;
        justify-content: center;
        height: 100vh;
        background-color: #f2f2f2;
        margin: 0;
      .container {
        text-align: center;
        background: white;
        padding: 100px;
        border-radius: 5px;
        box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
      }
      .container h2 {
        margin-bottom: 20px;
      .form-group {
        margin: 10px 0;
      .form-group label {
        display: block;
      .form-group input {
        width: 100%;
        padding: 10px;
        margin: 5px 0;
```

```
border: 1px solid #ccc;
        border-radius: 5px;
      .btn {
        background: red;
        color: white;
        padding: 10px 20px;
        border: none;
        border-radius: 5px;
        cursor: pointer;
      .btn:hover {
        background: darkred;
    </style>
  </head>
  <body>
    <header>
      <!-- Add login page-specific content here if needed -->
    </header>
    <section class="login">
      <div class="container">
        <h2>Login to CarHub</h2>
        <form id="login-form">
          <div class="form-group">
            <label for="username">Username</label>
            <input type="text" id="username" name="username" required</pre>
          </div>
          <div class="form-group">
            <label for="password">Password</label>
            <input type="password" id="password" name="password"</pre>
required />
          </div>
          <button type="submit" class="btn">Login</button>
        </form>
      </div>
    </section>
    <script src="script.js"></script>
  </body>
</html>
```

Style.css

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@300&display=
swap');
* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
    font-family: 'Poppins', sans-serif;
    scroll-padding-top: 1rem;
    scroll-behavior: smooth;
    list-style: none;
    text-decoration: none;
section {
    padding: 4rem 0 2rem;
img {
    width: 100%;
body {
    color: black;
    font-family: 'Poppins', sans-serif;
.container {
    max-width: 1068px;
    margin-left: auto;
    margin-right: auto;
header {
    display: block;
    width: 100%;
    position: fixed;
    top: 0;
    left: 0;
    z-index: 100;
.\mathsf{nav}\ \overline{\{}
    display: flex;
```

```
align-items: center;
    justify-content: space-between;
    padding: 20px 35px;
#menu-icon {
    font-size: 24px;
    cursor: pointer;
    color: black;
    display: none;
.logo {
    font-size: 1.2rem;
    font-weight: 700;
    color: black;
.logo span {
    color: red;
.navbar {
    display: flex;
    column-gap: 2rem;
.navbar a {
    color: black;
    font-size: 1rem;
    text-transform: uppercase;
    font-weight: 500;
.navbar a:hover,
.navbar .active {
    color: red;
    border-bottom: 3px solid red;
#search-icon {
    font-size: 24px;
    cursor: pointer;
    color: white;
.search-box {
   position: absolute;
```

```
top: 110%;
   right: 0;
   left: 0;
   background: white;
   box-shadow: 4px 4px 20px rgb(15 54 55 / 10%);
   border: 1px solid red;
   border-radius: 0.5rem;
   clip-path: circle(0% at 100% 0%);
.search-box.active {
   clip-path: circle(144% at 100% 0%);
   transition: 0.5s ease;
.search-box input {
   width: 100%;
   padding: 20px;
   border: none;
   outline: none;
   background: transparent;
   font-size: 1rem;
.home {
   max-width: 100%;
   margin: auto;
   width: 100%;
   min-height: 100vh;
   display: flex;
   align-items: center;
   background: url(img/Background-home.png);
   background-repeat: no-repeat;
   background-size: cover;
   background-position: center left;
.home h1 {
   margin-bottom: 1rem;
.btn {
   align-self: flex-start;
   margin-top: 1rem;
.home-text {
   padding-left: 130px;
```

```
.home-text h1 {
    font-size: 2.4rem;
.home-text span {
    color: red;
.home-text p {
   font-size: 1rem;
   font-weight: 300;
   margin: 0.5rem 0 1.2rem;
.btn {
   padding: 10px 22px;
   background: red;
    color: white;
    font-weight: 400;
.btn:hover {
   background: black;
   transition: 0.2s ease;
.heading {
   text-align: center;
.heading span {
    font-weight: 500;
    color: red;
.heading p {
   font-size: 1rem;
    font-weight: 300;
.cars-container {
   display: flex;
    flex-wrap: wrap;
   gap: 2rem;
   margin-top: 2rem;
```

```
.cars-container .box {
    flex: 1 1 17rem;
    position: relative;
    height: 200px;
    border-radius: 0.5rem;
    overflow: hidden;
.cars-container .box img {
    width: 100%;
    height: 100%;
    object-fit: cover;
    overflow: hidden;
.cars-container .box img:hover {
    transform: scale(1.1);
    transition: 0.5s;
.cars-container .box h2 {
    position: absolute;
    bottom: 1rem;
    left: 1rem;
    font-weight: 400;
    font-size: 1rem;
    background: white;
    padding: 8px;
    border-radius: 0.5rem;
}
.cars-container .box:hover h2{
    color: red;
    background: black;
.about {
    display: flex;
    flex-wrap: wrap;
    align-items: center;
    gap: 1.5rem;
    margin-top: 150px;
.about-img {
    flex: 1 1 21rem;
```

```
.about-text {
   flex: 1 1 21rem;
.about-text span {
   font-weight: 500;
   color: red;
.about-text h2 {
   font-size: 1.7rem;
.about-text p {
   font-size: 1rem;
   margin: 0.5rem 0 1.4rem;
.parts-container {
   display: flex;
   flex-wrap: wrap;
   gap: 2rem;
   margin-top: 2rem;
.parts-container .box {
   flex: 1 1 17rem;
   position: relative;
   padding: 20px;
   display: flex;
   flex-direction: column;
   background-color: rgb(232, 232, 232);
   border-radius: 0.5rem;
.parts-container .box .img {
   width: 100%;
   height: 150px;
   object-fit: contain;
   object-position: center;
   margin-bottom: 1rem;
.parts-container .box h3 {
   font-size: 1.1rem;
   font-weight: 600;
```

```
.parts-container .box span {
    font-size: 1.1rem;
   font-weight: 600;
   color: red;
.parts-container .box .bx {
   color: red;
   margin: 0.8rem 0;
.parts-container .box .btn {
   max-width: 120px;
.parts-container .box .details {
   display: flex;
   align-items: center;
   position: absolute;
   bottom: 1.8rem;
   right: 1rem;
   font-size: 1rem;
   color: black;
.parts-container .box .details:hover {
   color: red;
   text-decoration: underline;
.blog-container {
   display: flex;
   flex-wrap: wrap;
   gap: 2rem;
   margin-top: 2rem;
.blog-container .box {
   flex: 1 1 13rem;
   padding: 20px;
.blog-container .box:hover {
   background: whitesmoke;
.blog-container .box span {
```

```
font-size: 1rem;
    color: red;
.blog-container h3 {
   font-size: 1.2rem;
.blog-container .box p {
    font-size: 1rem;
   margin: 4px 0;
.blog-container .box .blog-btn {
   display: flex;
   align-items: center;
    column-gap: 4px;
   color: black;
.blog-container .box .blog-btn .bx {
    font-size: 20px;
.blog-container .box .blog-btn:hover {
   color: red;
   column-gap: 0.7rem;
   transition: 0.2s ease;
```

Script.js

```
// dynamic search box code
document.addEventListener('DOMContentLoaded', function() {
    let search = document.querySelector('.search-box');
    document.querySelector('#search-icon').onclick = () => {
        search.classList.toggle('active');
    }
});
// register validation code
document.getElementById('register-form').addEventListener('submit',
function (e) {
    e.preventDefault();
    const username = document.getElementById('username').value;
    const email = document.getElementById('email').value;
    const password = document.getElementById('password').value;
    if (username && email && password) {
        alert('Registration successful!');
    } else {
        alert('Please fill in all the fields.');
});
// login validation code
document.getElementById('login-form').addEventListener('submit',
function (e) {
    e.preventDefault();
    const username = document.getElementById('username').value;
    const password = document.getElementById('password').value;
    if (username === 'new_username' && password === 'new_password') {
        alert('Login successful!');
    } else {
        alert('Login failed. Please check your credentials.');
});
```

Screenshots:







