VP-2 / QA PLANNING

Passkey & SSO Login Test Plan

Add Passkey and SSO Login Options to VWO Login Page

Document control	Value
Status	DRAFT - pending human review; not approved
Prepared	29 October 2026 | Version 0.1
QA owner / approvers	Unassigned / to be nominated
Source	Live Jira: https://krishna2674.atlassian.net/browse/VP-2
Source freshness	Fetched successfully on 29 October 2026. Created 29 October 2026 at 08:27 IST; updated at 08:28 IST.
Ticket baseline	Story; To Do; priority Medium; reporter and assignee krishna murthy. Components, fix versions, linked issues and attachments: none. Sprint and due date: not provided.

Purpose

Define risk-based coverage for the two new authentication choices, their failure and fallback behavior, compatibility, secure handling, and dashboard handoff. This document records planned testing only; no test execution or approval is claimed.

Company context and branding

The supplied company note describes VWO as a website A/B testing product, names the company as "Bingify", and states 5,000 employees. These are supplied internal context, not independently verified corporate facts. The supplied logo is The Testing Academy; it is reproduced above as the provided training/company asset, not represented as a VWO logo.

Review focus: confirm the requirement baseline, staging target, supported providers/devices, security decisions, test accounts, and ownership before sign-off.

REQUIREMENT BASELINE

1. Scope & Objectives

Objective: demonstrate that authorized users can authenticate with configured SSO and registered passkeys, reach the correct dashboard, and receive safe, useful responses when login cannot complete.

In scope

• Visibility, labels and placement of both new buttons below "Sign in with Google"; keyboard, responsive and assistive-technology checks proposed for review.

• Successful and failed SSO authentication across the approved configured identity providers.

• Successful passkey verification, missing passkey guidance, authentication failure and unsupported platform handling.

• Authentication security, sensitive-data exposure and account/session handoff; focused regression of existing email/password and Google login.

Proposed scope exclusions - approval needed

The live ticket does not state exclusions. Proposed exclusions are passkey registration, SSO provider configuration, full dashboard functionality, experimentation features, account administration and building a new automation suite. Existing enrollment/configuration are prerequisites to login testing. Product must approve these boundaries under Q01; only login handoff and focused regression are proposed here.

Acceptance criteria traceability

AC1-AC6 below are planning identifiers assigned to the six groups in the live ticket description; they do not add requirements. Q references identify unresolved gaps. P0/P1/P2 are proposed testing priorities, distinct from Jira priority.

Ref	Confirmed requirement from ticket
AC1 - UI	Show "Sign in using SSO" and "Sign in with Passkey" below "Sign in with Google".
AC2 - SSO	Valid credentials authenticate and redirect to the dashboard; invalid credentials show appropriate errors.
AC3 - Passkey	A registered, verified passkey authenticates and redirects to the dashboard; no passkey shows fallback or guidance.
AC4 - Errors	Show proper errors for SSO failure, passkey failure and unsupported browser/device.
AC5 - Compatibility	Passkeys work on supported browsers/devices; SSO works across all configured identity providers.
AC6 - Security	Authentication uses secure protocols (OAuth/SAML/WebAuthn); sensitive data is not exposed in UI or network logs.

BLOCKING DECISIONS / 1 OF 2

2. Gaps & Questions for the author

These questions preserve uncertainty rather than invent acceptance criteria. Proposed owner roles are routing suggestions; no person has been assigned. Each unresolved item needs an answer or an explicit approved deferral.

Q01 | MISSING | Goal, scope and completion criteria

Confirm the user story and business goal, approved scope exclusions and Definition of Done. VP-2 contains only six acceptance-criteria groups. Approve or amend the proposed registration/configuration exclusions and focused regression scope.

Suggested responder: Product owner / QA lead

Q02 | MISSING | Environment and deployment

Which HTTPS staging URL, build, tenant, feature flags and rollback path apply? No environment is identified in VP-2. Who deploys the feature, confirms readiness and restores a blocked environment?

Suggested responder: Engineering / operations

Q03 | MISSING | Identity providers and protocols

List every configured IdP, tenant and supported protocol; provide safe test accounts, metadata and test IdP ownership. Which callback/redirect URLs are allowed?

Suggested responder: Identity engineer

Q04 | MISSING | Passkey/browser matrix

Which browser, OS, device, authenticator and version combinations are supported? Are synced, platform, roaming and cross-device passkeys in scope? What constitutes an unsupported platform?

Suggested responder: Product / engineering

Q05 | AMBIGUOUS | Error and fallback contract

Approve messages, location, recovery action and focus behavior for invalid credentials, no passkey, cancellation, timeout, unsupported device and provider outage. Define timeout/retry limits and domain-input limits if relevant.

Suggested responder: Product / UX

Q06 | MISSING | Identity, roles and lifecycle

Which roles, tenant policies, disabled/uninvited/unknown users, SSO-enforced accounts, multi-tenant users and account-linking rules apply? How are registered passkeys provisioned for testing?

Suggested responder: Product / identity engineer

Q07 | AMBIGUOUS | Session and dashboard handoff

Confirm dashboard destination and tenant/account context, cookie/session policy, expiry/logout behavior and handling of an existing session or return URL. Does MFA or step-up apply? VP-2 does not specify a dashboard URL path.

Suggested responder: Engineering / security

BLOCKING DECISIONS / 2 OF 2

2. Gaps & Questions for the author

Q08 | AMBIGUOUS | Security acceptance

Assign protocols per flow; define trust validation, challenge/session binding, replay resistance, throttling and abuse controls. What information is classified as sensitive? How must evidence be redacted?

Suggested responder: Security / identity engineer

Q09 | MISSING | Performance and capacity

Set login-page, IdP and passkey timing measures, thresholds, timeouts, expected concurrency and test load. Which part of third-party latency is measured?

Suggested responder: Product / performance owner

Q10 | AMBIGUOUS | Accessibility and responsive design

Supply approved designs and breakpoints, keyboard/focus and screen-reader expectations, accessibility target and supported assistive technologies. The supplied .fig file is empty and Jira lists no attachments; no usable design is provided.

Suggested responder: UX / accessibility owner

Q11 | MISSING | Localization and content limits

Which locales, text expansion, RTL and input formats are supported? Define limits for any tenant/domain/email input introduced by the actual SSO UX.

Suggested responder: Product / UX

Q12 | MISSING | Observability and privacy

Which audit events, correlation IDs, redaction, log access and retention requirements apply? Who provides sanitized server-side traces?

Suggested responder: Security / operations

Q13 | MISSING | Regression and rollout

Approve the existing-login regression surface, compatibility with existing users/sessions, migration needs, staged rollout and rollback expectations. Confirm linked registration/configuration stories are ready.

Suggested responder: Engineering / product

Q14 | MISSING | People, dates and sign-off

Nominate QA, product, identity, security and UX reviewers; confirm sprint, fix version, estimates, capacity, release date and defect-severity policy. Which gaps can be deferred by explicit approval?

Suggested responder: QA lead / product owner

UI AND SSO

3. Test Scenarios

Proposed priorities: P0 = authentication/access or sensitive-data risk; P1 = core usability, failure recovery and compatibility; P2 = lower-risk content variation. Reprioritize when the supported audience and release risks are confirmed.

ID	Pri.	Type	Scenario / verification intent	Trace
TS01	P1	Positive	On a fresh login page, verify the two exact button labels and placement below Google. Relative order between the new buttons needs UX confirmation.	AC1; Q10
TS02	P1	Boundary	Check narrow/wide approved viewports and zoom: labels and actions remain visible, readable and usable without overlap. Breakpoints await approval.	AC1; Q10
TS03	P1	Access	Traverse with keyboard and screen reader: names, focus order, activation and error announcements follow approved accessibility behavior.	AC1,4; Q10
TS04	P0	Positive	For each configured IdP and supported protocol, complete valid SSO and verify authenticated dashboard access.	AC2,5; Q03
TS05	P0	Negative	Submit invalid SSO credentials: no authenticated dashboard/session; show the approved error and recovery path.	AC2,4; Q05
TS06	P1	Negative	Cancel or deny at the IdP; verify safe return, no authenticated session, useful feedback and a usable retry path.	AC4; Q05
TS07	P1	Negative	Interrupt connectivity or make the test IdP unavailable: no false success; display approved timeout/outage behavior.	AC4; Q03,05
TS08	P1	Boundary	Repeat activation and retry around callback/timeout boundaries; verify no duplicate authenticated contexts or stuck UI. Limits await definition.	AC2,4; Q05,07
TS09	P0	Role	Exercise allowed roles/tenants and configured restrictions: successful access only for approved identities and tenant policy.	AC2,6; Q06
TS10	P0	Negative	Try disabled, unknown, uninvited or incorrectly mapped SSO identities using controlled accounts; verify approved denial/linking behavior.	AC2,6; Q06
TS11	P1	Boundary	If SSO uses tenant/domain/email discovery, check empty, malformed, minimum/maximum and over-limit inputs using approved limits. Conditional on actual UX.	Q03,05,11

PASSKEY AND PROTOCOL SECURITY

3. Test Scenarios

Scenarios are planned coverage, not executable test cases or results. Q-only scenarios require approved expected behavior before pass/fail can be judged. Conditional scenarios depend on confirmed scope.

ID	Pri.	Type	Scenario / verification intent	Trace
TS12	P0	Positive	Verify a pre-registered valid passkey on every approved supported combination; authenticate and open the correct dashboard.	AC3,5; Q04,06
TS13	P1	Negative	Use an account/device with no available passkey: show approved fallback/guidance without granting access.	AC3,4; Q05
TS14	P1	Negative	Reject or fail passkey verification: preserve unauthenticated state and show approved failure guidance.	AC3,4; Q05
TS15	P1	Negative	Use a designated unsupported browser/device: explain the limitation and provide approved guidance.	AC4,5; Q04,05
TS16	P1	Boundary	Cancel, dismiss or allow the passkey prompt to time out; verify recovery and retry at the defined expiry boundary.	AC4; Q05,08
TS17	P0	Negative	Offer a passkey for a different account/tenant or a revoked credential; do not authenticate as an unintended user. Test lifecycle rules after approval.	AC3,6; Q06,08
TS18	P1	Positive	Exercise each approved authenticator type, including synced/roaming/cross-device variants only when included in the confirmed matrix.	AC3,5; Q04
TS19	P0	Security	In controlled staging, reject replayed, expired or mismatched WebAuthn challenges/assertions and invalid origin/RP binding.	AC6; Q08
TS20	P0	Security	For the configured protocol, reject invalid signature/issuer/audience, expired artifacts and replay. Check state/nonce/PKCE only where applicable.	AC6; Q03,08
TS21	P0	Security	Attempt an unauthorized callback/return destination in staging; verify approved redirect restrictions and no authentication bypass.	AC6; Q03,07,08
TS22	P0	Security	Check browser-visible UI, URL/history, console and sanitized network evidence for sensitive information; inspect server logs with an authorized owner.	AC6; Q08,12

SESSIONS, REGRESSION AND OPERATIONS

3. Test Scenarios

Scenarios are planned coverage, not executable test cases or results. Q-only scenarios require approved expected behavior before pass/fail can be judged. Conditional scenarios depend on confirmed scope.

ID	Pri.	Type	Scenario / verification intent	Trace
TS23	P0	Security	Verify configured secure transport, session/cookie policy, pre-login-to-authenticated session handling and resistance to session reuse/fixation.	AC6; Q07,08
TS24	P0	Role	After each login method, verify the intended user and tenant and agreed dashboard destination; direct dashboard access requires authentication.	AC2,3,6; Q06,07
TS25	P1	Boundary	Exercise refresh/back, existing-session login, multiple tabs and approved expiry/logout boundaries. Verify agreed session and UI behavior.	Q07,13
TS26	P1	Regression	Check existing email/password and Google login after new options are enabled and after a failed/cancelled new flow. Preserve approved baseline behavior.	Q13
TS27	P1	Negative	At approved staging-only rates, verify agreed throttling and lockout/recovery rules without leaking account existence. Do not assume numeric limits.	AC6; Q05,08
TS28	P1	Performance	Measure agreed login-page and end-to-end authentication timings at approved normal/peak concurrency; compare with approved thresholds per flow.	Q09
TS29	P1	Access	Check focused error presentation, retry focus and authenticator modal transitions on the approved assistive-technology matrix.	AC4; Q05,10
TS30	P2	Locale	For each approved locale/RTL setting, check translated labels, text expansion, readable errors and any supported discovery input formats.	Q10,11
TS31	P1	Operations	Correlate safe success/failure audit events with test attempts; verify approved redaction, authorization and observability.	AC6; Q12
TS32	P1	Rollback	If the feature supports flags/rollback, disable and re-enable it on staging: verify approved button, existing-login and session behavior.	Q02,13
TS33	P1	Regression	Check approved backward compatibility/migration cases for existing users and sessions; omit migration checks only after an explicit no-migration decision.	Q13
TS34	P1	Readiness	Before the provider/device matrix, smoke-test button visibility and one available SSO/passkey flow on the confirmed build. Record setup blockers explicitly; do not report blocked checks as passed.	AC1-3; Q02

READINESS AND EVIDENCE

4. Test Data & Environment

All items below are requested prerequisites, not claims that the environment or accounts already exist. Use dedicated non-production identities and disposable test data; keep credentials outside this document.

Fixture / dependency	Required variants and confirmation
Environment baseline	Confirmed HTTPS staging URL, build/commit, deployment readiness, tenant, flags, callback allowlist and rollback owner. Q02.
Configured IdPs	Every supported configured provider/protocol with healthy test integration and a named technical contact. Configuration changes are a proposed exclusion awaiting approval under Q01. Q03.
SSO identities	Allowed roles/tenants; invalid credentials; controlled disabled, unknown/uninvited and mapping-mismatch cases where policy applies. Q06.
Passkey identities	Pre-enrolled valid credential; no available credential; wrong-account credential; revoked credential where supported. Confirm the enrollment dependency and fixture owner; no linked story is supplied. Q04, Q06.
Device/browser matrix	Approved browser/OS versions and authenticator types; at least the designated unsupported combination for error handling. Record actual versions. Q04.
Existing-login baseline	Dedicated email/password and Google test accounts; any SSO-enforcement/MFA policy; known baseline session behavior. Q06, Q07, Q13.
Fault and security controls	Approved staging-only IdP outage/cancel/expiry simulations; permitted protocol/security tooling; defined safe rates and reset procedures. Q05, Q08.
Non-functional inputs	Performance budgets/load, accessibility tools/target, viewports/zoom, locales/RTL, log access and redaction rules. Q09-Q12.

Execution records and data handling

Record scenario ID, build, environment, provider/protocol, browser/OS/authenticator, account alias/role, timestamp, expected behavior, actual result and sanitized evidence. Record blocked reasons and dependency owners explicitly. Store full secrets, tokens and sensitive protocol payloads only in approved secure systems; attach redacted evidence to defects.

Coverage completion rule

Track the actual provider and browser/device combinations separately from the scenario IDs. A single successful SSO login does not demonstrate coverage of all configured providers; a single passkey device does not demonstrate the supported matrix. Confirm cleanup/reset with each fixture owner.

SOURCE LIMITS AND PLANNING DECISIONS

5. Risks & Assumptions

Risk / limitation	Impact and proposed response
Scope and completion undefined	Live VP-2 provides six AC groups but no explicit exclusions or Definition of Done. Approve proposed scope and completion gates before sign-off. Q01.
Deployment readiness unknown	No staging URL, build, feature flags or execution history is supplied in VP-2. Confirm setup and capture real evidence before execution. Q02.
Undefined support matrix	Cannot claim all-provider/device coverage until inventories and accounts are supplied. Track each approved combination. Q03, Q04.
Authentication trust errors	Account/tenant confusion, callback abuse, replay or exposed secrets could defeat login security. Prioritize P0 staging checks and security review. Q06-Q08, Q12.
External IdP and authenticator dependency	Provider availability and hardware/user-verification behavior can block testing; reserve fixtures and arrange owner support. Q03-Q06.
No quantitative NFRs	Performance, accessibility and localization checks cannot use invented targets. Get approved budgets/matrix or explicit deferral. Q09-Q11.
No staffing or schedule	Coverage and completion dates cannot be committed while ownership, sprint and estimates are absent. Q14.

Assumptions made and items not assumed

• **Confirmed source:** the user authorized VP-2 and it was fetched from the configured Jira site on 29 October 2026. The plan uses its six AC groups; it does not inherit requirements from other tickets.

• **Planning proposals:** scenario priorities, suggested owner roles, focused regression and sequence are recommendations pending review. They are not added acceptance criteria.

• **No invented decisions:** this plan supplies no assumed IdP, browser list, credential, role policy, numeric input limit, timing threshold, staffing count or delivery date.

• **Company note:** the supplied company description and training logo are attributed as provided. Corporate naming and headcount are unverified and do not set test expectations.

Source limitations: VP-2 returned no attachments, linked issues or comments. Components and fix versions are empty; no sprint, due date, estimate or Definition of Done is supplied. No prior execution result or deployment state can be inferred from this ticket.

PROPOSED GATES - DEFINITION OF DONE REQUIRES APPROVAL

6. Entry / Exit Criteria

Entry criteria

• Product/QA review the live VP-2 baseline, resolve Q01-Q14 and approve proposed scope, completion gates or explicit deferrals for affected scope items.

• Proposed: the story is implemented and deployed to a confirmed staging build. Required flags and dependencies are ready; VP-2 does not itself specify deployment readiness.

• Configured IdPs, supported device/browser matrix, permitted accounts and registered passkeys are available; setup blockers found during readiness checks are diagnosed and resolved.

• Expected error/fallback/session behavior and applicable security requirements are approved; permitted fault/security checks and evidence handling are agreed.

• QA owners, defect severity policy and release reviewers are named; planned coverage and regression scope are agreed.

Exit criteria

• All six acceptance-criteria groups meet their approved expected behavior, with evidence across every agreed IdP and supported passkey platform.

• Proposed gate: all P0 and P1 scenarios pass; any excluded/changed scenario has a documented approved scope decision. P2 outcomes and residual risks are reviewed.

• Proposed: no critical or high defects remain open under the approved severity policy; retests and focused regression are complete. VP-2 does not specify a defect-release threshold.

• Blocked checks are resolved and rerun; any remaining blocker prevents an unconditional pass/sign-off. Approved scope deferrals are listed explicitly.

• Proposed: documentation is updated and QA sign-off is recorded. Product/security approve relevant residual risks; completion responsibilities must be agreed under Q01/Q14.

Pause and resume execution

Proposed pause triggers: authentication bypass, cross-tenant access, sensitive-data leakage, an unavailable/incorrect staging target or broken fixtures invalidating results. Record the issue and affected scope; resume after the responsible owner confirms a corrected baseline and affected scenarios are selected for rerun.

Execution status

Not executed. This deliverable is a draft test plan. It does not assert that the feature is deployed, any scenario passed, any defect was reproduced, or the release is ready.

OWNERSHIP AND HUMAN REVIEW

7. Resource Allocation & 8. Timelines

Role (suggested)	Responsibility / allocation
QA owner / lead	Own coverage, fixtures, evidence, defect triage and sign-off recommendation. Person and effort: unassigned.
Product / story author	Resolve scope/priority, acceptance wording, supported audience and approved deferrals. Person and effort: unassigned.
Identity / engineering	Support providers, passkeys, callbacks, sessions, fixes and fixture provisioning. Person and effort: unassigned.
Security / operations / UX	Review security and logs; support staging/rollback; approve designs and accessibility. People and capacity: unconfirmed.

Ticket assignee: krishna murthy; this does not establish QA ownership. **Sprint / fix version:** not provided / empty in live Jira. No due date or effort estimate is supplied. Dates, capacity and elapsed duration must be agreed under Q14; company headcount is not allocated staffing.

Proposed phase	Completion dependency
1. Baseline and planning	Resolve source, scope, environment, matrix, expectations and owners; approve this plan.
2. Fixture readiness	Confirm staging build, IdPs, accounts, registered passkeys, devices and logging.
3. Execute planned coverage	After plan approval, create/review detailed test cases separately; execute P0 then P1/P2 and focused regression.
4. Retest and review	Retest fixes, close coverage gaps, update documentation and record release sign-off.

ALL CHECKLIST ITEMS SCORED

Appendix A. Requirement Checklist

PRESENT = explicitly provided; AMBIGUOUS = partially provided or not objectively decidable; MISSING = not specified. Each ambiguous or missing row maps to a question in Section 2.

Area	Checklist item	Status	Evidence / question
Functional	Clear user story / goal	MISSING	Summary identifies the login change; no explicit user story, benefit or business goal is given. Q01.
Functional	Testable acceptance criteria	AMBIGUOUS	Six groups; "appropriate", "proper", supported environments and secure protocol rules need decisions. Q04,05,08.
Functional	Happy path fully described	AMBIGUOUS	Success and dashboard intent exist; provider discovery, identity/session steps are incomplete. Q03,06,07.
Functional	Negative / error paths	AMBIGUOUS	Failure categories given; cancellation/outage/error contract unspecified. Q05.
Functional	Boundary and empty states	AMBIGUOUS	No-passkey state specified; timeouts, retry and any input limits absent. Q05,11.
Functional	State transitions / workflow	AMBIGUOUS	Basic click-to-dashboard flow only; existing sessions, retries and callback recovery undefined. Q05,07.
Data / setup	Required test data	MISSING	No accounts, roles, tenant or passkey fixtures. Q03,04,06.
Data / setup	Environment / config / flags	MISSING	No environment, staging requirement, build or flags supplied. Q02.
Data / setup	Dependencies / integrations	AMBIGUOUS	SSO and passkeys named; no provider inventory or linked setup stories confirmed. Q03,04,13.
Data / setup	Preconditions / setup	AMBIGUOUS	Registered passkey prerequisite stated; account provisioning and readiness absent. Q02,06.

CONTINUED / NON-FUNCTIONAL, CROSS-CUTTING AND CLARITY

Appendix A. Requirement Checklist

Remaining checklist items. Every ambiguous or missing item maps to an author question; no absent requirement is silently filled.

Area	Checklist item	Status	Evidence / question
Non-functional	Performance / load	MISSING	No timings, budgets or capacity targets. Q09.
Non-functional	Security / authorization	AMBIGUOUS	Protocols and confidentiality named; role, trust and session requirements incomplete. Q06-08.
Non-functional	Accessibility	MISSING	No accessibility target, keyboard/focus behavior or AT matrix. Q10.
Non-functional	Internationalization	MISSING	No locales, RTL or input-language support specified. Q11.
Non-functional	Audit / observability	AMBIGUOUS	Sensitive network-log exposure prohibited; audit events, access and retention absent. Q12.
Cross-cutting	Regression surface	AMBIGUOUS	Existing methods mentioned; impact and regression scope not agreed. Q13.
Cross-cutting	Compatibility / migration	MISSING	No existing-user/session or migration decision. Q13.
Cross-cutting	Mobile / browser matrix	AMBIGUOUS	Supported platforms referenced without browser/device inventory or responsive criteria. Q04,10.
Cross-cutting	Rollback / feature flags	MISSING	No rollout or rollback behavior. Q02,13.
Clarity	No ambiguous wording	AMBIGUOUS	"Appropriate", "proper" and "supported" lack exact messages, support matrix and measurable outcomes. Q04,05,08.
Clarity	Consistent terminology	AMBIGUOUS	Passkey types, configured providers and protocols per authentication flow are undefined. Q03,04,08.
Clarity	Mockups / designs linked	MISSING	No usable design in supplied materials; local .fig is empty. Q10.

PROVENANCE AND COVERAGE INDEX

Appendix B. Source Register

Source	Use and limitation
Live Jira VP-2	Primary requirements: https://krishna2674.atlassian.net/browse/VP-2. Successful REST fetch on 29 October 2026; ticket created 08:27 IST and updated 08:28 IST. Description contains six AC groups; no explicit exclusions or Definition of Done.
Source snapshot	tmp/pdfs/VP-2-live.json stores the fetched source for reproducibility. Attachments, linked issues, components and fix versions are empty; no comments returned. No credentials are reproduced in this plan.
Requested creator skill	Chapter_00_Skill_Basic/skills/01_Advance_Skills/test/testplan-creator-skill/skill.md; governs draft status, gap analysis, traceability and review gate.
Checklist and template	Same skill directory: references/requirement-checklist.md and references/test-plan-template.md. All checklist rows and all eight template sections are addressed.
Company note and logo	Same skill directory: misc/mycompanydetails.md and misc/company.png. Narrative attributed as supplied; logo visibly says The Testing Academy. misc/figma-desing.fig is empty.

Acceptance-criteria coverage index

Criterion	Primary planned scenarios
AC1 - UI	TS01-TS03; TS34
AC2 - SSO	TS04-TS05, TS08-TS10, TS24; TS34
AC3 - Passkey	TS12-TS14, TS17-TS18, TS24; TS34
AC4 - Errors	TS03, TS05-TS08, TS13-TS16, TS29
AC5 - Compatibility	TS04, TS12, TS15, TS18; each confirmed matrix combination must be recorded.
AC6 - Security	TS09-TS10, TS17, TS19-TS24, TS27, TS31; security details pending Q06-Q08/Q12.

The earlier VWO-49 plan and login dashboard plan are separate artifacts. Their historical comments, scope exclusions, Definition of Done and performance targets were not used as requirements for VP-2.

APPROVAL REQUIRED BEFORE TEST CASES OR AUTOMATION

HUMAN REVIEW GATE

Source: VP-2 was explicitly authorized and fetched live. **Planning proposals:** scope exclusions, scenario priorities, entry/exit gates and suggested ownership/sequence. **Unconfirmed:** business goal/DoD, staging readiness, providers/devices, messages, identity/session policy, security details, NFRs, rollout, staffing and dates.

Blocking questions: Q01-Q14 require answers or explicit approved deferrals. A deferral must name the affected scenarios, residual risk, approver and follow-up owner. Authentication/security issues and unmet acceptance criteria still prevent unconditional approval.

Tester / QA owner: _____ **Date:** _____
Decision: Approve draft / Request edits / Block
Product / relevant reviewers: _____
Decision record / remaining risks: _____

Please confirm or edit this plan before it is considered approved. Detailed test cases and automation have not been created for this request.